

Marbled Murrelet Long-Term Conservation Strategy and the Sustainable Harvest Calculation Public Meetings Report

A report to the Board of Natural Resources

presented by

Kristen Ohlson-Kiehn, Jennifer Davis and Mike Buffo

February 7, 2017



Public Meetings

January 10: Sedro Woolley – 24 attendees

January 12: Seattle – 47 attendees

January 17: Port Angeles – 40 attendees

January 19: Cathlamet – 12 attendees



Public Meetings

- Open house format
- Staff presentations
 - Introduction to state trust lands
 - Marbled murrelet
 - Sustainable harvest

Poster session and one-on-one Q &A with staff



Webinars

January 24: Marbled murrelet – 35 attendees

January 26: Sustainable harvest – 18 attendees



Webinars

Staff presentations

Informal Q &A



TWO DRAFT ENVIRONMENTAL IMPACT STATEMENTS (DEISs)

Marbled Murrelet Long-Term Conservation Strategy

Sustainable Harvest Calculation







WASHINGTON STATE DEPARTMENT OF

NATURAL RESOURCES

and -



U.S. Fish & Wildlife Service



Department of Natural Resources



Manages & Protects

Trust Lands

• Forests



Agriculture

Aquatic Lands

Conservation Lands

- Natural Area Preserves
- Natural Resources Conservation Areas

State Trust Lands

Granted Trust Lands

Benefits the state's public schools, universities and other institutions



Common School, Indemnity & Escheat



Scientific School



University Original



University Transferred



Normal School



Agricultural School



Capitol Grant



Charitable, Educational, Penal & Reformatory Institutions

State Forest Trust Lands

Benefits schools, counties and local services



State Forest Transfer Trust



State Forest Purchased
Trust

Other

Benefits Community Colleges and others



Community College Reserve and other DNRmanaged lands


Trust Mandate

As manager of state trust lands, DNR has legal fiduciary responsibilities under the State Constitution to:

- Generate revenue and other benefits for each trust, in perpetuity
- Preserve the corpus of the trust
- Exercise reasonable care and skill
- Act prudently to reduce the risk of loss for the trusts
- Maintain undivided loyalty to beneficiaries
- Act impartially with respect to current and future beneficiaries

Proportional Acreage of Major Trusts on Westside

1.4 Million Acres of Total Forested Trust Lands



Marbled Murrelet Long-Term Conservation Strategy

Draft Environmental Impact Statement



Jennifer Davis, DNR
Environmental Planner

Mark Ostwald, USFWS
Fish and Wildlife Biologist









Interim Strategy

Temporary

Complicated

Uncertain



Long-Term Strategy

Certain

Intentional

Predictable



USFWS Incidental Take Permit Issuance Criteria

- The taking will be incidental
- Minimize and mitigate impacts of taking to maximum extent practicable
- Adequate funding to implement murrelet strategy
- The taking will not appreciably reduce the survival and recovery of the species in the wild
- Other measures the USFWS may require



Marbled Murrelet

Summary of Biology, Distribution, and Status






Photos: PNW Research Lab

- A small marine bird that spends most of its life at sea, but nests in mature and old-growth forests.
- Feeds primarily on small fishes such as herring, sand lance, and anchovies, but will also feed on marine invertebrates such as krill.





Range and Status of the Marbled Murrelet

Extends from Alaska to California.

Listed as a **threatened species** under the Endangered Species Act in 1992 in **Washington**, Oregon and California.

Closely associated with coastal forests and nearshore marine waters during the summer nesting season.



Nesting Biology

Marbled murrelets do not build a nest, but lay a single egg in moss or debris on a tree branch or other natural platform.



Photos from USFS Pacific Northwest Research Station








Threats

- Ongoing and historical loss of nesting habitat.
- Predation on murrelet eggs and chicks in their nests.
- Changes in marine conditions, affecting the abundance, distribution, and quality of murrelet prey species.
- Mortality in the marine environment (predation, gill-nets, oil-spills).



Long-Term Strategy







Objectives of a Long-Term Strategy



Minimize and mitigate take

Promote sustainable management

Provide flexibility

Feasible, practical, cost effective
















Six Alternatives



An additional 10-151 thousand acres

would be protected




	A	В	C	D	E	F
Occupied sites	✓	✓	✓	✓	✓	✓
Occupied site buffers	✓		✓	\checkmark	✓	✓
Habitat identified under interim strategy	✓					
MM management areas						✓
Emphasis areas			✓		\checkmark	
Special habitat areas			✓	✓	✓	
High quality habitat			✓		✓	
Low quality northern spotted owl habitat						✓


























Affected Environment

Earth (Geology and Soils)

Climate

Vegetation

Aquatic Resources

Wildlife

Marbled Murrelet

Recreation

Forest Roads

Public services and utilities

Environmental justice

Socioeconomics

Cultural resources



Acres of Conservation

Alt. F

Alt E

Alt C


Alt D

Alt. B (-)






Habitat Growth






Take and Mitigation











NEPA/SEPA Joint EIS Process







Approval Process

Board selects strategy and DNR submits application to USFWS

USFWS completes biological opinion, findings, record of decision

Board decides whether to adopt conservation strategy





Alternatives for Establishment of a

Sustainable Harvest Level


for Forested State Trust Lands in Western Washington













Law

Habitat Conservation Plan

Policy for Sustainable Forests



Law

Habitat Conservation Plan

Policy for Sustainable Forests



Board of Natural Resources




SEPA



Alternatives





Marbled Murrelet Conservation

Arrearage Harvest

Riparian Thinning








6X

- A
- B
- C
- D
- E
- F

6X


- A
- B
- •
- D
- E
- F

























702 mmbf / 5 years

462 mmbf / 10 years


462 mmbf / 1 year

Rolled into the inventory





2005 – 2014 Riparian Thinning





10% of riparian area

• 1% of upland harvests

alt 1 alt 2 alt 3 alt 4 alt 5

Α

Arrearage

Murrelet

Rolled in

702 MMBF / 5 years

В

462 MMBF / 10 years

462 MMBF/ 1 year

Rolled in
Up to 1% of

Riparian

Up to 10% of riparian area

Up to 10% of riparian area

Up to 1% of upland harvest area


Up to 1% of upland harvest area

upland harvest area






Acres (2015-2024)





Volume (2015-2024)





Affected Environment

Earth (Geology and Soils)

Climate

Vegetation

Aquatic Resources

Wildlife and Biodiversity

Marbled Murrelet



Effects

Existing laws and policies mitigate impacts





SEPA EIS Process

Public comments, scoping summary Scoping

Draft EIS Public comment

Final EIS Comment summary with responses



Approval Process

Board adopts sustainable harvest level

DNR implements sustainable harvest level



Approval Process continued...

USFWS completes record of decision for murrelet strategy

Board decides whether to adopt murrelet strategy

Board adopts revised sustainable harvest level, if necessary



Find out more by visiting dnr.wa.gov/shc dnr.wa.gov/mmltcs

DEIS
Maps
Appendices
Board Presentations



Submit comments By 5 pm, March 9, 2017

By email to: sepacenter@dnr.wa.gov

By mail to: SEPA Center P.O. Box 47015 Olympia, WA 98504

Include the SEPA file number: 12-042001 for marbled murrelet long-term conservation 15-012901 for sustainable harvest

Questions and Answers at Information Stations

Alternatives for Establishment of a Sustainable Harvest Level Station 1: Sustainable Harvest Level Introduction Station 2: Sustainable Harvest Level Alternatives Station 3: Effects on the Environment Station 4: DEIS Comment Box

Marbled Murrelet Conservation Strategy Station 1: Marbled Murrelet Biology Station 2: Conservation Areas Station 3: Marbled Murrelet Alternatives Station 4: Marbled Murrelet Story Map Station 5: DEIS Comment Box



