



Woodard Bay Natural Resources Conservation Area Vascular Plant List

Courtesy of DNR staff and the Washington Native Plant Society. Nomenclature follows *Flora of the Pacific Northwest* 2nd Edition (2018).

* - Introduced

Genus/Species	Common Name	Plant Family
<i>Abies grandis</i>	Grand fir	Pinaceae
<i>Acer circinatum</i>	Vine maple	Sapindaceae
<i>Acer macrophyllum</i>	Bigleaf maple	Sapindaceae
<i>Achillea millefolium</i>	Common yarrow	Asteraceae
<i>Achlys triphylla</i>	Vanilla leaf	Berberidaceae
<i>Actaea rubra</i>	Baneberry	Ranunculaceae
<i>Adenocaulon bicolor</i>	Path finder, trail plant	Asteraceae
<i>Adiantum aleuticum</i> (<i>A. pedantum</i>)	Northern maidenhair fern	Pteridaceae
<i>Agrostis exarata</i>	Spike bentgrass	Poaceae
<i>Aira caryophylla</i> *	Silver hairgrass	Poaceae
<i>Amelanchier alnifolia</i>	Western serviceberry, saskatoon	Rosaceae
<i>Anaphalis margaritacea</i>	Pearly everlasting	Asteraceae
<i>Anthemis cotula</i> *	Stinking chamomile, mayweed chamomile	Asteraceae
<i>Aquilegia formosa</i>	Red columbine	Ranunculaceae
<i>Arbutus menziesii</i>	Pacific madrone	Ericaceae
<i>Arctostaphylos uva-ursi</i>	Kinnikinnick	Ericaceae
<i>Arctium minus</i> *	Common burdock	Asteraceae
<i>Arum italicum</i> *	Italian arum	Araceae
<i>Asarum caudatum</i>	Wild ginger	Aristolochiaceae
<i>Athyrium filix-femina</i>	Common lady fern, northern lady fern	Athyriaceae
<i>Atriplex patula</i> *	Saltbush, spearscale	Amaranthaceae
<i>Bellis perennis</i> *	English lawn daisy	Asteraceae
<i>Mahonia aquifolium</i>	Tall Oregon grape	Berberidaceae
<i>Mahonia nervosa</i>	Dull Oregon-grape, Low Oregon-grape	Berberidaceae
<i>Struthiopteris spicant</i>	Deer fern	Blechnaceae
<i>Brassica nigra</i> *	Black mustard	Brassicaceae
<i>Bromus spp</i> **	Brome grasses	Poaceae
<i>Camassia leichtlinii</i>	Giant camas	Asparagaceae
<i>Camassia quamash</i>	Common camas	Asparagaceae
<i>Campanula scouleri</i>	Pale bellflower	Campanulaceae
<i>Cardamine nuttallii</i>	Slender toothwort, wild cress	Brassicaceae
<i>Carex canescens</i>	Silvery sedge	Cyperaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

<i>Carex deweyana</i>	Dewey's sedge	Cyperaceae
<i>Carex leporina</i>	Hare sedge	Cyperaceae
<i>Carex lyngbyei</i>	Lyngbye's sedge	Cyperaceae
<i>Carex obnupta</i>	Slough sedge	Cyperaceae
<i>Carex stipata</i>	Sawbeak sedge	Cyperaceae
<i>Cedrus atlantica*</i>	Atlas cedar	Cedrus
<i>Cephalanthera austiniiae</i>	Phantom orchid	Orchidaceae
<i>Chamaenerion angustifolium</i>	Fireweed	Onagraceae
<i>Circaea alpina</i>	Enchanter's nightshade	Onagraceae
<i>Cirsium arvense</i> *	Canada thistle	Asteraceae
<i>Cirsium vulgare*</i>	Bull thistle	Asteraceae
<i>Claytonia sibirica (Montia s.)</i>	Siberian miner's lettuce, Siberian spring beauty	Montiaceae
<i>Clinopodium douglasii</i>	Yerba buena	Lamiaceae
<i>Convolvulus sepium*</i>	Hedge bindweed	Convolvulaceae
<i>Corallorhiza mertensiana</i>	Western coral-root	Orchidaceae
<i>Cornus nuttallii</i>	Pacific dogwood	Cornaceae
<i>Corylus cornuta</i>	Beaked hazelnut	Betulaceae
<i>Crataegus monogyna*</i>	One-seeded hawthorn, English hawthorn	Rosaceae
<i>Crepis capillaris*</i>	Smooth hawksbeard	Asteraceae
<i>Cytisus scoparius var. s.*</i>	Scot's broom, Scotch broom	Fabaceae
<i>Dactylis glomerata*</i>	Orchardgrass	Poaceae
<i>Daucus carota*</i>	Queen Anne's lace	Apiaceae
<i>Deschampsia cespitosa</i>	Tufted hairgrass	Poaceae
<i>Dicentra formosa</i>	Western bleeding heart	Papaveraceae
<i>Digitalis purpurea*</i>	Purple foxglove	Scrophulariaceae
<i>Distichlis spicata</i>	Coastal saltgrass, inland saltgrass	Poaceae
<i>Dryopteris cristata</i>	Shield fern	Dryopteridaceae
<i>Epilobium ciliatum</i>	Hairy willow-herb, fringed willow-herb	Onagraceae
<i>Equisetum arvense</i>	Field horsetail	Equisetaceae
<i>Erythranthe guttata</i>	Monkeyflower	Phrymaceae
<i>Erythronium oregonum</i>	White fawn lily	Liliaceae
<i>Fragaria vesca</i>	Woodland strawberry	Rosaceae
<i>Frangula purshiana</i>	Cascara	Rhamnaceae
<i>Fraxinus latifolia</i>	Oregon ash	Oleaceae
<i>Galium aparine</i>	Bedstraw	Rubiaceae
<i>Gaultheria shallon</i>	Salal	Ericaceae
<i>Geranium dissectum*</i>	Cut-leaf geranium	Geraniaceae
<i>Geranium molle*</i>	Dovefoot geranium, awnless geranium	Geraniaceae
<i>Geranium robertianum*</i>	Herb Robert, stinky Bob	Geraniaceae
<i>Geum macrophyllum</i>	Oregon avens, large-leafed avens	Rosaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

<i>Glechoma hederacea</i> *	Ground ivy, creeping charlie	Lamiaceae
<i>Hedera helix</i> *	English ivy	Araliaceae
<i>Hieracium albiflorum</i>	White-flowered hawkweed	Asteraceae
<i>Holcus lanatus</i> *	Velvetgrass	Poaceae
<i>Holodiscus discolor</i>	Oceanspray	Rosaceae
<i>Hordeum brachyantherum</i>	Meadow barley	Poaceae
<i>Hydrophyllum tenuipes</i>	Pacific waterleaf	Hydrophyllaceae
<i>Hypericum perforatum</i> *	St. Johnswort, Klamath weed	Hypericaceae
<i>Hypochaeris radicata</i> *	Hairy cats- ear, false dandelion	Asteraceae
<i>Ilex aquifolium</i> *	English holly	Aquifoliaceae
<i>Impatiens capensis</i> *	Jewelweed	Balsaminaceae
<i>Juncus balticus</i>	Baltic rush	Juncaceae
<i>Juncus ensifolius</i>	Dagger-leaf rush	Juncaceae
<i>Mycelis muralis</i> *	Wall lettuce	Asteraceae
<i>Lactuca serriola</i> *	Prickly lettuce	Asteraceae
<i>Lamium purpureum</i> *	Red dead-nettle, purple dead-nettle	Lamiaceae
<i>Lapsana communis</i> *	Nipplewort	Asteraceae
<i>Lathyrus latifolius</i> *	Everlasting pea, perennial pea	Fabaceae
<i>Leontodon saxatilis</i> *	hawkbit	Asteraceae
<i>Leucanthemum vulgare</i> *	Oxeye daisy	Asteraceae
<i>Ligustrum vulgare</i> *	Privet	Oleaceae
<i>Lilium columbianum</i>	Tiger lily	Liliaceae
<i>Linnaea borealis</i>	Twinflower	Linnaeaceae
<i>Lonicera ciliosa</i>	Orange honeysuckle, Western trumpet honeysuckle	Caprifoliaceae
<i>Lonicera hispidula</i>	Pink honeysuckle	Caprifoliaceae
<i>Lonicera involucrata</i>	Black twinberry	Caprifoliaceae
<i>Lotus corniculatus</i> *	Bird's foot trefoil	Fabaceae
<i>Acmispon parviflorus</i>	Small flowered lotus	Fabaceae
<i>Lupinus littoralis</i>	Seashore lupine	Fabaceae
<i>Luzula parviflora</i>	Small flowered woodrush	Juncaceae
<i>Maianthemum dilatatum</i>	False lily-of-the-valley	Asparagaceae
<i>Maianthemum racemosum</i>	False Solomon seal	Asparagaceae
<i>Malus domestica</i> *	Domestic apple	Rosaceae
<i>Malus fusca</i>	Western crabapple	Rosaceae
<i>Matricaria discoidea</i> *	Pineapple weed	Asteraceae
<i>Monotropa uniflora</i>	Indian pipe, ghost plant	Ericaceae
<i>Myosotis sylvatica</i> *	Woodland forget-me-not	Boraginaceae
<i>Navarretia squarrosa</i>	Skunkweed	Polemoniaceae
<i>Nemophila parviflora</i>	Small flowered nemophila	Hydrophyllaceae
<i>Nymphaea odorata</i> *	Fragrant water lily	Nymphaeaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

<i>Oemleria cerasiformis</i>	Indian-plum	Rosaceae
<i>Oenanthe sarmentosa</i>	Water-parsley	Apiaceae
<i>Osmorhiza berteroi</i>	Mountain sweet-cicely	Apiaceae
<i>Petasites frigidus</i>	Coltsfoot	Asteraceae
<i>Phalaris arundinacea*</i>	Reed canarygrass	Poaceae
<i>Philadelphus lewisii</i>	Mock-orange	Hydrangeaceae
<i>Physocarpus capitatus</i>	Pacific ninebark	Rosaceae
<i>Picea sitchensis</i>	Sitka spruce	Pinaceae
<i>Pinus contorta</i>	Shore pine	Pinaceae
<i>Pinus monticola</i>	Western white pine	Pinaceae
<i>Plantago lanceolata*</i>	Narrow-leaf plantain	Plantaginaceae
<i>Plantago major*</i>	English plantain	Plantaginaceae
<i>Plantago maritima</i>	Salt marsh plantain	Plantaginaceae
<i>Fallopia japonica var. japonica*</i>	Japanese knotweed	Polygonaceae
<i>Polypodium glycyrrhiza</i>	Licorice fern	Polypodiaceae
<i>Polystichum munitum</i>	Western sword fern	Dryopteridaceae
<i>Potentilla sp.</i>	Cinquefoil	Rosaceae
<i>Prunella vulgaris**</i>	Self-heal	Lamiaceae
<i>Prunus cerasifera*</i>	Flowering plum	Rosaceae
<i>Prunus emarginata</i>	Bitter cherry	Pinaceae
<i>Prunus avium*</i>	Bird cherry	Rosaceae
<i>Pseudotsuga menziesii</i>	Douglas-fir	Pinaceae
<i>Pteridium aquilinum</i>	Bracken fern	Dennstaedtiaceae
<i>Pyrus communis*</i>	Domestic Pear	Rosaceae
<i>Ranunculus occidentalis</i>	Western buttercup	Ranunculaceae
<i>Ranunculus repens*</i>	Creeping buttercup	Ranunculaceae
<i>Ribes sanguineum</i>	Currant	Grossulariaceae
<i>Robinia pseudoacacia*</i>	Black locust	Fabaceae
<i>Rosa canina*</i>	Dog rose	Rosaceae
<i>Rosa gymnocarpa</i>	Baldhip rose	Rosaceae
<i>Rosa pisocarpa</i>	Swamp rose	Rosaceae
<i>Rubus bifrons*</i>	Himalayan blackberry	Rosaceae
<i>Rubus laciniatus*</i>	Evergreen blackberry	Rosaceae
<i>Rubus leucodermis</i>	White bark raspberry, blackcap raspberry	Rosaceae
<i>Rubus parviflorus</i>	Thimbleberry	Rosaceae
<i>Rubus spectabilis</i>	Salmonberry	Rosaceae
<i>Rumex acetosella*</i>	Common sheep sorrel	Polygonaceae
<i>Rumex crispus*</i>	Curley dock., yellow dock	Polygonaceae
<i>Rumex obtusifolius*</i>	Broad-leafed dock, bitter dock	Polygonaceae
<i>Salicornia depressa</i>	Pickleweed	Amaranthaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

<i>Salix sitchensis</i>	Sitka willow	Salicaceae
<i>Salix lasiandra</i>	Willow	Salicaceae
<i>Sambucus racemosa</i>	Coast red elderberry	Caprifoliaceae
<i>Sanicula crassicaulis</i>	Pacific sanicle	Apiaceae
<i>Jacobaea vulgaris*</i>	Tansy ragwort	Asteraceae
<i>Senecio sylvaticus</i>	Woodland ragwort, heath groundsel	Asteraceae
<i>Sisyrinchium californicum</i>	Golden-eyed grass	Iridaceae
<i>Sisyrinchium idahoense</i>	Blue-eyed grass	Iridaceae
<i>Solanum dulcamara*</i>	bittersweet nightshade	Solanaceae
<i>Solanum physalifolium*</i>	Hairy nightshade	Solanaceae
<i>Sonchus asper *</i>	Prickly sow thistle	Asteraceae
<i>Sonchus oleraceus *</i>	Common sow-thistle	Asteraceae
<i>Spiraea douglasii</i>	Douglas' spiraea	Rosaceae
<i>Stachys cooleyae</i>	Cooley's hedge nettle	Lamiaceae
<i>Stellaria media*</i>	Common chickweed, chickenwort	Caryophyllaceae
<i>Streptopus amplexifolius</i>	Twisted stalk	Liliaceae
<i>Symphoricarpos albus</i>	Common snowberry	Caprifoliaceae
<i>Symphotrichum spathulatum</i>	Western mountain aster	Asteraceae
<i>Taraxacum officinale*</i>	Common dandelion	Asteraceae
<i>Taxus brevifolia</i>	Pacific yew	Taxaceae
<i>Tellima grandiflora</i>	Fringecup	Saxifragaceae
<i>Thuja plicata</i>	Western redcedar	Cupressaceae
<i>Tiarella trifoliata</i>	Foamflower	Saxifragaceae
<i>Tolmiea menziesii</i>	Piggyback plant, youth- on- age	Saxifragaceae
<i>Toxicodendron diversilobum</i>	Pacific poison-oak	Anacardiaceae
<i>Lysimachia latifolia</i>	Western starflower	Myrsinaceae
<i>Trifolium dubium*</i>	Small hop clover	Fabaceae
<i>Trifolium pratense*</i>	Red clover	Fabaceae
<i>Trifolium repens*</i>	White clover	Fabaceae
<i>Triglochin maritima</i>	Seaside arrowroot	Juncaginaceae
<i>Trillium ovatum</i>	Western trillium	Melanthiaceae
<i>Tsuga heterophylla</i>	Western hemlock	Pinaceae
<i>Ulex europaeus*</i> (eradicated)	Gorse	Fabaceae
<i>Urtica dioica</i>	Stinging nettle	Urticaceae
<i>Vaccinium ovatum</i>	Evergreen huckleberry	Ericaceae
<i>Vaccinium parvifolium</i>	Red huckleberry	Ericaceae
<i>Vancouveria hexandra</i>	Inside-out flower	Berberidaceae
<i>Veronica americana</i>	American brooklime	Plantaginaceae
<i>Veronica serpyllifolia</i>	Thyme-leaved speedwell	Plantaginaceae
<i>Vicia nigricans var. gigantea</i>	Black vetch, giant vetch	Fabaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

*Vicia sativa**
*Vinca major**
Viola adunca
Viola glabella

Common vetch
Periwinkle
Early blue violet
Yellow wood violet

Fabaceae
Apocynaceae
Violaceae
Violaceae

REMOVAL OR COLLECTION OF PLANTS IS NOT PERMITTED EXCEPT AS PART OF A RESEARCH OR EDUCATIONAL PROJECT APPROVED BY THE NATURAL AREAS PROGRAM.

**DEPARTMENT OF
NATURAL RESOURCES**

**Natural Areas Program
PO Box 47014
Olympia, WA 98504**

(360) 902-1600