



Washington Natural Heritage Program

List of Animal Species with Ranks

January 2024

The following list of animals known from Washington is complete for resident and transient vertebrates and several groups of invertebrates, including odonates, branchipods, tiger beetles, butterflies, gastropods, freshwater bivalves and bumble bees. Some species from other groups are included, especially where there are conservation concerns. Among these are the Palouse giant earthworm, a few moths and some of our mayflies and grasshoppers.

Conservation status, in the form of range-wide, national and state ranks are assigned to each taxon. Information on species range and distribution, number of individuals, population trends and threats is collected into a ranking form, analyzed, and used to assign ranks. Ranks are updated periodically, as new information is collected. We welcome new information for any species on our list. **PLEASE NOTE:** We have not had a zoologist on staff since 2017. Taxonomy, Global Rank, State Status, and Federal Status have been updated, but the State Rank has only been reevaluated for two species, Monarch Butterfly and Tricolored Blackbird.

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|---------------------------------|----------|-------------|------------|--------------|----------------|
| Northwestern Salamander | <i>Ambystoma gracile</i> | Amphibia | G5 | S5 | | |
| Long-toed Salamander | <i>Ambystoma macrodactylum</i> | Amphibia | G5 | S5 | | |
| Tiger Salamander | <i>Ambystoma tigrinum</i> | Amphibia | G5 | S3 | M | |
| Ensatina | <i>Ensatina eschscholtzii</i> | Amphibia | G5 | S5 | | |
| Dunn's Salamander | <i>Plethodon dunni</i> | Amphibia | G4 | S3 | C | |
| Larch Mountain Salamander | <i>Plethodon larselli</i> | Amphibia | G2G3 | S3 | S | |
| Van Dyke's Salamander | <i>Plethodon vandykei</i> | Amphibia | G2G3 | S3 | C | |
| Western Red-backed Salamander | <i>Plethodon vehiculum</i> | Amphibia | G5 | S5 | | |
| Rough-skinned Newt | <i>Taricha granulosa</i> | Amphibia | G5 | S5 | | |
| Cope's Giant Salamander | <i>Dicamptodon copei</i> | Amphibia | G3 | S3S4 | M | |
| Pacific Giant Salamander | <i>Dicamptodon tenebrosus</i> | Amphibia | G5 | S5 | | |
| Olympic Torrent Salamander | <i>Rhyacotriton olympicus</i> | Amphibia | G4 | S3 | M | |
| Cascade Torrent Salamander | <i>Rhyacotriton cascadae</i> | Amphibia | G3 | S3 | C | |
| Columbia Torrent Salamander | <i>Rhyacotriton kezeri</i> | Amphibia | G2G3 | S3 | M | |
| Coastal Tailed Frog | <i>Ascaphus truei</i> | Amphibia | G4 | S4 | | |
| Rocky Mountain Tailed Frog | <i>Ascaphus montanus</i> | Amphibia | G4 | S2? | C | |
| Western Toad | <i>Anaxyrus boreas</i> | Amphibia | G4 | S3 | C | |
| Woodhouse's Toad | <i>Bufo woodhousii</i> | Amphibia | G5 | S3 | M | |
| Pacific Treefrog | <i>Pseudacris regilla</i> | Amphibia | G5 | S5 | | |
| Great Basin Spadefoot | <i>Scaphiopus intermontanus</i> | Amphibia | G5 | S5 | | |
| Red-legged Frog | <i>Rana aurora</i> | Amphibia | G4 | S4 | | |
| Cascades Frog | <i>Rana cascadae</i> | Amphibia | G3 | S3S4 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------|----------------------------------|----------|-------------|------------|--------------|----------------|
| Bullfrog | <i>Rana catesbeiana</i> | Amphibia | G5 | SNA | | |
| Green Frog | <i>Rana clamitans</i> | Amphibia | G5 | SNA | | |
| Northern Leopard Frog | <i>Rana pipiens</i> | Amphibia | G5 | S1 | E | |
| Oregon Spotted Frog | <i>Rana pretiosa</i> | Amphibia | G2 | S1 | E | LT |
| Columbia Spotted Frog | <i>Rana luteiventris</i> | Amphibia | G4 | S4 | C | |
| Red-throated Loon | <i>Gavia stellata</i> | Aves | G5 | S3S4N | | |
| Arctic Loon | <i>Gavia arctica</i> | Aves | G5 | SNA | | |
| Common Loon | <i>Gavia immer</i> | Aves | G5 | S2B,S4N | S | |
| Yellow-billed Loon | <i>Gavia adamsii</i> | Aves | G4 | SNA | | |
| Pacific Loon | <i>Gavia pacifica</i> | Aves | G5 | S4S5N | | |
| Pied-billed Grebe | <i>Podilymbus podiceps</i> | Aves | G5 | S4B,S5N | | |
| Horned Grebe | <i>Podiceps auritus</i> | Aves | G5 | S3B,S5N | | |
| Red-necked Grebe | <i>Podiceps grisegena</i> | Aves | G5 | S3B,S5N | M | |
| Eared Grebe | <i>Podiceps nigricollis</i> | Aves | G5 | S3B,S4N | | |
| Western Grebe | <i>Aechmophorus occidentalis</i> | Aves | G5 | S3B,S3N | C | |
| Clark's Grebe | <i>Aechmophorus clarkii</i> | Aves | G5 | S2B | C | |
| Short-tailed Albatross | <i>Phoebastria albatrus</i> | Aves | G1 | SNA | C | LE |
| Black-footed Albatross | <i>Phoebastria nigripes</i> | Aves | G3G4 | SNA | | |
| Laysan Albatross | <i>Phoebastria immutabilis</i> | Aves | G3G4 | SNA | | |
| Shy Albatross | <i>Thalassarche cauta</i> | Aves | G4 | SNA | | |
| Northern Fulmar | <i>Fulmarus glacialis</i> | Aves | G5 | S4N | | |
| Mottled Petrel | <i>Pterodroma inexpectata</i> | Aves | G3G4 | SNA | | |
| Murphy's Petrel | <i>Pterodroma ultima</i> | Aves | G2G3 | SNA | | |
| Cook's Petrel | <i>Pterodroma cookii</i> | Aves | G2G3 | SNA | | |
| Pink-footed Shearwater | <i>Puffinus creatopus</i> | Aves | G3 | S1S2N | | |
| Flesh-footed Shearwater | <i>Puffinus carneipes</i> | Aves | G4 | SNA | | |
| Wedge-tailed Shearwater | <i>Puffinus pacificus</i> | Aves | G4G5 | SNA | | |
| Buller's Shearwater | <i>Puffinus bulleri</i> | Aves | G3 | S3N | | |
| Sooty Shearwater | <i>Puffinus griseus</i> | Aves | G5 | S4N | | |
| Short-tailed Shearwater | <i>Puffinus tenuirostris</i> | Aves | G5 | SNA | | |
| Manx Shearwater | <i>Puffinus puffinus</i> | Aves | G5 | SNA | | |
| Wilson's Storm-petrel | <i>Oceanites oceanicus</i> | Aves | G5 | SNA | | |
| Fork-tailed Storm-petrel | <i>Oceanodroma furcata</i> | Aves | G5 | S3?B | | |
| Leach's Storm-petrel | <i>Oceanodroma leucorhoa</i> | Aves | G5 | S4B | | |
| Red-billed Tropicbird | <i>Phaethon aethereus</i> | Aves | G5 | SNA | | |
| Blue-footed Booby | <i>Sula nebouxii</i> | Aves | G4G5 | SNA | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-----------------------------|--|-------|-------------|-------------|--------------|----------------|
| Brown Booby | <i>Sula leucogaster</i> | Aves | G5 | SNA | | |
| American White Pelican | <i>Pelecanus erythrorhynchos</i> | Aves | G4 | S1S2B | S | |
| Brown Pelican | <i>Pelecanus occidentalis</i> | Aves | G4 | S3N | | SC |
| California Brown Pelican | <i>Pelecanus occidentalis californicus</i> | Aves | G4T3T4 | S3N | | SC |
| Double-crested Cormorant | <i>Phalacrocorax auritus</i> | Aves | G5 | S4S5B,S4S5N | | |
| Brandt's Cormorant | <i>Phalacrocorax penicillatus</i> | Aves | G5 | S3B,S4N | | |
| Pelagic Cormorant | <i>Phalacrocorax pelagicus</i> | Aves | G5 | S4B,S4N | | |
| Red-faced Cormorant | <i>Phalacrocorax urile</i> | Aves | G5 | SNA | | |
| Magnificent Frigatebird | <i>Fregata magnificens</i> | Aves | G5 | SNA | | |
| American Bittern | <i>Botaurus lentiginosus</i> | Aves | G5 | S4B,S3N | | |
| Great Blue Heron | <i>Ardea herodias</i> | Aves | G5 | S4S5B,S5N | | |
| Great Egret | <i>Ardea alba</i> | Aves | G5 | S3B | | |
| Snowy Egret | <i>Egretta thula</i> | Aves | G5 | SNA | | |
| Little Blue Heron | <i>Egretta caerulea</i> | Aves | G5 | SNA | | |
| Cattle Egret | <i>Bubulcus ibis</i> | Aves | G5 | SNA | | |
| Green Heron | <i>Butorides virescens</i> | Aves | G5 | S3B | | |
| Black-crowned Night-heron | <i>Nycticorax nycticorax</i> | Aves | G5 | S3B,S3N | | |
| Yellow-crowned Night-heron | <i>Nyctanassa violacea</i> | Aves | G5 | SNA | | |
| White Ibis | <i>Eudocimus albus</i> | Aves | G5 | SNA | | |
| White-faced Ibis | <i>Plegadis chihi</i> | Aves | G5 | SNA | | |
| Fulvous Whistling-duck | <i>Dendrocygna bicolor</i> | Aves | G5 | SNA | | |
| Tundra Swan | <i>Cygnus columbianus</i> | Aves | G5 | S4N | | |
| Trumpeter Swan | <i>Cygnus buccinator</i> | Aves | G4 | S3N | | |
| Mute Swan | <i>Cygnus olor</i> | Aves | G5 | SNA | | |
| Taiga bean-goose | <i>Anser fabalis</i> | Aves | G5 | SNA | | |
| Greater White-fronted Goose | <i>Anser albifrons</i> | Aves | G5 | S3S4N | | |
| Snow Goose | <i>Chen caerulescens</i> | Aves | G5 | S3N | | |
| Ross' Goose | <i>Chen rossii</i> | Aves | G4 | SNA | | |
| Emperor Goose | <i>Chen canagica</i> | Aves | G3G4 | SNA | | |
| Brant | <i>Branta bernicla</i> | Aves | G5 | S3N | | |
| Canada Goose | <i>Branta canadensis</i> | Aves | G5 | S5B,S5N | | |
| Lesser Canada Goose | <i>Branta canadensis parvipes</i> | Aves | G5T4 | SNRN | | |
| Aleutian Canada Goose | <i>Branta hutchinsii leucopareia</i> | Aves | G5T3 | SNA | | |
| Cackling Canada Goose | <i>Branta hutchinsii minima</i> | Aves | G5T4 | SNRN | | |
| Dusky Canada Goose | <i>Branta canadensis occidentalis</i> | Aves | G5T3 | SNRN | | |
| Cackling Goose | <i>Branta hutchinsii</i> | Aves | G5 | SNRB,SNRN | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------|------------------------------------|-------|-------------|------------|--------------|----------------|
| Taverner's Canada Goose | <i>Branta hutchinsii taverneri</i> | Aves | G5T4 | SNRN | | |
| Wood Duck | <i>Aix sponsa</i> | Aves | G5 | S3N,S4B | | |
| Green-winged Teal | <i>Anas crecca</i> | Aves | G5 | S4B,S3N | | |
| Falcated Duck | <i>Anas falcata</i> | Aves | G4G5 | SNA | | |
| American Black Duck | <i>Anas rubripes</i> | Aves | G5 | SNA | | |
| Northern Pintail | <i>Anas acuta</i> | Aves | G5 | S3B,S4N | | |
| Garganey | <i>Anas querquedula</i> | Aves | G5 | SNA | | |
| Blue-winged Teal | <i>Anas discors</i> | Aves | G5 | S5B | | |
| Cinnamon Teal | <i>Anas cyanoptera</i> | Aves | G5 | S5B | | |
| Northern Shoveler | <i>Anas clypeata</i> | Aves | G5 | S4B,S3N | | |
| Gadwall | <i>Anas strepera</i> | Aves | G5 | S4N,S5B | | |
| Eurasian Wigeon | <i>Anas penelope</i> | Aves | G5 | S4N | | |
| American Wigeon | <i>Anas americana</i> | Aves | G5 | S4B,S5N | | |
| Mallard | <i>Anas platyrhynchos</i> | Aves | G5 | S5B,S5N | | |
| Canvasback | <i>Aythya valisineria</i> | Aves | G5 | S3B,S4N | | |
| Redhead | <i>Aythya americana</i> | Aves | G5 | S3N,S5B | | |
| Ring-necked Duck | <i>Aythya collaris</i> | Aves | G5 | S3N,S4B | | |
| Tufted Duck | <i>Aythya fuligula</i> | Aves | G5 | SNA | | |
| Greater Scaup | <i>Aythya marila</i> | Aves | G5 | S3N | | |
| Lesser Scaup | <i>Aythya affinis</i> | Aves | G5 | S3N,S4B | | |
| King Eider | <i>Somateria spectabilis</i> | Aves | G5 | SNA | | |
| Steller's Eider | <i>Polysticta stelleri</i> | Aves | G3G4 | SNA | | |
| Harlequin Duck | <i>Histrionicus histrionicus</i> | Aves | G4 | S2B,S3N | | |
| Long-tailed Duck | <i>Clangula hyemalis</i> | Aves | G5 | S3S4N | | |
| Surf Scoter | <i>Melanitta perspicillata</i> | Aves | G5 | S3N | | |
| Black Scoter | <i>Melanitta americana</i> | Aves | G5 | S3N | | |
| White-winged Scoter | <i>Melanitta deglandi</i> | Aves | G5 | S3N | | |
| Common Goldeneye | <i>Bucephala clangula</i> | Aves | G5 | S5N | | |
| Barrow's Goldeneye | <i>Bucephala islandica</i> | Aves | G5 | S3B,S4N | | |
| Bufflehead | <i>Bucephala albeola</i> | Aves | G5 | S4B,S4N | | |
| Smew | <i>Mergellus albellus</i> | Aves | G4 | SNA | | |
| Hooded Merganser | <i>Lophodytes cucullatus</i> | Aves | G5 | S3N,S4B | | |
| Common Merganser | <i>Mergus merganser</i> | Aves | G5 | S3N,S4B | | |
| Red-breasted Merganser | <i>Mergus serrator</i> | Aves | G5 | S3N | | |
| Ruddy Duck | <i>Oxyura jamaicensis</i> | Aves | G5 | S4B,S3N | | |
| Turkey Vulture | <i>Cathartes aura</i> | Aves | G5 | S4B | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|---|-------|-------------|-------------|--------------|----------------|
| California Condor | <i>Gymnogyps californianus</i> | Aves | G1 | SX | | LE |
| Osprey | <i>Pandion haliaetus</i> | Aves | G5 | S4B | | |
| White-tailed Kite | <i>Elanus leucurus</i> | Aves | G5 | S2 | | |
| Bald Eagle | <i>Haliaeetus leucocephalus</i> | Aves | G5 | S4B,S4N | | SC |
| Northern Harrier | <i>Circus hudsonius</i> | Aves | G5 | S3B,S3N | | |
| Sharp-shinned Hawk | <i>Accipiter striatus</i> | Aves | G5 | S3S4B,S4N | | |
| Cooper's Hawk | <i>Accipiter cooperii</i> | Aves | G5 | S4B,S4N | | |
| Northern Goshawk | <i>Accipiter atricapillus</i> | Aves | G5 | S2S3B,S3N | C | |
| Red-shouldered Hawk | <i>Buteo lineatus</i> | Aves | G5 | SNA | | |
| Broad-winged Hawk | <i>Buteo platypterus</i> | Aves | G5 | SNA | | |
| Swainson's Hawk | <i>Buteo swainsoni</i> | Aves | G5 | S3S4B | | |
| Red-tailed Hawk | <i>Buteo jamaicensis</i> | Aves | G5 | S5B,S5N | | |
| Ferruginous Hawk | <i>Buteo regalis</i> | Aves | G4 | S2B | E | |
| Rough-legged Hawk | <i>Buteo lagopus</i> | Aves | G5 | S4N | | |
| Golden Eagle | <i>Aquila chrysaetos</i> | Aves | G5 | S3 | C | |
| Eurasian Kestrel | <i>Falco tinnunculus</i> | Aves | G5 | SNA | | |
| American Kestrel | <i>Falco sparverius</i> | Aves | G5 | S4S5B,S4S5N | | |
| Merlin | <i>Falco columbarius</i> | Aves | G5 | S3B,S4N | | |
| Peregrine Falcon | <i>Falco peregrinus</i> | Aves | G4 | S2B,S3N | | |
| American Peregrine Falcon | <i>Falco peregrinus anatum</i> | Aves | G4T4 | S1B,S3N | | SC |
| Peale's Peregrine Falcon | <i>Falco peregrinus pealei</i> | Aves | G4T3 | S2B,S3N | | SC |
| Arctic Peregrine Falcon | <i>Falco peregrinus tundrius</i> | Aves | G4T3Q | S3N | | SC |
| Gyrfalcon | <i>Falco rusticolus</i> | Aves | G5 | S2N | | |
| Prairie Falcon | <i>Falco mexicanus</i> | Aves | G5 | S3B,S3N | | |
| Gray Partridge | <i>Perdix perdix</i> | Aves | G5 | SNA | | |
| Chukar | <i>Alectoris chukar</i> | Aves | G5 | SNA | | |
| Ring-necked Pheasant | <i>Phasianus colchicus</i> | Aves | G5 | SNA | | |
| Spruce Grouse | <i>Falcipennis canadensis</i> | Aves | G5 | S4 | | |
| Blue Grouse | <i>Dendragapus obscurus</i> | Aves | G5 | S4 | | |
| Sooty Grouse | <i>Dendragapus fuliginosus</i> | Aves | G5 | SNR | | |
| White-tailed Ptarmigan | <i>Lagopus leucurus</i> | Aves | G5 | S3 | | |
| Ruffed Grouse | <i>Bonasa umbellus</i> | Aves | G5 | S5 | | |
| Greater Sage-grouse | <i>Centrocercus urophasianus</i> | Aves | G3G4 | S1 | E | |
| Western Sage Grouse | <i>Centrocercus urophasianus phaios</i> | Aves | G3G4T3Q | S1 | E | SC |
| Sharp-tailed Grouse | <i>Tympanuchus phasianellus</i> | Aves | G5 | S1S2 | E | |
| Wild Turkey | <i>Meleagris gallopavo</i> | Aves | G5 | SNA | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------|-------------------------------------|-------|-------------|-------------|--------------|----------------|
| Merriam's Turkey | <i>Meleagris gallopavo merriami</i> | Aves | G5T5 | SNR | | |
| Northern Bobwhite | <i>Colinus virginianus</i> | Aves | G4G5 | SNA | | |
| California Quail | <i>Callipepla californica</i> | Aves | G5 | SNA | | |
| Mountain Quail | <i>Oreortyx pictus</i> | Aves | G5 | S1 | | |
| Yellow Rail | <i>Coturnicops noveboracensis</i> | Aves | G4 | SNA | | |
| Virginia Rail | <i>Rallus limicola</i> | Aves | G5 | S3N,S4B | | |
| Sora | <i>Porzana carolina</i> | Aves | G5 | S4B | | |
| American Coot | <i>Fulica americana</i> | Aves | G5 | S4B,S4N | | |
| Sandhill Crane | <i>Grus canadensis</i> | Aves | G5 | S1B,S3N | E | |
| Black-bellied Plover | <i>Pluvialis squatarola</i> | Aves | G5 | S4N | | |
| American Golden-plover | <i>Pluvialis dominica</i> | Aves | G5 | S3N | | |
| Pacific Golden-plover | <i>Pluvialis fulva</i> | Aves | G5 | S2S3N | | |
| Snowy Plover | <i>Charadrius nivosus</i> | Aves | G3 | S1 | E | LT |
| Semipalmated Plover | <i>Charadrius semipalmatus</i> | Aves | G5 | S4N | | |
| Piping Plover | <i>Charadrius melodus</i> | Aves | G3 | SNA | | LT |
| Killdeer | <i>Charadrius vociferus</i> | Aves | G5 | S4S5B,S4S5N | | |
| Mountain Plover | <i>Charadrius montanus</i> | Aves | G3 | SNA | | |
| Eurasian Dotterel | <i>Charadrius morinellus</i> | Aves | G5 | SNA | | |
| Black Oystercatcher | <i>Haematopus bachmani</i> | Aves | G5 | S4 | | |
| Black-necked Stilt | <i>Himantopus mexicanus</i> | Aves | G5 | S3B | | |
| American Avocet | <i>Recurvirostra americana</i> | Aves | G5 | S4B | | |
| Greater Yellowlegs | <i>Tringa melanoleuca</i> | Aves | G5 | S4S5N | | |
| Lesser Yellowlegs | <i>Tringa flavipes</i> | Aves | G5 | S4N | | |
| Solitary Sandpiper | <i>Tringa solitaria</i> | Aves | G5 | S3S4N | | |
| Willet | <i>Catoptrophorus semipalmatus</i> | Aves | G5 | S3N | | |
| Wandering Tattler | <i>Heteroscelus incanus</i> | Aves | G4G5 | S3N | | |
| Gray-tailed Tattler | <i>Heteroscelus brevipes</i> | Aves | G4G5 | SNA | | |
| Spotted Sandpiper | <i>Actitis macularia</i> | Aves | G5 | S3N,S4B | | |
| Upland Sandpiper | <i>Bartramia longicauda</i> | Aves | G5 | SHB | E | |
| Whimbrel | <i>Numenius phaeopus</i> | Aves | G5 | S3N | | |
| Bristle-thighed Curlew | <i>Numenius tahitiensis</i> | Aves | G3 | SNA | | |
| Long-billed Curlew | <i>Numenius americanus</i> | Aves | G5 | S2S3B,S2N | | |
| Hudsonian Godwit | <i>Limosa haemastica</i> | Aves | G4 | SNA | | |
| Bar-tailed Godwit | <i>Limosa lapponica</i> | Aves | G4 | SNA | | |
| Marbled Godwit | <i>Limosa fedoa</i> | Aves | G5 | S3N | | |
| Ruddy Turnstone | <i>Arenaria interpres</i> | Aves | G5 | S4N | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------|---------------------------------|-------|-------------|------------|--------------|----------------|
| Black Turnstone | <i>Arenaria melanocephala</i> | Aves | G5 | S4S5N | | |
| Surfbird | <i>Aphriza virgata</i> | Aves | G4 | S4N | | |
| Great Knot | <i>Calidris tenuirostris</i> | Aves | G4G5 | SNA | | |
| Red Knot | <i>Calidris canutus</i> | Aves | G4 | S3N | | |
| Sanderling | <i>Calidris alba</i> | Aves | G5 | S4N | | |
| Semipalmated Sandpiper | <i>Calidris pusilla</i> | Aves | G5 | SNA | | |
| Western Sandpiper | <i>Calidris mauri</i> | Aves | G5 | S4S5N | | |
| Least Sandpiper | <i>Calidris minutilla</i> | Aves | G5 | S4N | | |
| White-rumped Sandpiper | <i>Calidris fuscicollis</i> | Aves | G5 | SNA | | |
| Baird's Sandpiper | <i>Calidris bairdii</i> | Aves | G5 | SNA | | |
| Pectoral Sandpiper | <i>Calidris melanotos</i> | Aves | G5 | S3N | | |
| Sharp-tailed Sandpiper | <i>Calidris acuminata</i> | Aves | G5 | SNA | | |
| Rock Sandpiper | <i>Calidris ptilocnemis</i> | Aves | G5 | S3N | | |
| Dunlin | <i>Calidris alpina</i> | Aves | G5 | S4S5N | | |
| Curlew Sandpiper | <i>Calidris ferruginea</i> | Aves | G5? | SNA | | |
| Stilt Sandpiper | <i>Calidris himantopus</i> | Aves | G5 | SNA | | |
| Buff-breasted Sandpiper | <i>Tryngites subruficollis</i> | Aves | G4 | SNA | | |
| Ruff | <i>Philomachus pugnax</i> | Aves | G5 | SNA | | |
| Short-billed Dowitcher | <i>Limnodromus griseus</i> | Aves | G5 | S4N | | |
| Long-billed Dowitcher | <i>Limnodromus scolopaceus</i> | Aves | G5 | S4S5N | | |
| Jack Snipe | <i>Lymnocyptes minimus</i> | Aves | G5 | SNA | | |
| Wilson's Snipe | <i>Gallinago delicata</i> | Aves | G5 | S4B,S5N | | |
| Wilson's Phalarope | <i>Phalaropus tricolor</i> | Aves | G5 | S3?B | | |
| Red-necked Phalarope | <i>Phalaropus lobatus</i> | Aves | G4G5 | S4N | | |
| Red Phalarope | <i>Phalaropus fulicarius</i> | Aves | G5 | S4N | | |
| Pomarine Jaeger | <i>Stercorarius pomarinus</i> | Aves | G5 | S4N | | |
| Parasitic Jaeger | <i>Stercorarius parasiticus</i> | Aves | G5 | S4N | | |
| Long-tailed Jaeger | <i>Stercorarius longicaudus</i> | Aves | G5 | SNA | | |
| South Polar Skua | <i>Stercorarius maccormicki</i> | Aves | G5 | SNA | | |
| Laughing Gull | <i>Larus atricilla</i> | Aves | G5 | SNA | | |
| Franklin's Gull | <i>Larus pipixcan</i> | Aves | G5 | SNA | | |
| Little Gull | <i>Larus minutus</i> | Aves | G5 | SNA | | |
| Black-headed Gull | <i>Larus ridibundus</i> | Aves | G5 | SNA | | |
| Bonaparte's Gull | <i>Larus philadelphia</i> | Aves | G5 | S5N | | |
| Heermann's Gull | <i>Larus heermanni</i> | Aves | G4 | S5N | | |
| Ring-billed Gull | <i>Larus delawarensis</i> | Aves | G5 | S5B,S5N | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------|-----------------------------------|-------|-------------|------------|--------------|----------------|
| California Gull | <i>Larus californicus</i> | Aves | G5 | S4B,S5N | | |
| Herring Gull | <i>Larus argentatus</i> | Aves | G5 | S4N | | |
| Thayer's Gull | <i>Larus thayeri</i> | Aves | G5T5 | S4N | | |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | Aves | G5 | SNA | | |
| Slaty-backed Gull | <i>Larus schistisagus</i> | Aves | G5 | SNA | | |
| Western Gull | <i>Larus occidentalis</i> | Aves | G5 | S4B,S4N | | |
| Glaucous-winged Gull | <i>Larus glaucescens</i> | Aves | G5 | S5B,S5N | | |
| Glaucous Gull | <i>Larus hyperboreus</i> | Aves | G5 | SNA | | |
| Iceland Gull | <i>Larus glaucoides</i> | Aves | G5 | SNA | | |
| Mew Gull | <i>Larus brachyrhynchus</i> | Aves | G5 | S5N | | |
| Black-legged Kittiwake | <i>Rissa tridactyla</i> | Aves | G5 | S4N | | |
| Red-legged Kittiwake | <i>Rissa brevirostris</i> | Aves | G3 | SNA | | |
| Ross's Gull | <i>Rhodostethia rosea</i> | Aves | G4 | SNA | | |
| Sabine's Gull | <i>Xema sabini</i> | Aves | G5 | SNA | | |
| Ivory Gull | <i>Pagophila eburnea</i> | Aves | G4 | SNA | | |
| Caspian Tern | <i>Sterna caspia</i> | Aves | G5 | S3?B | | |
| Elegant Tern | <i>Sterna elegans</i> | Aves | G4 | SNA | | |
| Common Tern | <i>Sterna hirundo</i> | Aves | G5 | S4N | | |
| Arctic Tern | <i>Sterna paradisaea</i> | Aves | G5 | S2B | | |
| Forster's Tern | <i>Sterna forsteri</i> | Aves | G5 | S3B | | |
| Least Tern | <i>Sterna antillarum</i> | Aves | G4 | SNA | | PS:LE |
| Black Tern | <i>Chlidonias niger</i> | Aves | G4G5 | S4B | | |
| Common Murre | <i>Uria aalge</i> | Aves | G5 | S4B,S5N | | |
| Thick-billed Murre | <i>Uria lomvia</i> | Aves | G5 | SNA | | |
| Pigeon Guillemot | <i>Cephus columba</i> | Aves | G5 | S4B,S4N | | |
| Marbled Murrelet | <i>Brachyramphus marmoratus</i> | Aves | G3 | S2 | E | LT |
| Kittlitz's Murrelet | <i>Brachyramphus brevirostris</i> | Aves | G2 | SNA | | |
| Long-billed Murrelet | <i>Brachyramphus perdix</i> | Aves | G4 | SNA | | |
| Xantus' Murrelet | <i>Synthliboramphus scrippsi</i> | Aves | G2 | SNA | | |
| Ancient Murrelet | <i>Synthliboramphus antiquus</i> | Aves | G4 | S3S4N | | |
| Cassin's Auklet | <i>Ptychoramphus aleuticus</i> | Aves | G4 | S3 | C | |
| Parakeet Auklet | <i>Aethia psittacula</i> | Aves | G5 | SNA | | |
| Whiskered Auklet | <i>Aethia pygmaea</i> | Aves | G4 | SNA | | |
| Rhinoceros Auklet | <i>Cerorhinca monocerata</i> | Aves | G5 | S4B,S4N | | |
| Tufted Puffin | <i>Fratercula cirrhata</i> | Aves | G5 | S1B | E | |
| Horned Puffin | <i>Fratercula corniculata</i> | Aves | G5 | SNA | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|-----------------------------------|-------|-------------|------------|--------------|----------------|
| Rock Pigeon | <i>Columba livia</i> | Aves | G5 | SNA | | |
| Band-tailed Pigeon | <i>Columba fasciata</i> | Aves | G4 | S3S4B,S4N | | |
| Eurasian Collared-dove | <i>Streptopelia decaocto</i> | Aves | G5 | SNA | | |
| White-winged Dove | <i>Zenaida asiatica</i> | Aves | G5 | SNA | | |
| Mourning Dove | <i>Zenaida macroura</i> | Aves | G5 | S5B,S5N | | |
| Black-billed Cuckoo | <i>Coccyzus erythrophthalmus</i> | Aves | G5 | SNA | | |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | Aves | G5 | SH | E | LT |
| Barn Owl | <i>Tyto alba</i> | Aves | G5 | S4 | | |
| Flammulated Owl | <i>Otus flammeolus</i> | Aves | G4 | S3B | C | |
| Western Screech-owl | <i>Otus kennicottii</i> | Aves | G4G5 | S4 | | |
| Great Horned Owl | <i>Bubo virginianus</i> | Aves | G5 | S5 | | |
| Snowy Owl | <i>Nyctea scandiaca</i> | Aves | G4 | S3N | | |
| Northern Hawk Owl | <i>Surnia ulula</i> | Aves | G5 | SNA | | |
| Northern Pygmy-owl | <i>Glaucidium gnoma</i> | Aves | G4G5 | S4B,S4N | | |
| Burrowing Owl | <i>Athene cucularia</i> | Aves | G4 | S2B | C | |
| Spotted Owl | <i>Strix occidentalis</i> | Aves | G3G4 | S1 | E | LT |
| Northern Spotted Owl | <i>Strix occidentalis caurina</i> | Aves | G3G4T3 | S1 | E | LT |
| Great Gray Owl | <i>Strix nebulosa</i> | Aves | G5 | S2B | M | |
| Barred Owl | <i>Strix varia</i> | Aves | G5 | S5 | | |
| Long-eared Owl | <i>Asio otus</i> | Aves | G5 | S3B,S4N | | |
| Short-eared Owl | <i>Asio flammeus</i> | Aves | G5 | S2S3B,S3N | | |
| Boreal Owl | <i>Aegolius funereus</i> | Aves | G5 | S3 | | |
| Northern Saw-whet Owl | <i>Aegolius acadicus</i> | Aves | G5 | S4B,S4N | | |
| Common Nighthawk | <i>Chordeiles minor</i> | Aves | G5 | S4B | | |
| Common Poorwill | <i>Phalaenoptilus nuttallii</i> | Aves | G5 | S3S4B | | |
| Black Swift | <i>Cypseloides niger</i> | Aves | G4 | S3B | | |
| Vaux's Swift | <i>Chaetura vauxi</i> | Aves | G5 | S3S4B | | |
| White-throated Swift | <i>Aeronautes saxatalis</i> | Aves | G5 | S3S4B | | |
| Ruby-throated Hummingbird | <i>Archilochus colubris</i> | Aves | G5 | SNA | | |
| Black-chinned Hummingbird | <i>Archilochus alexandri</i> | Aves | G5 | S4B | | |
| Anna's Hummingbird | <i>Calypte anna</i> | Aves | G5 | S4B,S5N | | |
| Costa's Hummingbird | <i>Calypte costae</i> | Aves | G5 | SNA | | |
| Calliope Hummingbird | <i>Stellula calliope</i> | Aves | G5 | S4S5B | | |
| Broad-tailed Hummingbird | <i>Selasphorus platycercus</i> | Aves | G5 | SNA | | |
| Rufous Hummingbird | <i>Selasphorus rufus</i> | Aves | G4 | S4B | | |
| Allen's Hummingbird | <i>Selasphorus sasin</i> | Aves | G5 | SNA | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|--------------------------------------|-------|-------------|-------------|--------------|----------------|
| Belted Kingfisher | <i>Ceryle alcyon</i> | Aves | G5 | S5 | | |
| Lewis' Woodpecker | <i>Melanerpes lewis</i> | Aves | G4 | S2S3 | | |
| Acorn Woodpecker | <i>Melanerpes formicivorus</i> | Aves | G5 | S1 | | |
| Yellow-bellied Sapsucker | <i>Sphyrapicus varius</i> | Aves | G5 | SNA | | |
| Red-breasted Sapsucker | <i>Sphyrapicus ruber</i> | Aves | G5 | S4S5 | | |
| Williamson's Sapsucker | <i>Sphyrapicus thyroideus</i> | Aves | G5 | S3S4B | | |
| Red-naped Sapsucker | <i>Sphyrapicus nuchalis</i> | Aves | G5 | S4S5B | | |
| Downy Woodpecker | <i>Picoides pubescens</i> | Aves | G5 | S4S5 | | |
| Hairy Woodpecker | <i>Picoides villosus</i> | Aves | G5 | S5 | | |
| White-headed Woodpecker | <i>Picoides albolarvatus</i> | Aves | G4 | S2S3 | C | |
| Black-backed Woodpecker | <i>Picoides arcticus</i> | Aves | G5 | S3 | C | |
| Three-toed Woodpecker | <i>Picoides dorsalis</i> | Aves | G5 | S3 | | |
| Northern Flicker | <i>Colaptes auratus</i> | Aves | G5 | S5 | | |
| Pileated Woodpecker | <i>Dryocopus pileatus</i> | Aves | G5 | S4 | | |
| Olive-sided Flycatcher | <i>Contopus cooperi</i> | Aves | G4 | S3B | | |
| Western Wood-pewee | <i>Contopus sordidulus</i> | Aves | G5 | S5B | | |
| Willow Flycatcher | <i>Empidonax traillii</i> | Aves | G5 | S4B | | |
| Least Flycatcher | <i>Empidonax minimus</i> | Aves | G5 | S3B | | |
| Hammond's Flycatcher | <i>Empidonax hammondi</i> | Aves | G5 | S5B | | |
| Dusky Flycatcher | <i>Empidonax oberholseri</i> | Aves | G5 | S4S5B | | |
| Gray Flycatcher | <i>Empidonax wrightii</i> | Aves | G5 | S2S3B | | |
| Western Flycatcher | <i>Empidonax difficilis</i> | Aves | G5 | S4S5B | | |
| Black Phoebe | <i>Sayornis nigricans</i> | Aves | G5 | SNA | | |
| Eastern Phoebe | <i>Sayornis phoebe</i> | Aves | G5 | SNA | | |
| Say's Phoebe | <i>Sayornis saya</i> | Aves | G5 | S5B | | |
| Vermilion Flycatcher | <i>Pyrocephalus rubinus</i> | Aves | G5 | SNA | | |
| Ash-throated Flycatcher | <i>Myiarchus cinerascens</i> | Aves | G5 | S2B | | |
| Tropical Kingbird | <i>Tyrannus melancholicus</i> | Aves | G5 | SNA | | |
| Western Kingbird | <i>Tyrannus verticalis</i> | Aves | G5 | S5B | | |
| Eastern Kingbird | <i>Tyrannus tyrannus</i> | Aves | G5 | S4S5B | | |
| Scissor-tailed Flycatcher | <i>Tyrannus forficatus</i> | Aves | G5 | SNA | | |
| Fork-tailed Flycatcher | <i>Tyrannus savana</i> | Aves | G5 | SNA | | |
| Sky Lark | <i>Alauda arvensis</i> | Aves | G5 | SNA | | |
| Horned Lark | <i>Eremophila alpestris</i> | Aves | G5 | S4S5B,S4S5N | E-Part | PS:LT |
| Streaked Horned Lark | <i>Eremophila alpestris strigata</i> | Aves | G5T2 | S1B | E | LT |
| Purple Martin | <i>Progne subis</i> | Aves | G5 | S3B | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|------------------------------------|-------|-------------|------------|--------------|----------------|
| Tree Swallow | <i>Tachycineta bicolor</i> | Aves | G5 | S5B | | |
| Violet-green Swallow | <i>Tachycineta thalassina</i> | Aves | G5 | S5B | | |
| Northern Rough-winged Swallow | <i>Stelgidopteryx serripennis</i> | Aves | G5 | S4S5B | | |
| Bank Swallow | <i>Riparia riparia</i> | Aves | G5 | S4B | | |
| Cliff Swallow | <i>Petrochelidon pyrrhonota</i> | Aves | G5 | S5B | | |
| Barn Swallow | <i>Hirundo rustica</i> | Aves | G5 | S4S5B | | |
| Gray Jay | <i>Perisoreus canadensis</i> | Aves | G5 | S5 | | |
| Steller's Jay | <i>Cyanocitta stelleri</i> | Aves | G5 | S5 | | |
| Blue Jay | <i>Cyanocitta cristata</i> | Aves | G5 | SNA | | |
| Western Scrub-Jay | <i>Aphelocoma californica</i> | Aves | G5 | S4 | | |
| Pinyon Jay | <i>Gymnorhinus cyanocephalus</i> | Aves | G3 | SNA | | |
| Clark's Nutcracker | <i>Nucifraga columbiana</i> | Aves | G5 | S4? | | |
| Black-billed Magpie | <i>Pica hudsonia</i> | Aves | G5 | S5 | | |
| Common Raven | <i>Corvus corax</i> | Aves | G5 | S5 | | |
| American Crow | <i>Corvus brachyrhynchos</i> | Aves | G5 | S5 | | |
| Black-capped Chickadee | <i>Poecile atricapilla</i> | Aves | G5 | S5 | | |
| Mountain Chickadee | <i>Poecile gambeli</i> | Aves | G5 | S4S5 | | |
| Boreal Chickadee | <i>Poecile hudsonica</i> | Aves | G5 | S3 | | |
| Chestnut-backed Chickadee | <i>Poecile rufescens</i> | Aves | G5 | S5 | | |
| Bushtit | <i>Psaltriparus minimus</i> | Aves | G5 | S4 | | |
| Red-breasted Nuthatch | <i>Sitta canadensis</i> | Aves | G5 | S5 | | |
| White-breasted Nuthatch | <i>Sitta carolinensis</i> | Aves | G5 | S4 | C-Part | |
| Slender-billed Nuthatch | <i>Sitta carolinensis aculeata</i> | Aves | G5TU | S1 | C | |
| Pygmy Nuthatch | <i>Sitta pygmaea</i> | Aves | G5 | S3S4 | M | |
| Brown Creeper | <i>Certhia americana</i> | Aves | G5 | S4S5B,S5N | | |
| Rock Wren | <i>Salpinctes obsoletus</i> | Aves | G5 | S4S5B | | |
| Canyon Wren | <i>Catherpes mexicanus</i> | Aves | G5 | S4 | | |
| Bewick's Wren | <i>Thryomanes bewickii</i> | Aves | G5 | S5 | | |
| House Wren | <i>Troglodytes aedon</i> | Aves | G5 | S5B | | |
| Winter Wren | <i>Troglodytes pacificus</i> | Aves | G5 | S5 | | |
| Marsh Wren | <i>Cistothorus palustris</i> | Aves | G5 | S4N,S5B | | |
| American Dipper | <i>Cinclus mexicanus</i> | Aves | G5 | S5 | | |
| Golden-crowned Kinglet | <i>Regulus satrapa</i> | Aves | G5 | S3B,S4S5N | | |
| Ruby-crowned Kinglet | <i>Regulus calendula</i> | Aves | G5 | S4B,S5N | | |
| Blue-gray Gnatcatcher | <i>Polioptila caerulea</i> | Aves | G5 | SNA | | |
| Western Bluebird | <i>Sialia mexicana</i> | Aves | G5 | S3B | M-Part | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------|---------------------------------|-------|-------------|-------------|--------------|----------------|
| Mountain Bluebird | <i>Sialia currucoides</i> | Aves | G5 | S4B | | |
| Townsend's Solitaire | <i>Myadestes townsendi</i> | Aves | G5 | S4S5B | | |
| Veery | <i>Catharus fuscescens</i> | Aves | G5 | S3S4B | | |
| Gray-cheeked Thrush | <i>Catharus minimus</i> | Aves | G5 | SNA | | |
| Swainson's Thrush | <i>Catharus ustulatus</i> | Aves | G5 | S5B | | |
| Hermit Thrush | <i>Catharus guttatus</i> | Aves | G5 | S4N,S5B | | |
| Redwing | <i>Turdus iliacus</i> | Aves | G5 | SNA | | |
| American Robin | <i>Turdus migratorius</i> | Aves | G5 | S5B,S5N | | |
| Varied Thrush | <i>Ixoreus naevius</i> | Aves | G5 | S5B,S5N | | |
| Gray Catbird | <i>Dumetella carolinensis</i> | Aves | G5 | S4B | | |
| Northern Mockingbird | <i>Mimus polyglottos</i> | Aves | G5 | SNA | | |
| Sage Thrasher | <i>Oreoscoptes montanus</i> | Aves | G4 | S2B | C | |
| Brown Thrasher | <i>Toxostoma rufum</i> | Aves | G5 | SNA | | |
| Siberian Accentor | <i>Prunella montanella</i> | Aves | G5 | SNA | | |
| White Wagtail | <i>Motacilla alba</i> | Aves | G5 | SNA | | |
| Yellow Wagtail | <i>Motacilla tschutschensis</i> | Aves | G5 | SNA | | |
| Red-throated Pipit | <i>Anthus cervinus</i> | Aves | G5 | SNA | | |
| American Pipit | <i>Anthus rubescens</i> | Aves | G5 | S3B,S3N | | |
| Bohemian Waxwing | <i>Bombycilla garrulus</i> | Aves | G5 | S5N | | |
| Cedar Waxwing | <i>Bombycilla cedrorum</i> | Aves | G5 | S4S5B,S2S4N | | |
| Phainopepla | <i>Phainopepla nitens</i> | Aves | G5 | SNA | | |
| Loggerhead Shrike | <i>Lanius ludovicianus</i> | Aves | G4 | S3B | C | |
| Northern Shrike | <i>Lanius borealis</i> | Aves | G5 | S4N | | |
| European Starling | <i>Sturnus vulgaris</i> | Aves | G5 | SNA | | |
| White-eyed Vireo | <i>Vireo griseus</i> | Aves | G5 | SNA | | |
| Yellow-throated Vireo | <i>Vireo flavifrons</i> | Aves | G5 | SNA | | |
| Hutton's Vireo | <i>Vireo huttoni</i> | Aves | G5 | S5 | | |
| Warbling Vireo | <i>Vireo gilvus</i> | Aves | G5 | S5B | | |
| Philadelphia Vireo | <i>Vireo philadelphicus</i> | Aves | G5 | SNA | | |
| Red-eyed Vireo | <i>Vireo olivaceus</i> | Aves | G5 | S3B | | |
| Cassin's Vireo | <i>Vireo cassinii</i> | Aves | G5 | S4B | | |
| Blue-winged Warbler | <i>Vermivora pinus</i> | Aves | G5 | SNA | | |
| Golden-winged Warbler | <i>Vermivora chrysoptera</i> | Aves | G4 | SNA | | |
| Tennessee Warbler | <i>Vermivora peregrina</i> | Aves | G5 | SNA | | |
| Orange-crowned Warbler | <i>Vermivora celata</i> | Aves | G5 | S4B | | |
| Nashville Warbler | <i>Vermivora ruficapilla</i> | Aves | G5 | S4S5B | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------------|----------------------------------|-------|-------------|------------|--------------|----------------|
| Northern Parula | <i>Parula americana</i> | Aves | G5 | SNA | | |
| Yellow Warbler | <i>Dendroica petechia</i> | Aves | G5 | S4S5B | | |
| Chestnut-sided Warbler | <i>Dendroica pensylvanica</i> | Aves | G5 | SNA | | |
| Magnolia Warbler | <i>Dendroica magnolia</i> | Aves | G5 | SNA | | |
| Cape May Warbler | <i>Dendroica tigrina</i> | Aves | G5 | SNA | | |
| Black-throated Blue Warbler | <i>Dendroica caerulescens</i> | Aves | G5 | SNA | | |
| Yellow-rumped Warbler | <i>Dendroica coronata</i> | Aves | G5 | S4N,S5B | | |
| Black-throated Gray Warbler | <i>Dendroica nigrescens</i> | Aves | G5 | S5B | | |
| Townsend's Warbler | <i>Dendroica townsendi</i> | Aves | G5 | S4N,S5B | | |
| Hermit Warbler | <i>Dendroica occidentalis</i> | Aves | G4G5 | S4B | | |
| Black-throated Green Warbler | <i>Dendroica virens</i> | Aves | G5 | SNA | | |
| Blackburnian Warbler | <i>Dendroica fusca</i> | Aves | G5 | SNA | | |
| Prairie Warbler | <i>Dendroica discolor</i> | Aves | G5 | SNA | | |
| Palm Warbler | <i>Dendroica palmarum</i> | Aves | G5 | SNA | | |
| Blackpoll Warbler | <i>Dendroica striata</i> | Aves | G5 | SNA | | |
| Black-and-white Warbler | <i>Mniotilta varia</i> | Aves | G5 | SNA | | |
| American Redstart | <i>Setophaga ruticilla</i> | Aves | G5 | S4B | | |
| Prothonotary Warbler | <i>Protonotaria citrea</i> | Aves | G5 | SNA | | |
| Ovenbird | <i>Seiurus aurocapillus</i> | Aves | G5 | SNA | | |
| Northern Waterthrush | <i>Seiurus noveboracensis</i> | Aves | G5 | S3B | | |
| Kentucky Warbler | <i>Oporornis formosus</i> | Aves | G5 | SNA | | |
| Macgillivray's Warbler | <i>Oporornis tolmiei</i> | Aves | G5 | S4S5B | | |
| Common Yellowthroat | <i>Geothlypis trichas</i> | Aves | G5 | S5B | | |
| Hooded Warbler | <i>Wilsonia citrina</i> | Aves | G5 | SNA | | |
| Wilson's Warbler | <i>Wilsonia pusilla</i> | Aves | G5 | S5B | | |
| Yellow-breasted Chat | <i>Icteria virens</i> | Aves | G5 | S3S4B | | |
| Summer Tanager | <i>Piranga rubra</i> | Aves | G5 | SNA | | |
| Western Tanager | <i>Piranga ludoviciana</i> | Aves | G5 | S5B | | |
| Rose-breasted Grosbeak | <i>Pheucticus ludovicianus</i> | Aves | G5 | SNA | | |
| Black-headed Grosbeak | <i>Pheucticus melanocephalus</i> | Aves | G5 | S5B | | |
| Lazuli Bunting | <i>Passerina amoena</i> | Aves | G5 | S5B | | |
| Indigo Bunting | <i>Passerina cyanea</i> | Aves | G5 | SNA | | |
| Dickcissel | <i>Spiza americana</i> | Aves | G5 | SNA | | |
| Green-tailed Towhee | <i>Pipilo chlorurus</i> | Aves | G5 | S2B | | |
| Spotted Towhee | <i>Pipilo maculatus</i> | Aves | G5 | S5B,S5N | | |
| American Tree Sparrow | <i>Spizella arborea</i> | Aves | G5 | S4N | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|--------------------------------------|-------|-------------|------------|--------------|----------------|
| Chipping Sparrow | <i>Spizella passerina</i> | Aves | G5 | S4S5B | | |
| Clay-colored Sparrow | <i>Spizella pallida</i> | Aves | G5 | SNA | | |
| Brewer's Sparrow | <i>Spizella breweri</i> | Aves | G5 | S2S3B | | |
| Vesper Sparrow | <i>Poocetes gramineus</i> | Aves | G5 | S4B | E-Part | PS:SC |
| Oregon Vesper Sparrow | <i>Poocetes gramineus affinis</i> | Aves | G5T2 | S1B | E | UR |
| Lark Sparrow | <i>Chondestes grammacus</i> | Aves | G5 | S3B | | |
| Black-throated Sparrow | <i>Amphispiza bilineata</i> | Aves | G5 | S1B | | |
| Sagebrush Sparrow | <i>Artemisospiza nevadensis</i> | Aves | G5 | S2B | C | |
| Lark Bunting | <i>Calamospiza melanocorys</i> | Aves | G5 | SNA | | |
| Savannah Sparrow | <i>Passerculus sandwichensis</i> | Aves | G5 | S4N,S5B | | |
| Grasshopper Sparrow | <i>Ammodramus savannarum</i> | Aves | G5 | S3B | | |
| Le Conte's Sparrow | <i>Ammodramus leconteii</i> | Aves | G5 | SNA | | |
| Nelson's Sharp-tailed Sparrow | <i>Ammodramus nelsoni</i> | Aves | G5 | SNA | | |
| Fox Sparrow | <i>Passerella iliaca</i> | Aves | G5 | S4B,S5N | | |
| Song Sparrow | <i>Melospiza melodia</i> | Aves | G5 | S5 | | |
| Lincoln's Sparrow | <i>Melospiza lincolnii</i> | Aves | G5 | S4B,S4N | | |
| Swamp Sparrow | <i>Melospiza georgiana</i> | Aves | G5 | SNA | | |
| White-throated Sparrow | <i>Zonotrichia albicollis</i> | Aves | G5 | SNA | | |
| Golden-crowned Sparrow | <i>Zonotrichia atricapilla</i> | Aves | G5 | S5N | | |
| White-crowned Sparrow | <i>Zonotrichia leucophrys</i> | Aves | G5 | S5B,S5N | | |
| Harris' Sparrow | <i>Zonotrichia querula</i> | Aves | G5 | SNA | | |
| Dark-eyed Junco | <i>Junco hyemalis</i> | Aves | G5 | S5B,S5N | | |
| Lapland Longspur | <i>Calcarius lapponicus</i> | Aves | G5 | S3N | | |
| Chestnut-collared Longspur | <i>Calcarius ornatus</i> | Aves | G5 | SNA | | |
| Rustic Bunting | <i>Emberiza rustica</i> | Aves | G5 | SNA | | |
| Snow Bunting | <i>Plectrophenax nivalis</i> | Aves | G5 | S3N | | |
| Mckay's Bunting | <i>Plectrophenax hyperboreus</i> | Aves | G3 | SNA | | |
| Bobolink | <i>Dolichonyx oryzivorus</i> | Aves | G5 | S2S3B | | |
| Red-winged Blackbird | <i>Agelaius phoeniceus</i> | Aves | G5 | S5B,S5N | | |
| Tricolored Blackbird | <i>Agelaius tricolor</i> | Aves | G1G2 | S2B | | |
| Western Meadowlark | <i>Sturnella neglecta</i> | Aves | G5 | S4N,S4S5B | | |
| Yellow-headed Blackbird | <i>Xanthocephalus xanthocephalus</i> | Aves | G5 | S3N,S4B | | |
| Rusty Blackbird | <i>Euphagus carolinus</i> | Aves | G4 | SNA | | |
| Brewer's Blackbird | <i>Euphagus cyanocephalus</i> | Aves | G5 | S5 | | |
| Great-tailed Grackle | <i>Quiscalus mexicanus</i> | Aves | G5 | SNA | | |
| Common Grackle | <i>Quiscalus quiscula</i> | Aves | G5 | SNA | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------|-----------------------------------|----------------|-------------|-------------|--------------|----------------|
| Brown-headed Cowbird | <i>Molothrus ater</i> | Aves | G5 | S4N,S5B | | |
| Orchard Oriole | <i>Icterus spurius</i> | Aves | G5 | SNA | | |
| Hooded Oriole | <i>Icterus cucullatus</i> | Aves | G5 | SNA | | |
| Baltimore Oriole | <i>Icterus galbula</i> | Aves | G5 | SNA | | |
| Scott's Oriole | <i>Icterus parisorum</i> | Aves | G5 | SNA | | |
| Bullock's Oriole | <i>Icterus bullockii</i> | Aves | G5 | S4B | | |
| Brambling | <i>Fringilla montifringilla</i> | Aves | G5 | SNA | | |
| Gray-crowned Rosy-finch | <i>Leucosticte tephrocotis</i> | Aves | G5 | S3B,S3N | | |
| Pine Grosbeak | <i>Pinicola enucleator</i> | Aves | G5 | S3B,S3N | | |
| Purple Finch | <i>Carpodacus purpureus</i> | Aves | G5 | S4B,S4N | | |
| Cassin's Finch | <i>Carpodacus cassinii</i> | Aves | G5 | S4B | | |
| House Finch | <i>Carpodacus mexicanus</i> | Aves | G5 | S5 | | |
| White-winged Crossbill | <i>Loxia leucoptera</i> | Aves | G5 | S3B | | |
| Red Crossbill | <i>Loxia curvirostra</i> | Aves | G5 | S4B | | |
| Common Redpoll | <i>Carduelis flammea</i> | Aves | G5 | S2S4N | | |
| Hoary Redpoll | <i>Carduelis hornemanni</i> | Aves | G5 | SNA | | |
| Pine Siskin | <i>Carduelis pinus</i> | Aves | G5 | S4S5B,S4S5N | | |
| Lesser Goldfinch | <i>Carduelis psaltria</i> | Aves | G5 | S2B | | |
| American Goldfinch | <i>Carduelis tristis</i> | Aves | G5 | S5B,S5N | | |
| Evening Grosbeak | <i>Coccothraustes vespertinus</i> | Aves | G5 | S4B,S4N | | |
| House Sparrow | <i>Passer domesticus</i> | Aves | G5 | SNA | | |
| River Lamprey | <i>Lampetra ayresii</i> | Petromyzontida | G5 | S2 | C | SC |
| Pacific Lamprey | <i>Entosphenus tridentatus</i> | Petromyzontida | G4 | S1 | M | SC |
| Western Brook Lamprey | <i>Lampetra richardsoni</i> | Petromyzontida | G4G5 | S3S4 | | SC |
| Brown Rockfish | <i>Sebastes auriculatus</i> | Actinopterygii | GNR | SNR | | |
| Copper Rockfish | <i>Sebastes caurinus</i> | Actinopterygii | GNR | SNR | | |
| Greenstriped Rockfish | <i>Sebastes elongatus</i> | Actinopterygii | G5 | SNR | | |
| Widow Rockfish | <i>Sebastes entomelas</i> | Actinopterygii | GNR | SNR | | |
| Yellowtail Rockfish | <i>Sebastes flavidus</i> | Actinopterygii | GNR | SNR | | |
| Quillback Rockfish | <i>Sebastes maliger</i> | Actinopterygii | GNR | SNR | | |
| Black Rockfish | <i>Sebastes melanops</i> | Actinopterygii | GNR | SNR | | |
| China Rockfish | <i>Sebastes nebulosus</i> | Actinopterygii | GNR | SNR | | |
| Tiger Rockfish | <i>Sebastes nigrocinctus</i> | Actinopterygii | GNR | SNR | | |
| Bocaccio | <i>Sebastes paucispinis</i> | Actinopterygii | G4 | SNR | | LE |
| Canary Rockfish | <i>Sebastes pinniger</i> | Actinopterygii | GNR | SNR | | |
| Redstripe Rockfish | <i>Sebastes proriger</i> | Actinopterygii | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--|------------------------------------|----------------|-------------|------------|--------------|----------------|
| Yelloweye Rockfish | <i>Sebastes ruberrimus</i> | Actinopterygii | GNR | SNR | | LT |
| Sharpnose Sculpin | <i>Clinocottus acuticeps</i> | Actinopterygii | G5 | SNR | | |
| Coastrange Sculpin | <i>Cottus aleuticus</i> | Actinopterygii | G5 | S5 | | |
| Prickly Sculpin | <i>Cottus asper</i> | Actinopterygii | G5 | S5 | | |
| Mottled Sculpin | <i>Cottus bairdi</i> | Actinopterygii | G5 | S4 | | |
| Paiute Sculpin | <i>Cottus beldingi</i> | Actinopterygii | G5 | S3S4 | | |
| Slimy Sculpin | <i>Cottus cognatus</i> | Actinopterygii | G5 | S3 | | |
| Shorthead Sculpin | <i>Cottus confusus</i> | Actinopterygii | G5 | S5 | | |
| Riffle Sculpin | <i>Cottus gulosus</i> | Actinopterygii | G5 | S5 | | |
| Marginated Sculpin | <i>Cottus marginatus</i> | Actinopterygii | G3 | S1? | S | |
| Reticulate Sculpin | <i>Cottus perplexus</i> | Actinopterygii | G4 | S5 | | |
| Torrent Sculpin | <i>Cottus rhotheus</i> | Actinopterygii | G5 | S5 | | |
| Pacific Staghorn Sculpin | <i>Leptocottus armatus</i> | Actinopterygii | G5 | S4 | | |
| Green Sturgeon | <i>Acipenser medirostris</i> | Actinopterygii | G2 | S2N | | LT |
| White Sturgeon | <i>Acipenser transmontanus</i> | Actinopterygii | G4 | S3B,S4N | | |
| American Shad | <i>Alosa sapidissima</i> | Actinopterygii | G5 | SNA | | |
| Pacific Herring | <i>Clupea pallasii</i> | Actinopterygii | G5 | SNR | M-Part | |
| Lake Whitefish | <i>Coregonus clupeaformis</i> | Actinopterygii | G5 | SNA | | |
| Pink Salmon | <i>Oncorhynchus gorbuscha</i> | Actinopterygii | G5 | S3 | | |
| Chum Salmon | <i>Oncorhynchus keta</i> | Actinopterygii | G5 | S3 | | PS:LT |
| Chum Salmon (Hood Canal Summer Run) | <i>Oncorhynchus keta</i> pop. 2 | Actinopterygii | G5T2Q | S1 | | LT |
| Chum Salmon (Lower Columbia River Run) | <i>Oncorhynchus keta</i> pop. 3 | Actinopterygii | G5T2Q | S1 | | LT |
| Chum Salmon (Pacific Coast) | <i>Oncorhynchus keta</i> pop. 4 | Actinopterygii | G5T3Q | SNR | | |
| Chum Salmon (Puget Sound/Straits of Georgia) | <i>Oncorhynchus keta</i> pop. 5 | Actinopterygii | G5T4Q | SNR | | |
| Coho Salmon | <i>Oncorhynchus kisutch</i> | Actinopterygii | G5 | S3 | | PS:LT,SC |
| Coho Salmon (Lower Columbia River) | <i>Oncorhynchus kisutch</i> pop. 1 | Actinopterygii | G5T2Q | S1 | | PS:LT |
| Coho Salmon (Puget Sound/Straits of Georgia) | <i>Oncorhynchus kisutch</i> pop. 5 | Actinopterygii | G5T3Q | SNR | | SC |
| Coho Salmon (Olympic Peninsula) | <i>Oncorhynchus kisutch</i> pop. 6 | Actinopterygii | G5T3Q | SNR | | |
| Coho Salmon (Southwest Washington Coast) | <i>Oncorhynchus kisutch</i> pop. 8 | Actinopterygii | G5TNRQ | SNR | | |
| Sockeye Salmon | <i>Oncorhynchus nerka</i> | Actinopterygii | G5 | S2S3 | | PS:LE,LT |
| Sockeye Salmon (Snake River Runs) | <i>Oncorhynchus nerka</i> pop. 1 | Actinopterygii | G5T1Q | S1M | | LE |
| Sockeye Salmon (Ozette Lake Run) | <i>Oncorhynchus nerka</i> pop. 2 | Actinopterygii | G5T2Q | S1 | | LT |
| Sockeye Salmon (Lake Pleasant) | <i>Oncorhynchus nerka</i> pop. 3 | Actinopterygii | G5T3T4Q | SNR | | |
| Sockeye Salmon (Quinault Lake) | <i>Oncorhynchus nerka</i> pop. 4 | Actinopterygii | G5T4Q | SNR | | |
| Sockeye Salmon (Baker River) | <i>Oncorhynchus nerka</i> pop. 5 | Actinopterygii | G5T3Q | SNR | | |
| Chinook Salmon | <i>Oncorhynchus tshawytscha</i> | Actinopterygii | G5 | S3S4 | | PS:LE,LT |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---|------------------------------------|----------------|-------------|------------|--------------|----------------|
| Chinook Salmon (Washington Coast) | Oncorhynchus tshawytscha pop. 29 | Actinopterygii | G5T4Q | SNR | | |
| Chinook Salmon (Lower Columbia River Run) | Oncorhynchus tshawytscha pop. 1 | Actinopterygii | G5T2Q | S1 | | LT |
| Chinook Salmon (Snake River, Fall Run) | Oncorhynchus tshawytscha pop. 2 | Actinopterygii | G5T1Q | S1B,S1M | | LT |
| Chinook Salmon (Snake River, Spring/Summer Run) | Oncorhynchus tshawytscha pop. 8 | Actinopterygii | G5T1Q | S1B,S1M | | LT |
| Chinook Salmon (Upper Columbia Spring Run) | Oncorhynchus tshawytscha pop. 12 | Actinopterygii | G5T1Q | S1 | | LE |
| Chinook Salmon (Puget Sound Run) | Oncorhynchus tshawytscha pop. 15 | Actinopterygii | G5T2Q | SNR | | LT |
| Cutthroat Trout | Oncorhynchus clarkii | Actinopterygii | G5 | S4 | | PS:SC |
| Lahontan Cutthroat Trout | Oncorhynchus clarkii henshawi | Actinopterygii | G5T3 | SNA | | |
| Westslope Cutthroat Trout | Oncorhynchus clarkii lewisi | Actinopterygii | G5T4 | S2S3 | | |
| Coastal Cutthroat Trout | Oncorhynchus clarkii clarkii | Actinopterygii | G5T4 | SNR | | |
| Cutthroat Trout (SW Washington/Columbia River) | Oncorhynchus clarkii pop. 2 | Actinopterygii | G5T3Q | SNR | | SC |
| Cutthroat Trout (Puget Sound) | Oncorhynchus clarkii pop. 6 | Actinopterygii | G5T3Q | SNR | | |
| Cutthroat Trout (Olympic Peninsula) | Oncorhynchus clarkii pop. 7 | Actinopterygii | G5T3Q | SNR | | |
| Rainbow Trout | Oncorhynchus mykiss | Actinopterygii | G5 | S5 | | PS:LT |
| Redband Trout | Oncorhynchus mykiss gairdneri | Actinopterygii | G5T4 | S1S2 | | |
| Golden Trout | Oncorhynchus aguabonita aguabonita | Actinopterygii | G5T1 | SNA | | |
| Steelhead (Upper Columbia River) | Oncorhynchus mykiss pop. 12 | Actinopterygii | G5T2Q | S1B | C | LT |
| Steelhead (Snake River Basin) | Oncorhynchus mykiss pop. 13 | Actinopterygii | G5T2T3Q | S1B,S1M | C | LT |
| Steelhead (Lower Columbia River) | Oncorhynchus mykiss pop. 14 | Actinopterygii | G5T2Q | S1S2 | C | LT |
| Steelhead (Middle Columbia River) | Oncorhynchus mykiss pop. 17 | Actinopterygii | G5T2Q | S1S2 | C | LT |
| Steelhead (Southwest Washington) | Oncorhynchus mykiss pop. 23 | Actinopterygii | G5T3Q | SNR | | |
| Steelhead (Puget Sound) | Oncorhynchus mykiss pop. 37 | Actinopterygii | G5T2Q | SNR | C | LT |
| Pygmy whitefish | Prosopium coulteri | Actinopterygii | G5 | S1S2 | S | |
| Mountain Whitefish | Prosopium williamsoni | Actinopterygii | G5 | S5 | | |
| Atlantic Salmon | Salmo salar | Actinopterygii | G5 | SNA | | |
| Brown Trout | Salmo trutta | Actinopterygii | G5 | SNA | | |
| Bull Trout (Columbia Headwaters) | Salvelinus confluentus | Actinopterygii | G5 | S1 | C | LT |
| Bull Trout (Mid Columbia River) | Salvelinus confluentus pop. 26 | Actinopterygii | G5T3Q | S1 | C | LT |
| Bull Trout (Coastal Recovery Unit) | Salvelinus confluentus pop. 28 | Actinopterygii | G5T3Q | S1S2 | C | LT |
| Brook Trout | Salvelinus fontinalis | Actinopterygii | G5 | SNA | | |
| Dolly Varden | Salvelinus malma | Actinopterygii | G5 | S3 | | |
| Lake Trout | Salvelinus namaycush | Actinopterygii | G5 | SNA | | |
| Arctic Grayling | Thymallus arcticus | Actinopterygii | G5 | SNA | | |
| Surf Smelt | Hypomesus pretiosus | Actinopterygii | G5 | SNR | | |
| Longfin Smelt | Spirinchus thaleichthys | Actinopterygii | G5 | S3 | | |
| Eulachon | Thaleichthys pacificus | Actinopterygii | G5 | S4 | | LT |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------|-----------------------------------|----------------|-------------|------------|--------------|----------------|
| Grass Pickerel | <i>Esox americanus</i> | Actinopterygii | G5 | SNA | | |
| Northern Pike | <i>Esox lucius</i> | Actinopterygii | G5 | SNA | | |
| Olympic Mudminnow | <i>Novumbra hubbsi</i> | Actinopterygii | G3 | S2S3 | S | |
| Chiselmouth | <i>Acrocheilus alutaceus</i> | Actinopterygii | G5 | S4 | | |
| Goldfish | <i>Carassius auratus</i> | Actinopterygii | G5 | SNA | | |
| Lake Chub | <i>Couesius plumbeus</i> | Actinopterygii | G5 | S2S3 | C | |
| Grass Carp | <i>Ctenopharyngodon idella</i> | Actinopterygii | G5 | SNA | | |
| Common Carp | <i>Cyprinus carpio</i> | Actinopterygii | G5 | SNA | | |
| Tui Chub | <i>Gila bicolor</i> | Actinopterygii | G4 | S2S3 | | |
| Peamouth | <i>Mylocheilus caurinus</i> | Actinopterygii | G5 | S5 | | |
| Golden Shiner | <i>Notemigonus crysoleucas</i> | Actinopterygii | G5 | SNA | | |
| Fathead Minnow | <i>Pimephales promelas</i> | Actinopterygii | G5 | SNA | | |
| Northern pikeminnow | <i>Ptychocheilus oregonensis</i> | Actinopterygii | G5 | S5 | | |
| Longnose Dace | <i>Rhinichthys cataractae</i> | Actinopterygii | G5 | S5 | | |
| Leopard Dace | <i>Rhinichthys falcatus</i> | Actinopterygii | G4 | S2S3 | C | |
| Speckled Dace | <i>Rhinichthys osculus</i> | Actinopterygii | G5 | S5 | | |
| Nooksack Dace | <i>Rhinichthys</i> sp. 4 | Actinopterygii | G3 | S3 | | |
| Umatilla Dace | <i>Rhinichthys umatilla</i> | Actinopterygii | G4 | S2 | C | |
| Redside Shiner | <i>Richardsonius balteatus</i> | Actinopterygii | G5 | S5 | | |
| Tench | <i>Tinca tinca</i> | Actinopterygii | G5 | SNA | | |
| Longnose Sucker | <i>Catostomus catostomus</i> | Actinopterygii | G5 | S4 | | |
| Bridgelip Sucker | <i>Catostomus columbianus</i> | Actinopterygii | G5 | S4 | | |
| Mountain Sucker | <i>Catostomus platyrhynchus</i> | Actinopterygii | G5 | S2S3 | C | |
| Salish Sucker | <i>Catostomus</i> sp. 4 | Actinopterygii | G1 | S1 | M | |
| Largescale Sucker | <i>Catostomus macrocheilus</i> | Actinopterygii | G5 | S5 | | |
| Oriental Weatherfish | <i>Misgurnus anguillicaudatus</i> | Actinopterygii | G5 | SNA | | |
| Blue Catfish | <i>Ictalurus furcatus</i> | Actinopterygii | G5 | SNA | | |
| Channel Catfish | <i>Ictalurus punctatus</i> | Actinopterygii | G5 | SNA | | |
| Tadpole Madtom | <i>Noturus gyrinus</i> | Actinopterygii | G5 | SNA | | |
| Flathead Catfish | <i>Pylodictis olivaris</i> | Actinopterygii | G5 | SNA | | |
| Black Bullhead | <i>Ameiurus melas</i> | Actinopterygii | G5 | SNA | | |
| Yellow Bullhead | <i>Ameiurus natalis</i> | Actinopterygii | G5 | SNA | | |
| Brown Bullhead | <i>Ameiurus nebulosus</i> | Actinopterygii | G5 | SNA | | |
| Trout-perch | <i>Percopsis omiscomaycus</i> | Actinopterygii | G5 | SNR | | |
| Sand Roller | <i>Percopsis transmontana</i> | Actinopterygii | G4 | S3S4 | | |
| Burbot | <i>Lota lota</i> | Actinopterygii | G5 | S3 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------------|---------------------------------------|----------------|-------------|------------|--------------|----------------|
| Pacific Cod | <i>Gadus macrocephalus</i> | Actinopterygii | G5 | SNR | | SC |
| Pacific Hake | <i>Merluccius productus</i> | Actinopterygii | G5 | SNR | | SC |
| Walleye Pollock | <i>Theragra chalcogramma</i> | Actinopterygii | G5 | SNR | | |
| Mosquito Fish | <i>Gambusia affinis</i> | Actinopterygii | G5 | SNA | | |
| Brook Stickleback | <i>Culaea inconstans</i> | Actinopterygii | G5 | SNA | | |
| Threespine Stickleback | <i>Gasterosteus aculeatus</i> | Actinopterygii | G5 | S5 | | |
| White Bass | <i>Morone chrysops</i> | Actinopterygii | G5 | SNA | | |
| Striped Bass | <i>Morone saxatilis</i> | Actinopterygii | G5 | SNA | | |
| Rock Bass | <i>Ambloplites rupestris</i> | Actinopterygii | G5 | SNA | | |
| Green Sunfish | <i>Lepomis cyanellus</i> | Actinopterygii | G5 | SNA | | |
| Pumpkinseed | <i>Lepomis gibbosus</i> | Actinopterygii | G5 | SNA | | |
| Warmouth | <i>Lepomis gulosus</i> | Actinopterygii | G5 | SNA | | |
| Bluegill | <i>Lepomis macrochirus</i> | Actinopterygii | G5 | SNA | | |
| Smallmouth Bass | <i>Micropterus dolomieu</i> | Actinopterygii | G5 | SNA | | |
| Largemouth Bass | <i>Micropterus salmoides</i> | Actinopterygii | G5 | SNA | | |
| White Crappie | <i>Pomoxis annularis</i> | Actinopterygii | G5 | SNA | | |
| Black Crappie | <i>Pomoxis nigromaculatus</i> | Actinopterygii | G5 | SNA | | |
| Yellow Perch | <i>Perca flavescens</i> | Actinopterygii | G5 | SNA | | |
| Walleye | <i>Stizostedion vitreum</i> | Actinopterygii | G5 | SNA | | |
| Shiner Perch | <i>Cymatogaster aggregata</i> | Actinopterygii | G5 | S5 | | |
| Starry Flounder | <i>Platichthys stellatus</i> | Actinopterygii | G5 | S4 | | |
| Virginia Opossum | <i>Didelphis virginiana</i> | Mammalia | G5 | SNA | | |
| Masked Shrew | <i>Sorex cinereus</i> | Mammalia | G5 | S4S5 | | |
| Preble's Shrew | <i>Sorex preblei</i> | Mammalia | G4 | S1 | | |
| Vagrant Shrew | <i>Sorex vagrans</i> | Mammalia | G5 | S5 | | |
| Western Pygmy Shrew | <i>Sorex eximius</i> | Mammalia | G4 | S2S3 | | |
| Pacific Water or Marsh Shrew | <i>Sorex bendirii</i> | Mammalia | G4 | S4 | | |
| Trowbridge's Shrew | <i>Sorex trowbridgii</i> | Mammalia | G5 | S5 | | PS:SC |
| Destruction Island Shrew | <i>Sorex trowbridgii destructioni</i> | Mammalia | G5T1Q | S1 | | |
| Merriam's Shrew | <i>Sorex merriami</i> | Mammalia | G4 | S3S4 | | |
| Western Water Shrew | <i>Sorex navigator</i> | Mammalia | G5 | S4 | | |
| Rohwer's Shrew | <i>Sorex rohweri</i> | Mammalia | G4G5 | SNR | | |
| Dusky Shrew | <i>Sorex obscurus</i> | Mammalia | G5 | S4 | | |
| Shrew-mole | <i>Neurotrichus gibbsii</i> | Mammalia | G5 | S5 | | |
| Townsend's Mole | <i>Scapanus townsendii</i> | Mammalia | G5 | S5 | | |
| Coast Mole | <i>Scapanus orarius</i> | Mammalia | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------------|---|----------|-------------|------------|--------------|----------------|
| Little Brown Myotis | <i>Myotis lucifugus</i> | Mammalia | G3G4 | S3 | | |
| Yuma Myotis | <i>Myotis yumanensis</i> | Mammalia | G5 | S4 | | |
| Keen's Myotis | <i>Myotis keenii</i> | Mammalia | G3 | S1? | C | |
| Long-eared Myotis | <i>Myotis evotis</i> | Mammalia | G5 | S4 | | |
| Fringed Myotis | <i>Myotis thysanodes</i> | Mammalia | G4 | S3S4 | | |
| Pacific Fringe-tailed Bat | <i>Myotis thysanodes vespertinus</i> | Mammalia | G4T2 | SU | | |
| Long-legged Myotis | <i>Myotis volans</i> | Mammalia | G4G5 | S3S4 | | |
| California Myotis | <i>Myotis californicus</i> | Mammalia | G5 | S4 | | |
| Small-footed Myotis | <i>Myotis ciliolabrum</i> | Mammalia | G5 | S4 | | |
| Silver-haired Bat | <i>Lasionycteris noctivagans</i> | Mammalia | G3G4 | S3S4 | | |
| Pipistrelle | <i>Parastrellus hesperus</i> | Mammalia | G5 | S3 | | |
| Big Brown Bat | <i>Eptesicus fuscus</i> | Mammalia | G5 | S4 | | |
| Hoary Bat | <i>Lasiurus cinereus</i> | Mammalia | G3G4 | S3S4 | | |
| Spotted Bat | <i>Euderma maculatum</i> | Mammalia | G4 | S3 | M | |
| Townsend's Big-eared Bat | <i>Corynorhinus townsendii</i> | Mammalia | G4 | S3 | C | |
| Pallid Townsend's big-eared bat | <i>Corynorhinus townsendii pallescens</i> | Mammalia | G4T3T4 | S3 | C | |
| Townsend's Western Big-eared Bat | <i>Corynorhinus townsendii townsendii</i> | Mammalia | G4T3T4 | S3 | C | |
| Pallid Bat | <i>Antrozous pallidus</i> | Mammalia | G4 | S3 | | |
| American Pika | <i>Ochotona princeps</i> | Mammalia | G5 | S5 | | |
| Eastern Cottontail | <i>Sylvilagus floridanus</i> | Mammalia | G5 | SNA | | |
| Mountain Cottontail | <i>Sylvilagus nuttallii</i> | Mammalia | G5 | S5 | | |
| European Rabbit | <i>Oryctolagus cuniculus</i> | Mammalia | G5 | SNA | | |
| Snowshoe Hare | <i>Lepus americanus</i> | Mammalia | G5 | S5 | | |
| White-tailed Jackrabbit | <i>Lepus townsendii</i> | Mammalia | G5 | S2S3 | C | |
| Black-tailed Jackrabbit | <i>Lepus californicus</i> | Mammalia | G5 | S2S3 | C | |
| Pygmy Rabbit | <i>Sylvilagus idahoensis</i> | Mammalia | G4 | S1 | E | PS:LE |
| Columbia Basin Pygmy Rabbit | <i>Sylvilagus idahoensis pop. 2</i> | Mammalia | G4TXCQ | S1 | E | LE |
| Mountain Beaver | <i>Aplodontia rufa</i> | Mammalia | G5 | S5 | | |
| Least Chipmunk | <i>Neotamias minimus</i> | Mammalia | G5 | S4 | | |
| Yellow-pine Chipmunk | <i>Neotamias amoenus</i> | Mammalia | G5 | S5 | | |
| Townsend's Chipmunk | <i>Neotamias townsendii</i> | Mammalia | G5 | S5 | | |
| Red-tailed Chipmunk | <i>Neotamias ruficaudus</i> | Mammalia | G4G5 | S2? | | |
| Yellow-bellied Marmot | <i>Marmota flaviventris</i> | Mammalia | G5 | S4 | | |
| Hoary Marmot | <i>Marmota caligata</i> | Mammalia | G5 | S4S5 | | |
| Olympic Marmot | <i>Marmota olympus</i> | Mammalia | G2G3 | S1S2 | C | |
| Townsend's Ground Squirrel | <i>Spermophilus townsendii</i> | Mammalia | G2G3 | S3 | C | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--|---|----------|-------------|------------|--------------|----------------|
| Washington Ground Squirrel | <i>Urocitellus washingtoni</i> | Mammalia | G2 | S2 | C | |
| Columbian Ground Squirrel | <i>Spermophilus columbianus</i> | Mammalia | G5 | S5 | | |
| California Ground Squirrel | <i>Spermophilus beecheyi</i> | Mammalia | G5 | S4 | | |
| Golden-mantled Ground Squirrel | <i>Spermophilus lateralis</i> | Mammalia | G5 | S5 | | |
| Cascade Golden-mantled Ground Squirrel | <i>Spermophilus saturatus</i> | Mammalia | G5 | S5 | | |
| Eastern Gray Squirrel | <i>Sciurus carolinensis</i> | Mammalia | G5 | SNA | | |
| Western Gray Squirrel | <i>Sciurus griseus</i> | Mammalia | G5 | S2 | T | |
| Eastern Fox Squirrel | <i>Sciurus niger</i> | Mammalia | G5 | SNA | | |
| Red Squirrel | <i>Tamiasciurus hudsonicus</i> | Mammalia | G5 | S5 | | |
| Douglas' Squirrel | <i>Tamiasciurus douglasii</i> | Mammalia | G5 | S5 | | |
| Northern Flying Squirrel | <i>Glaucomys sabrinus</i> | Mammalia | G5 | S4S5 | | |
| Humboldt's Flying Squirrel | <i>Glaucomys oregonensis</i> | Mammalia | G5 | SNR | | |
| Northern Pocket Gopher | <i>Thomomys talpoides</i> | Mammalia | G5 | S5 | | |
| Brush Prairie Pocket Gopher | <i>Thomomys talpoides douglasii</i> | Mammalia | G4T1T2 | S2 | | |
| White Salmon Pocket Gopher | <i>Thomomys talpoides limosus</i> | Mammalia | G5T3 | S3 | | |
| Western Pocket Gopher | <i>Thomomys mazama</i> | Mammalia | G4 | S2 | T | PS:LT,SC |
| Shelton Pocket Gopher | <i>Thomomys mazama couchi</i> | Mammalia | G4T1 | S1 | T | SC |
| Cathlamet Pocket Gopher | <i>Thomomys mazama louiei</i> | Mammalia | G4TH | SH | T | SC |
| Olympic Pocket Gopher | <i>Thomomys mazama melanops</i> | Mammalia | G4T3 | S1 | T | SC |
| Yelm pocket gopher | <i>Thomomys mazama yelmensis</i> | Mammalia | G4T1T2 | S1 | T | LT |
| Great Basin Pocket Mouse | <i>Perognathus parvus</i> | Mammalia | G5 | S5 | | |
| Ord's Kangaroo Rat | <i>Dipodomys ordii</i> | Mammalia | G5 | S4 | | |
| American Beaver | <i>Castor canadensis</i> | Mammalia | G5 | S5 | | |
| Western Harvest Mouse | <i>Reithrodontomys megalotis</i> | Mammalia | G5 | S4S5 | | |
| Deer Mouse | <i>Peromyscus maniculatus</i> | Mammalia | G5 | S5 | | |
| Columbian Mouse | <i>Peromyscus keeni</i> | Mammalia | G5 | S4 | | |
| Northern Grasshopper Mouse | <i>Onychomys leucogaster</i> | Mammalia | G5 | S3 | | |
| Bushy-tailed Woodrat | <i>Neotoma cinerea</i> | Mammalia | G5 | S5 | | |
| Southern Red-backed Vole | <i>Clethrionomys gapperi</i> | Mammalia | G5 | S5 | | |
| Heather Vole | <i>Phenacomys intermedius</i> | Mammalia | G5 | S5 | | |
| Meadow Vole | <i>Microtus pennsylvanicus</i> | Mammalia | G5 | S5 | M-Part | |
| Kincaid Meadow Vole | <i>Microtus pennsylvanicus kincaidi</i> | Mammalia | G5T3 | S2 | M | |
| Montane Vole | <i>Microtus montanus</i> | Mammalia | G5 | S5 | | |
| Townsend's Vole | <i>Microtus townsendii</i> | Mammalia | G5 | S5 | M-Part | |
| Shaw Island Vole | <i>Microtus townsendii pugeti</i> | Mammalia | G5T1T2 | S1S2 | M | |
| Long-tailed Vole | <i>Microtus longicaudus</i> | Mammalia | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--|-----------------------------------|----------|-------------|------------|--------------|----------------|
| Creeping Vole | <i>Microtus oregoni</i> | Mammalia | G5 | S4 | | |
| Gray-tailed Vole | <i>Microtus canicaudus</i> | Mammalia | G4 | S2 | | |
| Water Vole | <i>Microtus richardsoni</i> | Mammalia | G5 | S5 | | |
| Sagebrush Vole | <i>Lemmyscus curtatus</i> | Mammalia | G5 | S3 | | |
| Muskrat | <i>Ondatra zibethicus</i> | Mammalia | G5 | S5 | | |
| Northern Bog Lemming | <i>Synaptomys borealis</i> | Mammalia | G5 | S3 | M | |
| Black Rat | <i>Rattus rattus</i> | Mammalia | G5 | SNA | | |
| Norway Rat | <i>Rattus norvegicus</i> | Mammalia | G5 | SNA | | |
| House Mouse | <i>Mus musculus</i> | Mammalia | G5 | SNA | | |
| Western Jumping Mouse | <i>Zapus princeps</i> | Mammalia | G5 | S4S5 | | |
| Pacific Jumping Mouse | <i>Zapus trinotatus</i> | Mammalia | G5 | S5 | | |
| Common Porcupine | <i>Erethizon dorsatum</i> | Mammalia | G5 | S5 | | |
| Nutria | <i>Myocastor coypus</i> | Mammalia | G5 | SNA | | |
| Baird's beaked whale | <i>Berardius bairdii</i> | Mammalia | G4 | SNA | | |
| Stejneger's Beaked Whale | <i>Mesoplodon stejnegeri</i> | Mammalia | G3 | SNA | | |
| Hubbs' beaked whale | <i>Mesoplodon carlhubbsi</i> | Mammalia | G3Q | SNA | | |
| Cuvier's beaked whale | <i>Ziphius cavirostris</i> | Mammalia | G4 | SNA | | |
| Pygmy sperm whale | <i>Kogia breviceps</i> | Mammalia | G4 | SNA | | |
| Dwarf sperm whale | <i>Kogia simus</i> | Mammalia | G4 | SNA | | |
| Sperm Whale | <i>Physeter macrocephalus</i> | Mammalia | G3G4 | SNA | E | LE |
| Striped dophin | <i>Stenella coeruleoalba</i> | Mammalia | G5 | SNA | | |
| Short-beaked common dolphin | <i>Delphinus delphis</i> | Mammalia | G5 | SNA | | |
| Northern Right-whale Dolphin | <i>Lissodelphis borealis</i> | Mammalia | G5 | SNA | | |
| Killer Whale | <i>Orcinus orca</i> | Mammalia | G4G5 | S2S3 | E | PS:LE |
| Killer whale (Northeast Pacific offshore) | <i>Orcinus orca</i> pop. 2 | Mammalia | G4G5TUQ | SNA | E | |
| Killer whale (Northeast Pacific transient) | <i>Orcinus orca</i> pop. 3 | Mammalia | G4G5T3Q | S2S3 | E | |
| Killer whale (Puget Sound resident) | <i>Orcinus orca</i> pop. 5 | Mammalia | G4G5T1Q | S1 | E | LE |
| Risso's dolphin | <i>Grampus griseus</i> | Mammalia | G5 | SNA | | |
| Short-finned Pilot Whale | <i>Globicephala macrorhynchus</i> | Mammalia | G5 | SNA | | |
| Pacific White-sided Dolphin | <i>Lagenorhynchus obliquidens</i> | Mammalia | G5 | S4S5 | | |
| Harbor Porpoise | <i>Phocoena phocoena</i> | Mammalia | G4G5 | S4 | C | |
| Dall's Porpoise | <i>Phocoenoides dalli</i> | Mammalia | G5 | S4 | | |
| Gray Whale | <i>Eschrichtius robustus</i> | Mammalia | G4 | S2N | S | |
| Fin Whale | <i>Balaenoptera physalus</i> | Mammalia | G3G4 | SNA | E | LE |
| Sei Whale | <i>Balaenoptera borealis</i> | Mammalia | G5? | SNA | E | LE |
| Minke Whale | <i>Balaenoptera acutorostrata</i> | Mammalia | G5 | SU | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------------|-------------------------------------|----------|-------------|------------|--------------|----------------|
| Blue Whale | <i>Balaenoptera musculus</i> | Mammalia | G3G4 | SNA | E | LE |
| Humpback Whale | <i>Megaptera novaeangliae</i> | Mammalia | G4 | S2S3N | E | LE |
| Bowhead Whale | <i>Balaena mysticetus</i> | Mammalia | G3 | SNA | | LE |
| North Pacific right whale | <i>Eubalaena japonica</i> | Mammalia | G1 | SNA | E | LE |
| Coyote | <i>Canis latrans</i> | Mammalia | G5 | S5 | | |
| Gray Wolf | <i>Canis lupus</i> | Mammalia | G5 | S1 | E | LE |
| Red Fox | <i>Vulpes vulpes</i> | Mammalia | G5 | S1 | E-Part | |
| Cascade red fox | <i>Vulpes vulpes cascadenis</i> | Mammalia | G5T1 | S1 | E | |
| Black Bear | <i>Ursus americanus</i> | Mammalia | G5 | S5 | | |
| Grizzly Bear | <i>Ursus arctos</i> | Mammalia | G4 | S1 | E | LT |
| Grizzly Bear | <i>Ursus arctos horribilis</i> | Mammalia | G4T4 | S1 | E | LT |
| Northern Fur Seal | <i>Callorhinus ursinus</i> | Mammalia | G3 | SNA | | |
| Guadalupe fur seal | <i>Arctocephalus townsendi</i> | Mammalia | G1 | SNA | | LT |
| Steller Sea Lion | <i>Eumetopias jubatus</i> | Mammalia | G3 | S3N | | |
| California Sea Lion | <i>Zalophus californianus</i> | Mammalia | G5 | S4N | | |
| Common Raccoon | <i>Procyon lotor</i> | Mammalia | G5 | S5 | | |
| Pacific marten (coastal population) | <i>Martes caurina humboldtensis</i> | Mammalia | G4G5T1 | S1 | | |
| Fisher | <i>Pekania pennanti</i> | Mammalia | G5 | S1 | E | PS:SC |
| Pacific marten | <i>Martes caurina</i> | Mammalia | G4G5 | S5 | | |
| Long-tailed Weasel | <i>Mustela frenata</i> | Mammalia | G5 | S5 | | |
| Mink | <i>Mustela vison</i> | Mammalia | G5 | S5 | | |
| American Ermine | <i>Mustela richardsonii</i> | Mammalia | G5 | S5 | | |
| Wolverine | <i>Gulo gulo</i> | Mammalia | G4 | S1 | C | PS:T |
| American Badger | <i>Taxidea taxus</i> | Mammalia | G5 | S4 | M | |
| Western Spotted Skunk | <i>Spilogale gracilis</i> | Mammalia | G5 | S4 | | |
| Striped Skunk | <i>Mephitis mephitis</i> | Mammalia | G5 | S5 | | |
| Sea Otter | <i>Enhydra lutris</i> | Mammalia | G4 | S2 | T | SC |
| Sea Otter | <i>Enhydra lutris kenyoni</i> | Mammalia | G4T2T3 | S2 | T | SC |
| Northern River Otter | <i>Lontra canadensis</i> | Mammalia | G5 | S4 | | |
| Harbor Seal | <i>Phoca vitulina</i> | Mammalia | G5 | S4 | | |
| Northern Elephant Seal | <i>Mirounga angustirostris</i> | Mammalia | G5 | SNA | | |
| Lynx | <i>Lynx canadensis</i> | Mammalia | G5 | S1 | E | LT |
| Bobcat | <i>Lynx rufus</i> | Mammalia | G5 | S5 | | |
| Mountain Lion | <i>Puma concolor</i> | Mammalia | G5 | S4S5 | | |
| Wapiti or Elk | <i>Cervus elaphus</i> | Mammalia | G5 | S5 | | |
| Rocky Mountain Elk | <i>Cervus elaphus nelsoni</i> | Mammalia | G5T5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|--|----------|-------------|------------|--------------|----------------|
| Roosevelt Elk | <i>Cervus elaphus roosevelti</i> | Mammalia | G5T4 | SNR | | |
| Mule or Black-tailed Deer | <i>Odocoileus hemionus</i> | Mammalia | G5 | S5 | | |
| White-tailed Deer | <i>Odocoileus virginianus</i> | Mammalia | G5 | S5 | T-Part | PS:LT |
| Columbian White-tailed Deer | <i>Odocoileus virginianus leucurus</i> | Mammalia | G5T3Q | S1 | T | LT |
| Moose | <i>Alces alces</i> | Mammalia | G5 | S3S4 | | |
| Caribou | <i>Rangifer tarandus</i> | Mammalia | G5 | S1 | E | LE |
| Woodland Caribou | <i>Rangifer tarandus caribou</i> | Mammalia | G5T5 | S1 | E | LE |
| Pronghorn | <i>Antilocapra americana</i> | Mammalia | G5 | SX | | |
| American Bison | <i>Bos bison</i> | Mammalia | G4 | SX | | |
| Mountain Goat | <i>Oreamnos americanus</i> | Mammalia | G5 | S2 | | |
| Bighorn Sheep | <i>Ovis canadensis</i> | Mammalia | G4 | S2S3 | | |
| California Bighorn | <i>Ovis canadensis canadensis</i> | Mammalia | G4T4 | SX | | |
| Loggerhead Sea Turtle | <i>Caretta caretta</i> | Chelonia | G3 | SNA | E | LE |
| Green Turtle | <i>Chelonia mydas</i> | Chelonia | G3 | SNA | T | LT |
| Pacific Ridley | <i>Lepidochelys olivacea</i> | Chelonia | G2G4 | SNA | | LT |
| Snapping Turtle | <i>Chelydra serpentina</i> | Chelonia | G5 | SNA | | |
| Leatherback Sea Turtle | <i>Dermochelys coriacea</i> | Chelonia | G2 | SNA | E | LE |
| Painted Turtle | <i>Chrysemys picta</i> | Chelonia | G5 | S4S5 | | |
| Western Pond Turtle | <i>Actinemys marmorata</i> | Chelonia | G2 | S1 | E | PT |
| Slider | <i>Pseudemys scripta</i> | Chelonia | G5 | SNA | | |
| Northern Alligator Lizard | <i>Elgaria coerulea</i> | Reptilia | G5 | S5 | | |
| Southern Alligator Lizard | <i>Elgaria multicarinata</i> | Reptilia | G5 | S4 | | |
| Short-horned Lizard | <i>Phrynosoma douglasii</i> | Reptilia | G5 | S3 | M | |
| Sagebrush Lizard | <i>Sceloporus graciosus</i> | Reptilia | G5 | S3 | C | |
| Western Fence Lizard | <i>Sceloporus occidentalis</i> | Reptilia | G5 | S4 | | |
| Side-blotched Lizard | <i>Uta stansburiana</i> | Reptilia | G5 | S3 | | |
| Western Skink | <i>Eumeces skiltonianus</i> | Reptilia | G5 | S5 | | |
| Colorado Checkered Whiptail | <i>Aspidoscelis neotesselatus</i> | Reptilia | G3 | SNA | | |
| Rubber Boa | <i>Charina bottae</i> | Reptilia | G5 | S4 | | |
| Racer | <i>Coluber constrictor</i> | Reptilia | G5 | S5 | | |
| Sharptail Snake | <i>Contia tenuis</i> | Reptilia | G5 | S3 | C | |
| Ringneck Snake | <i>Diadophis punctatus</i> | Reptilia | G5 | S3S4 | M | |
| Night Snake | <i>Hypsiglena chlorophaea</i> | Reptilia | G5 | S3 | M | |
| California Mountain Kingsnake | <i>Lampropeltis zonata</i> | Reptilia | G4G5 | S2? | C | |
| Striped Whipsnake | <i>Masticophis taeniatus</i> | Reptilia | G5 | S1 | C | |
| Pine or Gopher Snake | <i>Pituophis catenifer</i> | Reptilia | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------------|--------------------------------------|--------------|-------------|------------|--------------|----------------|
| Pacific Gopher Snake | <i>Pituophis catenifer catenifer</i> | Reptilia | G5T5 | SH | | |
| Western Terrestrial Garter Snake | <i>Thamnophis elegans</i> | Reptilia | G5 | S5 | | |
| Northwestern Garter Snake | <i>Thamnophis ordinoides</i> | Reptilia | G5 | S5 | | |
| Common Garter Snake | <i>Thamnophis sirtalis</i> | Reptilia | G5 | S5 | | |
| Western Rattlesnake | <i>Crotalus oreganus</i> | Reptilia | G5 | S5 | | |
| Giant Palouse Earthworm | <i>Driloleirus americanus</i> | Oligochaeta | G1 | S2 | | |
| an earthworm | <i>Dendrobaena attemsi</i> | Oligochaeta | GNR | SNA | | |
| Knobbedlip Fairy Shrimp | <i>Eubbranchipus bundyi</i> | Branchiopoda | G5 | S3? | | |
| Oregon Fairy Shrimp | <i>Eubbranchipus oregonus</i> | Branchiopoda | G3 | S3S4 | | |
| Ethologist Fairy Shrimp | <i>Eubbranchipus hesperius</i> | Branchiopoda | G5 | S3S4 | | |
| San Francisco Brine Shrimp | <i>Artemia franciscana</i> | Branchiopoda | G5 | S3S4 | | |
| Giant Fairy Shrimp | <i>Branchinecta gigas</i> | Branchiopoda | G3G4 | S2 | | |
| Pocked Pouch Fairy Shrimp | <i>Branchinecta campestris</i> | Branchiopoda | G2 | S1 | | |
| Colorado Fairy Shrimp | <i>Branchinecta coloradensis</i> | Branchiopoda | G5 | S3S4 | | |
| Horned Fairy Shrimp | <i>Branchinecta cornigera</i> | Branchiopoda | G2 | S2 | | |
| Versatile Fairy Shrimp | <i>Branchinecta lindahli</i> | Branchiopoda | G5 | S3S4 | | |
| Alkali Fairy Shrimp | <i>Branchinecta mackini</i> | Branchiopoda | G4 | S3S4 | | |
| Muddy Fairy Shrimp | <i>Branchinecta lutulenta</i> | Branchiopoda | G1 | S1 | | |
| Diversity Clam Shrimp | <i>Eulimnadia diversa</i> | Branchiopoda | G5 | SNA | | |
| Spinytail Fairy Shrimp | <i>Streptocephalus coloradensis</i> | Branchiopoda | G5 | S3S4 | | |
| Holarctic Clam Shrimp | <i>Lynceus brachyurus</i> | Branchiopoda | G5 | S3S4 | | |
| Lemon Tadpole Shrimp | <i>Lepidurus lemmoni</i> | Branchiopoda | G4 | SU | | |
| Cryptic Tadpole Shrimp | <i>Lepidurus cryptus</i> | Branchiopoda | G3 | SU | | |
| Mexican Clam Shrimp | <i>Cyzicus mexicanus</i> | Branchiopoda | G5 | SU | | |
| Bristletail Clam Shrimp | <i>Cyzicus setosa</i> | Branchiopoda | G5 | SU | | |
| A Cave Obligate Amphipod | <i>Stygobromus elliotti</i> | Malacostraca | G1G2 | SNR | | |
| Narrow Amphipod | <i>Stygobromus rallus</i> | Malacostraca | G1G3 | SNR | | |
| An Amphipod | <i>Stygobromus duplus</i> | Malacostraca | G1G2 | SNR | | |
| An Amphipod | <i>Stygobromus latus</i> | Malacostraca | G1G3 | SNR | | |
| Ellis Bog Crangonyctid | <i>Crangonyx richmondensis</i> | Malacostraca | G5 | SNR | | |
| Sanborns Crayfish | <i>Orconectes sanbornii</i> | Malacostraca | G5 | SNA | | |
| Virile Crayfish | <i>Orconectes virilis</i> | Malacostraca | G5 | SNA | | |
| Red Swamp Crawfish | <i>Procambarus clarkii</i> | Malacostraca | G5 | SNA | | |
| Siberian prawn | <i>Exopalaemon modestus</i> | Malacostraca | G5 | SNA | | |
| An Amphipod | <i>Hyalella azteca</i> | Malacostraca | G5 | SNR | | |
| A Crayfish | <i>Pacifastacus gambelii</i> | Malacostraca | G4G5 | S3S4 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------------|---|--------------|-------------|------------|--------------|----------------|
| Signal Crayfish | <i>Pacifastacus leniusculus</i> | Malacostraca | G5 | SNR | | |
| A Crayfish | <i>Pacifastacus leniusculus trowbridgii</i> | Malacostraca | G5T5Q | S3? | | |
| An Isopod | <i>Salmasellus howarthi</i> | Malacostraca | GNR | SNR | | |
| An Opossum Shrimp | <i>Mysis diluviana</i> | Malacostraca | G5 | SNA | | |
| Dungeness Crab | <i>Cancer magister</i> | Malacostraca | G5 | SNR | | |
| Dock Shrimp | <i>Pandalus danae</i> | Malacostraca | GNR | SNR | | |
| Humpy Shrimp | <i>Pandalus goniurus</i> | Malacostraca | G5 | SNR | | |
| Ocean Shrimp | <i>Pandalus jordani</i> | Malacostraca | G5 | SNR | | |
| Coonstriped Shrimp | <i>Pandalus hypsinotus</i> | Malacostraca | G5 | SNR | | |
| Spot Shrimp | <i>Pandalus platyceros</i> | Malacostraca | G5 | SNR | | |
| Sidestriped Shrimp | <i>Pandalopsis dispar</i> | Malacostraca | G5 | SNR | | |
| Blue Mud Shrimp | <i>Upogebia pugettensis</i> | Malacostraca | GNR | SNA | | |
| An Amphipod | <i>Diporeia erythrophthalma</i> | Malacostraca | GNR | SNR | | |
| Penicillate Jellyfish | <i>Polyorchis penicillatus</i> | Hydrozoa | G5 | SNR | | |
| Red Urchin | <i>Strongylocentrotus franciscanus</i> | Echinoidea | GNR | SNR | | |
| a jumping bristletail | <i>Petrobius submutans</i> | Insecta | GNR | SNR | | |
| A Springtail | <i>Arrhopalites clarus</i> | Collembola | G4 | SNR | | |
| A Cave Obligate Springtail | <i>Onychiurus gelus</i> | Collembola | G2G3 | SNR | | |
| Columbia River tiger beetle | <i>Cicindela columbica</i> | Insecta | G1 | SH | C | |
| Beach-dune tiger beetle | <i>Cicindela hirticollis</i> | Insecta | G5 | S4 | M-Part | |
| A Tiger Beetle | <i>Cicindela hirticollis couleensis</i> | Insecta | G5T3 | S3 | | |
| Hairy-necked tiger beetle | <i>Cicindela hirticollis siuslawensis</i> | Insecta | G5T1T2 | S1 | M | |
| Oblique-lined tiger beetle | <i>Cicindela tranquebarica vibex</i> | Insecta | G5T5 | S4? | | |
| Cow path tiger beetle | <i>Cicindela purpurea</i> | Insecta | G5 | S5 | | |
| Cow Path Tiger Beetle | <i>Cicindela purpurea audubonii</i> | Insecta | G5T5 | SNR | | |
| Cow Path Tiger Beetle | <i>Cicindela purpurea hatchi</i> | Insecta | G5T3T4 | SNR | | |
| Boreal long-lipped tiger beetle | <i>Cicindela longilabris</i> | Insecta | G5 | S5 | | |
| Boreal Long-lipped Tiger Beetle | <i>Cicindela longilabris perviridis</i> | Insecta | G5T5 | SNR | | |
| Boreal Long-lipped Tiger Beetle | <i>Cicindela longilabris longilabris</i> | Insecta | G5T5 | SNR | | |
| Prairie long-lipped tiger beetle | <i>Cicindela nebraskana</i> | Insecta | G5 | S5 | | |
| Bronzed tiger beetle | <i>Cicindela repanda</i> | Insecta | G5 | S5 | | |
| Bronzed Tiger Beetle | <i>Cicindela repanda repanda</i> | Insecta | G5T5 | SNR | | |
| Western tiger beetle | <i>Cicindela oregona</i> | Insecta | G5 | S5 | | |
| Western Tiger Beetle | <i>Cicindela oregona oregona</i> | Insecta | G5T5 | SNR | | |
| Dispirited tiger beetle | <i>Cicindela depressula</i> | Insecta | G5 | S5 | | |
| Dispirited Tiger Beetle | <i>Cicindela depressula eureka</i> | Insecta | G5T2T4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------------------|--|---------|-------------|------------|--------------|----------------|
| Dispirited Tiger Beetle | <i>Cicindela depressula depressula</i> | Insecta | G5T5 | SNR | | |
| Pacific Coast tiger beetle | <i>Cicindela bellissima</i> | Insecta | G4 | S4 | | |
| Pacific Coast Tiger Beetle | <i>Cicindela bellissima bellissima</i> | Insecta | G4T4 | SNR | | |
| Pacific Coast Tiger Beetle | <i>Cicindela bellissima frechini</i> | Insecta | G4T1T2 | SNR | | |
| Sagebrush tiger beetle | <i>Cicindela pugetana</i> | Insecta | G4 | S3S4 | | |
| Badlands tiger beetle | <i>Cicindela decemnotata</i> | Insecta | G4G5 | S4 | | |
| Dark saltflat tiger beetle | <i>Cicindela parowana</i> | Insecta | G4 | S4 | | |
| Dark Saltflat Tiger Beetle | <i>Cicindela parowana wallisi</i> | Insecta | G4T2T4 | SNR | | |
| Dark Saltflat Tiger Beetle | <i>Cicindela parowana parowana</i> | Insecta | G4T4 | SNR | | |
| Wet salts tiger beetle | <i>Cicindela haemorrhagica</i> | Insecta | G5 | S5 | | |
| Wetsalts Tiger Beetle | <i>Cicindela haemorrhagica haemorrhagica</i> | Insecta | G5T5 | SNR | | |
| Variable tiger beetle | <i>Parvindela terricola</i> | Insecta | G5 | S4 | | |
| Variable Tiger Beetle | <i>Parvindela terricola imperfecta</i> | Insecta | G5T5 | SNR | | |
| Oblique-lined tiger beetle | <i>Cicindela tranquebarica</i> | Insecta | G5 | S5 | | |
| Greater night-stalking tiger beetle | <i>Omus dejeani</i> | Insecta | G5 | S5 | | |
| Adouini's night-stalking tiger beetle | <i>Omus adouini</i> | Insecta | G5 | S5 | | |
| Beller's Ground Beetle | <i>Agonum belleri</i> | Insecta | G3 | S3 | C | |
| Hatch's Click Beetle | <i>Eanus hatchi</i> | Insecta | G1 | S1 | C | |
| Mann's Mollusk-eating Ground Beetle | <i>Scaphinotus manni</i> | Insecta | G1G2 | SNR | C | |
| A Ground Beetle | <i>Pterostichus inanis</i> | Insecta | GNR | SNR | | |
| A Ground Beetle | <i>Pterostichus smetani</i> | Insecta | GNR | SNR | | |
| Mann's Gazelle Beetle | <i>Nebria danmanni</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Quedius bakeri</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Quedius narada</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Quedius paradisi</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Quedius tahomae</i> | Insecta | GNR | SNR | | |
| Bog Idol Leaf Beetle | <i>Plateumaris dubia</i> | Insecta | GNR | S3? | | |
| Ornate Checkered Beetle | <i>Trichodes ornatus</i> | Insecta | G5 | SNR | | |
| Dark Firefly Beetle | <i>Pyropyga nigricans</i> | Insecta | G5 | SNR | | |
| Long-range Firefly Beetle | <i>Pyractomena dispersa</i> | Insecta | GU | SNR | | |
| Rocky Mountain Firefly | <i>Ellychnia facula</i> | Insecta | GU | SNR | | |
| a diurnal firefly | <i>Ellychnia greeni</i> | Insecta | G4 | SNR | | |
| a glowworm | <i>Ellychnia hatchi</i> | Insecta | G5 | SNR | | |
| a firefly | <i>Phausis rhombica</i> | Insecta | GU | SNR | | |
| a diurnal firefly | <i>Ellychnia autumnalis</i> | Insecta | GU | SNA | | |
| a diurnal firefly | <i>Ellychnia californica</i> | Insecta | GU | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-----------------------------|----------------------------------|---------|-------------|------------|--------------|----------------|
| a firefly | <i>Phausis skelleyi</i> | Insecta | GU | SNR | | |
| a firefly | <i>Pterotus obscuripennis</i> | Insecta | G4G5 | SNR | | |
| Bee-mimic Beetle | <i>Trichiotinus assimilis</i> | Insecta | G5 | SNR | | |
| Serrated Darkling Beetle | <i>Iphthiminus serratus</i> | Insecta | G5 | SNR | | |
| Wood-borer Beetle | <i>Buprestis gibbsi</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Coryphium vandykei</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Gnathoryphium mandibulare</i> | Insecta | GNR | SNR | | |
| Wood-borer Beetle | <i>Oistus edmonstoni</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Subhaida rainieri</i> | Insecta | GNR | SNR | | |
| A Rove Beetle | <i>Tachinus ovalis</i> | Insecta | GNR | SNR | | |
| White-haired Ant Fly | <i>Microdon albicomatus</i> | Insecta | GU | SNR | | |
| Orange-legged Ant Fly | <i>Microdon cothurnatus</i> | Insecta | G4G5 | SNR | | |
| Globular Ant Fly | <i>Microdon globosus</i> | Insecta | G5 | SNR | | |
| Greater Ant Fly | <i>Microdon manitobensis</i> | Insecta | G5 | SNR | | |
| Blue-black Ant Fly | <i>Microdon piperi</i> | Insecta | G2G4 | SNR | | |
| Yellow-toed Leafwalker | <i>Xylota flavitibia</i> | Insecta | G4G5 | SNR | | |
| Hine's Leafwalker | <i>Xylota hinei</i> | Insecta | G5? | SNR | | |
| Four-spotted Leafwalker | <i>Xylota quadrimaculata</i> | Insecta | G5 | SNR | | |
| a cranefly | <i>Limnophila tetonicola</i> | Insecta | GNR | SNR | | |
| American Dainty | <i>Baccha cognata</i> | Insecta | G4G5 | SNR | | |
| a robber fly | <i>Lasiopogon puyallupi</i> | Insecta | GNR | SNR | | |
| a robber fly | <i>Lasiopogon tumulicola</i> | Insecta | GNR | SNR | | |
| Common Drone fly | <i>Eristalis tenax</i> | Insecta | GNR | SNA | | |
| Orange-spotted Drone Fly | <i>Eristalis anthophorina</i> | Insecta | G5 | SNR | | |
| European Drone Fly | <i>Eristalis arbustorum</i> | Insecta | GNR | SNA | | |
| Hourglass Drone Fly | <i>Eristalis brousii</i> | Insecta | G4 | SNR | | |
| Black-shouldered Drone Fly | <i>Eristalis dimidiata</i> | Insecta | G5 | SNR | | |
| Orange-legged Drone Fly | <i>Eristalis flavipes</i> | Insecta | G5 | SNR | | |
| Black-footed Drone Fly | <i>Eristalis hirta</i> | Insecta | G5 | SNR | | |
| Orange-spined Drone Fly | <i>Eristalis interrupta</i> | Insecta | G5 | SNR | | |
| Yellow-shouldered Drone Fly | <i>Eristalis stipator</i> | Insecta | G5 | SNR | | |
| Large-tailed Aphideater | <i>Eupeodes volucris</i> | Insecta | G4G5 | SNR | | |
| Long-tailed Aphideater | <i>Eupeodes americanus</i> | Insecta | G5 | SNR | | |
| Fluke's Aphideater | <i>Eupeodes flukei</i> | Insecta | G4G5 | SNR | | |
| Common Loopwing Aphideater | <i>Lapposyrphus lapponicus</i> | Insecta | G5 | SNR | | |
| Bare-winged Aphideater | <i>Eupeodes perplexus</i> | Insecta | G5? | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|------------------------------------|---------|-------------|------------|--------------|----------------|
| Broad-headed Marsh Fly | <i>Helophilus latifrons</i> | Insecta | G4G5 | SNR | | |
| Narrow-headed Marsh Fly | <i>Helophilus fasciatus</i> | Insecta | G5 | SNR | | |
| Obscure Marsh Fly | <i>Helophilus obscurus</i> | Insecta | G5 | SNR | | |
| White-bowed Smoothwing | <i>Scaeva affinis</i> | Insecta | G5 | SNR | | |
| Black-footed Globetail | <i>Sphaerophoria philanthus</i> | Insecta | G5 | SNR | | |
| Violaceous Globetail | <i>Sphaerophoria pyrrhina</i> | Insecta | G3G5 | SNR | | |
| Common Compost Fly | <i>Syritta pipiens</i> | Insecta | GNR | SNA | | |
| Margined Calligrapher | <i>Toxomerus marginatus</i> | Insecta | G5 | SNR | | |
| Eastern Calligrapher | <i>Toxomerus geminatus</i> | Insecta | G5 | SNR | | |
| a hairy-eyed cranefly | <i>Ornithodes harrimani</i> | Insecta | GNR | SNR | | |
| a cranefly | <i>Rhabdomastix subcaudata</i> | Insecta | GNR | SNR | | |
| a cranefly | <i>Antocha monticola</i> | Insecta | GNR | SNR | | |
| Oblique Streaktail | <i>Allograptia obliqua</i> | Insecta | G5 | SNR | | |
| Narrow-faced Grass Skimmer | <i>Paragus angustifrons</i> | Insecta | G5 | SNR | | |
| Black-backed Grass Skimmer | <i>Paragus haemorrhous</i> | Insecta | G5 | SNR | | |
| Variable Grass Skimmer | <i>Paragus variabilis</i> | Insecta | GU | SNR | | |
| a cranefly | <i>Austrolimnophila badia</i> | Insecta | GNR | SNR | | |
| a cranefly | <i>Dicranoptycha quadrivittata</i> | Insecta | GNR | SNR | | |
| a cranefly | <i>Dicranota reducta</i> | Insecta | GNR | SNR | | |
| a cranefly | <i>Dicranota subsessilis</i> | Insecta | GNR | SNR | | |
| Two-lined Swamp Fly | <i>Anasimyia bilinearis</i> | Insecta | G5 | SNR | | |
| Lump-legged Swamp Fly | <i>Anasimyia chrysostoma</i> | Insecta | G5 | SNR | | |
| Moon-shaped Swamp Fly | <i>Anasimyia anausis</i> | Insecta | G5 | SNR | | |
| Orange-faced Wood Fly | <i>Blera armillata</i> | Insecta | G5 | SNR | | |
| Black-banded Sapeater | <i>Brachyopa notata</i> | Insecta | G4G5 | SNR | | |
| Orange Catkin Fly | <i>Brachypalpus femoratus</i> | Insecta | GU | SNR | | |
| a cranefly | <i>Erioptera distincta</i> | Insecta | GNR | SNR | | |
| Dusky-banded Leafwalker | <i>Chalcosyrphus nemorum</i> | Insecta | G5 | SNR | | |
| Short-haired Leafwalker | <i>Chalcosyrphus piger</i> | Insecta | G5 | SNR | | |
| Hairy-winged Leafwalker | <i>Chalcosyrphus sacawajeae</i> | Insecta | GU | SNR | | |
| Orange-hipped Leafwalker | <i>Chalcosyrphus vecors</i> | Insecta | G4G5 | SNR | | |
| Yukon Blacklet | <i>Cheilosia yukonensis</i> | Insecta | G4G5 | SNR | | |
| Jet Blacklet | <i>Cheilosia laevis</i> | Insecta | G3G5 | SNR | | |
| Amber-haired Blacklet | <i>Cheilosia lasiophthalmus</i> | Insecta | G5 | SNR | | |
| Pale-horned Wrinklehead | <i>Chrysosyrphus nigripennis</i> | Insecta | GU | SNR | | |
| Blackshield Meadow Fly | <i>Chrysotoxum flavifrons</i> | Insecta | G5? | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|----------------------------------|---------|-------------|------------|--------------|----------------|
| Confusing Conifer Fly | <i>Dasysyrphus intrudens</i> | Insecta | G5 | SNR | | |
| Undivided Lucent | <i>Didea fuscipes</i> | Insecta | G5 | SNR | | |
| Slender Smoothtail | <i>Epistrophella emarginata</i> | Insecta | G5 | SNR | | |
| Black-horned Smoothtail | <i>Epistrophe grossulariae</i> | Insecta | G5 | SNR | | |
| Straight-banded Smoothtail | <i>Epistrophe nitidicollis</i> | Insecta | G4G5 | SNR | | |
| Lesser Bulb Fly | <i>Eumerus funeralis</i> | Insecta | GNR | SNA | | |
| Onion Bulb Fly | <i>Eumerus strigatus</i> | Insecta | GNR | SNA | | |
| Common Copperback | <i>Ferdinandea buccata</i> | Insecta | G5 | SNR | | |
| Golden Copperback | <i>Ferdinandea croesus</i> | Insecta | G5 | SNR | | |
| Black-legged Gossamer | <i>Megasyrphus laxus</i> | Insecta | G5 | SNR | | |
| Bare-eyed Halfband | <i>Melangyna labiatarum</i> | Insecta | G5 | SNR | | |
| Hair-eyed Halfband | <i>Melangyna lasiophthalma</i> | Insecta | G4G5 | SNR | | |
| Bare-winged Halfband | <i>Melangyna umbellatarum</i> | Insecta | G5 | SNR | | |
| Variable Duskyface | <i>Melanostoma mellinum</i> | Insecta | G5 | SNR | | |
| American Thintail | <i>Meliscaeva cinctella</i> | Insecta | G5 | SNR | | |
| Narcissus Bulb Fly | <i>Merodon equestris</i> | Insecta | GNR | SNA | | |
| Double-banded Fen Fly | <i>Neosascia metallica</i> | Insecta | G5 | SNR | | |
| Black-kneed Fen Fly | <i>Neosascia tenur</i> | Insecta | G5 | SNR | | |
| Black-faced Spikeleg | <i>Neocnemodon rita</i> | Insecta | G5 | SNR | | |
| Lovett's Spikeleg | <i>Neocnemodon lovetti</i> | Insecta | GNR | SNR | | |
| Short-horned Mucksucker | <i>Orthonevra robusta</i> | Insecta | G4G5 | SNR | | |
| Boreal Bristleside | <i>Parasyrphus relictus</i> | Insecta | GUQ | SNR | | |
| Common Bog Fly | <i>Parhelophilus laetus</i> | Insecta | G5 | SNR | | |
| Black Bog Fly | <i>Parhelophilus porcus</i> | Insecta | G5 | SNR | | |
| Coppery Sedgesitter | <i>Platycheirus luteipennis</i> | Insecta | GU | SNR | | |
| Western Forest Sedgesitter | <i>Platycheirus trichopus</i> | Insecta | G5 | SNR | | |
| Three-tufted Sedgesitter | <i>Platycheirus albimanus</i> | Insecta | G5 | SNR | | |
| Hooked Sedgesitter | <i>Platycheirus coerulescens</i> | Insecta | G3G5 | SNR | | |
| Confusing Sedgesitter | <i>Platycheirus confusus</i> | Insecta | G4G5 | SNR | | |
| Smallspot Sedgesitter | <i>Platycheirus flabella</i> | Insecta | GU | SNR | | |
| Hornhand Sedgesitter | <i>Platycheirus granditarsis</i> | Insecta | G5 | SNR | | |
| Pearly Sedgesitter | <i>Platycheirus hyperboreus</i> | Insecta | G5 | SNR | | |
| Comb-legged Sedgesitter | <i>Platycheirus immarginatus</i> | Insecta | G4G5 | SNR | | |
| Fourspot Sedgesitter | <i>Platycheirus rosarum</i> | Insecta | G5? | SNR | | |
| Blackspine Sedgesitter | <i>Platycheirus scambus</i> | Insecta | G5 | SNR | | |
| Many-tufted Sedgesitter | <i>Platycheirus scutatus</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------------|--------------------------------|---------|-------------|------------|--------------|----------------|
| Mundane Sedgesitter | <i>Platycheirus striatus</i> | Insecta | G5 | SNR | | |
| Tufted Sedgesitter | <i>Platycheirus naso</i> | Insecta | G5 | SNR | | |
| Cobalt Sedgesitter | <i>Platycheirus pictipes</i> | Insecta | G5 | SNR | | |
| Dimorphic Sickleleg | <i>Polydontomyia curvipes</i> | Insecta | G5 | SNR | | |
| Narrow-banded Pond Fly | <i>Sericomyia militaris</i> | Insecta | G5 | SNR | | |
| Long-horned Yellowjacket Fly | <i>Sphecomyia vittata</i> | Insecta | G5 | SNR | | |
| Black-margined Flower Fly | <i>Syrphus opinator</i> | Insecta | G5 | SNR | | |
| Common Flower Fly | <i>Syrphus ribesii</i> | Insecta | G5 | SNR | | |
| Hairy-eyed Flower Fly | <i>Syrphus torvus</i> | Insecta | G5 | SNR | | |
| Black-legged Flower Fly | <i>Syrphus vitripennis</i> | Insecta | G5 | SNR | | |
| Common Thickleg | <i>Tropidia quadrata</i> | Insecta | G5 | SNR | | |
| Yellow-faced Swiftwing | <i>Volucella facialis</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Baetisca columbiana</i> | Insecta | G2G4 | SNR | | |
| A Mayfly | <i>Serratella micheneri</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Serratella teresa</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Serratella tibialis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ephemerella dorothea</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ephemerella aurivillii</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ephemerella excrucians</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ephemerella alleni</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Ephemerella verruca</i> | Insecta | G2G3 | SNR | | |
| A Mayfly | <i>Ephemera simulans</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ameletus andersoni</i> | Insecta | G2G3 | SNR | | |
| A Mayfly | <i>Ameletus celer</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus cooki</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus exquisitus</i> | Insecta | G2G3 | SNR | | |
| A Mayfly | <i>Ameletus majusculus</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Ameletus oregonensis</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus pritchardi</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus similior</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus sparsatus</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus suffusus</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Ameletus validus</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus vancouverensis</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Ameletus velox</i> | Insecta | G4G5 | SNR | | |
| A Mayfly | <i>Ameletus vernalis</i> | Insecta | G3G4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------|---------------------------------------|---------|-------------|------------|--------------|----------------|
| A Mayfly | <i>Caenis youngi</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Caenis amica</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Caenis latipennis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Siphonurus occidentalis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Siphonurus autumnalis</i> | Insecta | G2G4 | SNR | | |
| A Mayfly | <i>Siphonurus columbianus</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Siphonurus spectabilis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Baetis alius</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Baetis bicaudatus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Baetis brunneicolor</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Baetis notos</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Baetis tricaudatus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Baetis flavistriga</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Leptophlebia cupida</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Eurylophella lodi</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Parameletus columbiae</i> | Insecta | G2 | SNA | | |
| A Mayfly | <i>Paraleptophlebia temporalis</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Paraleptophlebia debilis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Paraleptophlebia bicornuta</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Paraleptophlebia brunneipennis</i> | Insecta | GH | SNR | | |
| A Mayfly | <i>Paraleptophlebia falcula</i> | Insecta | G1G2 | SNR | | |
| A Mayfly | <i>Paraleptophlebia heteronea</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Paraleptophlebia memorialis</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Paraleptophlebia placeri</i> | Insecta | G1 | SNR | | |
| A Mayfly | <i>Paraleptophlebia rufivenosa</i> | Insecta | GUQ | SH | | |
| A Mayfly | <i>Paraleptophlebia vaciva</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Paraleptophlebia jenseni</i> | Insecta | G2G4 | SNR | | |
| A Mayfly | <i>Anaoptilum bifurcatum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Anaoptilum conturbatum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Hexagenia limbata</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Heptagenia elegantula</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Heptagenia solitaria</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Rhithrogena flavianula</i> | Insecta | G1G3 | SNR | | |
| A Mayfly | <i>Rhithrogena hageni</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Rhithrogena morrisoni</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Rhithrogena robusta</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| A Mayfly | <i>Rhithrogena undulata</i> | Insecta | G4Q | SNR | | |
| A Mayfly | <i>Maccaffertium terminatum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Tricorythodes explicatus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Epeorus albertae</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Epeorus deceptivus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Epeorus dulciana</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Epeorus grandis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Epeorus longimanus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Epeorus permagnus</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Pseudocloeon apache</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Pseudocloeon propinquum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Pseudocloeon dardanum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Labiobaetis sonajuventus</i> | Insecta | GNR | SNR | | |
| A Mayfly | <i>Drunella coloradensis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Drunella doddsi</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Drunella flavilinea</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Drunella grandis</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Drunella pelosa</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Drunella spinifera</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Heterocloeon anoka</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Attenella delantala</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Attenella margarita</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Cinygmula gartrelli</i> | Insecta | G2G3 | SNR | | |
| A Mayfly | <i>Cinygmula mimus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Cinygmula par</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Cinygmula ramaleyi</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Cinygmula reticulata</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Cinygmula tarda</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Cinygmula uniformis</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Ametropus ammophilus</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Acentrella turbida</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Acentrella insignificans</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Callibaetis fluctuans</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Callibaetis ferrugineus</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Callibaetis pictus</i> | Insecta | G5 | SNR | | |
| Hagens Small Minnow Mayfly | <i>Dipheter hageni</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-----------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| A Mayfly | <i>Camelobaetidius warreni</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Traverella albertana</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ephoron album</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ecdyonurus criddlei</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ecdyonurus simplicioides</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Procloeon pennulatum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Timpanoga hecuba</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Fallceon quilleri</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Caudatella edmundsi</i> | Insecta | G4 | SNR | | |
| A Mayfly | <i>Caudatella heterocaudata</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Caudatella hystrix</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Caudatella jacobi</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Cinygma dimicki</i> | Insecta | G3 | SNR | | |
| A Mayfly | <i>Cinygma integrum</i> | Insecta | G5 | SNR | | |
| A Mayfly | <i>Ironodes californicus</i> | Insecta | G3G4 | SNR | | |
| A Mayfly | <i>Ironodes nitidus</i> | Insecta | G4 | SNR | | |
| a plant bug | <i>Parthenicus thibodeau</i> | Insecta | GNR | SNR | | |
| A Coreid Bug | <i>Coriomeris insularis</i> | Insecta | GNR | SNR | | |
| a plant bug | <i>Orthotylus flemingi</i> | Insecta | GNR | SNR | | |
| a seed bug | <i>Trapezonotus lattini</i> | Insecta | GNR | SNR | | |
| Half-black bumble bee | <i>Bombus vagans</i> | Insecta | G4 | S2? | | |
| White-shouldered bumble bee | <i>Bombus appositus</i> | Insecta | G3 | S4? | | |
| Central bumble bee | <i>Bombus centralis</i> | Insecta | G5 | S4? | | |
| Yellow bumble bee | <i>Bombus fervidus</i> | Insecta | G3G4 | S4? | | |
| Yellow head bumble bee | <i>Bombus flavifrons</i> | Insecta | G5 | S5? | | |
| Frigid bumble bee | <i>Bombus frigidus</i> | Insecta | G5 | S2? | | |
| Hunt bumble bee | <i>Bombus huntii</i> | Insecta | G5 | S4? | | |
| Black tail bumble bee | <i>Bombus melanopygus</i> | Insecta | G5 | S4? | | |
| Fuzzy-horned bumble bee | <i>Bombus mixtus</i> | Insecta | G5 | S5? | | |
| Nevada bumble bee | <i>Bombus nevadensis</i> | Insecta | G4 | S4? | | |
| Red-belted bumble bee | <i>Bombus rufocinctus</i> | Insecta | G5 | S4? | | |
| Yellow-banded bumble bee | <i>Bombus terricola</i> | Insecta | G3G4 | SNR | | |
| Sitka bumble bee | <i>Bombus sitkensis</i> | Insecta | G4 | S4? | | |
| Western bumble bee | <i>Bombus occidentalis</i> | Insecta | G3 | S2S3 | C | |
| Brown-belted bumble bee | <i>Bombus griseocollis</i> | Insecta | G5 | S5? | | |
| Common Eastern bumble bee | <i>Bombus impatiens</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------------|---|---------|-------------|------------|--------------|----------------|
| Indiscriminate cuckoo bumble bee | <i>Bombus insularis</i> | Insecta | G3 | S5? | | |
| Suckley bumble bee | <i>Bombus suckleyi</i> | Insecta | G2G3 | S1? | | |
| Obscure bumble bee | <i>Bombus caliginosus</i> | Insecta | G2G3 | S3? | | |
| van Dyke bumble bee | <i>Bombus vandykei</i> | Insecta | G4 | S3? | | |
| Vosnesensky bumble bee | <i>Bombus vosnesenskii</i> | Insecta | G5 | S5? | | |
| Morrison bumble bee | <i>Bombus morrisoni</i> | Insecta | G3 | S4? | | |
| Fernald cuckoo bumble bee | <i>Bombus flavidus</i> | Insecta | G5? | S3? | | |
| High country bumble bee | <i>Bombus kirbiellus</i> | Insecta | G3G5 | S1? | | |
| Forest bumble bee | <i>Bombus lapponicus</i> | Insecta | G5 | S3? | | |
| a bumble bee | <i>Bombus vancouverensis nearcticus</i> | Insecta | G5TNR | SNR | | |
| a bumble bee | <i>Bombus vancouverensis vancouverensis</i> | Insecta | G5TNR | SNR | | |
| an andrenid bee | <i>Andrena shoshoni</i> | Insecta | GNR | SNR | | |
| a digger bee | <i>Anthophora affabilis</i> | Insecta | G5 | SNR | | |
| Occidental Digger Bee | <i>Anthophora occidentalis</i> | Insecta | G3G4 | SNR | | |
| Porter's Digger Bee | <i>Anthophora porterae</i> | Insecta | G4G5 | SNR | | |
| Bear-like Digger Bee | <i>Anthophora ursina</i> | Insecta | G4G5 | SNR | | |
| Red-tipped Digger Bee | <i>Anthophora terminalis</i> | Insecta | G5 | SNR | | |
| Bumblebee-like Digger Bee | <i>Anthophora bomboides</i> | Insecta | G5 | SNR | | |
| Urban Digger Bee | <i>Anthophora urbana</i> | Insecta | G5 | SNR | | |
| California Digger Bee | <i>Anthophora californica</i> | Insecta | G5 | SNR | | |
| Crotch's Digger Bee | <i>Anthophora crotchii</i> | Insecta | G3G4 | SNR | | |
| Edwards's Digger Bee | <i>Anthophora edwardsii</i> | Insecta | G4 | SNR | | |
| Pacific Digger Bee | <i>Anthophora pacifica</i> | Insecta | G4 | SNR | | |
| a digger bee | <i>Anthophora lesquerellae</i> | Insecta | G4 | SNR | | |
| Short Sun-digger | <i>Anthophora curta</i> | Insecta | G5 | SNR | | |
| a digger bee | <i>Anthophora albata</i> | Insecta | G4 | SNR | | |
| a digger bee | <i>Anthophora exigua</i> | Insecta | G4 | SNR | | |
| a sweat bee | <i>Lasioglossum tegulariforme</i> | Insecta | GNR | SNR | | |
| Ashy Digger Bee | <i>Habropoda cineraria</i> | Insecta | G5 | SNR | | |
| a digger bee | <i>Habropoda miserabilis</i> | Insecta | G2G3 | SNR | | |
| | <i>Lalapa lusa</i> | Insecta | GNR | SNR | | |
| a mason bee | <i>Osmia crassa</i> | Insecta | G4G5 | SNA | | |
| Tanner's Mason Bee | <i>Osmia tanneri</i> | Insecta | G3G5 | SNR | | |
| Blue Orchard Bee | <i>Osmia lignaria</i> | Insecta | G5 | SNR | | |
| Intact Mason Bee | <i>Osmia integra</i> | Insecta | G5 | SNR | | |
| Meridional Mason Bee | <i>Osmia subaustralis</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------------|----------------------------|---------|-------------|------------|--------------|----------------|
| Bufflehead Mason Bee | <i>Osmia bucephala</i> | Insecta | G4 | SNR | | |
| Large Black-bellied Mason Bee | <i>Osmia nigriventris</i> | Insecta | G4G5 | SNR | | |
| Handy Mason Bee | <i>Osmia juxta</i> | Insecta | G4G5 | SNR | | |
| Kincaid's Mason Bee | <i>Osmia kincaidii</i> | Insecta | G4G5 | SNR | | |
| Happy Mason Bee | <i>Osmia laeta</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia lanei</i> | Insecta | G3G4 | SH | | |
| Raspberry Mason Bee | <i>Osmia malina</i> | Insecta | G3G5 | SNR | | |
| Margined Mason Bee | <i>Osmia marginipennis</i> | Insecta | GU | SNR | | |
| Dark-sided Mason Bee | <i>Osmia melanopleura</i> | Insecta | GU | SNR | | |
| Western Forest Mason Bee | <i>Osmia nemoris</i> | Insecta | G4G5 | SNR | | |
| Black-faced Mason Bee | <i>Osmia nigrifrons</i> | Insecta | G5 | SNR | | |
| Black-bearded Mason Bee | <i>Osmia nigrobarbata</i> | Insecta | G3G4 | SNR | | |
| Oblique Mason Bee | <i>Osmia obliqua</i> | Insecta | G3G4 | SNR | | |
| Tooth-bellied Mason Bee | <i>Osmia odontogaster</i> | Insecta | G2G3 | SNA | | |
| Broad-legged Blueberry Mason Bee | <i>Osmia tarsata</i> | Insecta | G5 | SNR | | |
| Similar Mason Bee | <i>Osmia simillima</i> | Insecta | G5 | SNR | | |
| Texas Mason Bee | <i>Osmia texana</i> | Insecta | G5 | SNR | | |
| Beardtongue Mason Bee | <i>Osmia pentstemonis</i> | Insecta | G5 | SNR | | |
| Pikes Peak Mason Bee | <i>Osmia pikei</i> | Insecta | G3G5 | SNR | | |
| Pasqueflower Mason Bee | <i>Osmia pulsatillae</i> | Insecta | G2G3 | SNR | | |
| Small Mason Bee | <i>Osmia pusilla</i> | Insecta | G4G5 | SNR | | |
| Rare Mason Bee | <i>Osmia raritatis</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia rawlinsi</i> | Insecta | G4G5 | SNR | | |
| Little Queen Mason Bee | <i>Osmia regulina</i> | Insecta | G4G5 | SNR | | |
| Scullen's Mason Bee | <i>Osmia sculleni</i> | Insecta | G4G5 | SNR | | |
| Careful Mason Bee | <i>Osmia sedula</i> | Insecta | G5 | SNR | | |
| a mason bee | <i>Osmia trifoliama</i> | Insecta | G2G4 | SH | | |
| Uncaring Mason Bee | <i>Osmia unca</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia vandykei</i> | Insecta | G4G5 | SNR | | |
| Maine Blueberry Bee | <i>Osmia atriventris</i> | Insecta | G5 | SNR | | |
| Unarmed Mason Bee | <i>Osmia inermis</i> | Insecta | G5 | SNR | | |
| Friendly Mason Bee | <i>Osmia proxima</i> | Insecta | G4G5 | SNR | | |
| Edna's Mason Bee | <i>Osmia ednae</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia granulosa</i> | Insecta | G4G5Q | SNR | | |
| Pretty Mason Bee | <i>Osmia bella</i> | Insecta | GUQ | SNR | | |
| a mason bee | <i>Osmia subfasciata</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| Blue Mason Bee | <i>Osmia caerulea</i> | Insecta | G5 | SNA | | |
| California Mason Bee | <i>Osmia californica</i> | Insecta | G4G5 | SNR | | |
| Colorado Mason Bee | <i>Osmia coloradensis</i> | Insecta | G4 | SNR | | |
| Gilia Mason Bee | <i>Osmia giliarum</i> | Insecta | G4 | SNR | | |
| Gumweed Mason Bee | <i>Osmia grindeliae</i> | Insecta | G4G5 | SNR | | |
| Spine-bellied Mason Bee | <i>Osmia longula</i> | Insecta | G4G5 | SNR | | |
| Montana Mason Bee | <i>Osmia montana</i> | Insecta | G4G5 | SNR | | |
| Dwarf Green Mason Bee | <i>Osmia nanula</i> | Insecta | G4 | SNR | | |
| Bent-legged Mason Bee | <i>Osmia nifoata</i> | Insecta | G4G5 | SNR | | |
| Paradise Valley Mason Bee | <i>Osmia paradisiaca</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia thysanisca</i> | Insecta | G2G4 | SNR | | |
| Trevor's Mason Bee | <i>Osmia trevoris</i> | Insecta | G5 | SNR | | |
| Small Indigo Mason Bee | <i>Osmia tristella</i> | Insecta | G4G5 | SNR | | |
| a mason bee | <i>Osmia aglaia</i> | Insecta | G5 | SNR | | |
| Nearctic Mason Bee | <i>Osmia nearctica</i> | Insecta | GU | SX | | |
| Bruner's Mason Bee | <i>Osmia bruneri</i> | Insecta | G4G5 | SNR | | |
| Large Indigo Mason Bee | <i>Osmia atrocyanea</i> | Insecta | G4 | SNR | | |
| White-sided Mason Bee | <i>Osmia albolateralis</i> | Insecta | G5 | SNR | | |
| Hurd's Mason Bee | <i>Osmia austromaritima</i> | Insecta | G2G4 | SNR | | |
| Short Mason Bee | <i>Osmia brevis</i> | Insecta | G5 | SNR | | |
| a mason bee | <i>Osmia cahuilla</i> | Insecta | G4 | SNR | | |
| Yellowish-Green Mason Bee | <i>Osmia calla</i> | Insecta | G4 | SNR | | |
| a mason bee | <i>Osmia cara</i> | Insecta | GU | SH | | |
| Cobalt Blue Mason Bee | <i>Osmia cobaltina</i> | Insecta | GU | SNR | | |
| Blue Mason Bee | <i>Osmia cyanella</i> | Insecta | GU | SNR | | |
| a mason bee | <i>Osmia cyanopoda</i> | Insecta | GU | SNR | | |
| a mason bee | <i>Osmia dakotensis</i> | Insecta | G3G5 | SNR | | |
| Dense-haired Mason Bee | <i>Osmia densa</i> | Insecta | G5 | SNR | | |
| Suffering Mason Bee | <i>Osmia dolerosa</i> | Insecta | G3G5 | SNR | | |
| Small Green Mason Bee | <i>Osmia exigua</i> | Insecta | GU | SNR | | |
| a mason bee | <i>Osmia grinnelli</i> | Insecta | GU | SNR | | |
| Rude Mason Bee | <i>Osmia inurbana</i> | Insecta | G4G5Q | SNR | | |
| a mason bee | <i>Osmia iris</i> | Insecta | G3G4 | SNR | | |
| a wool-carder bee | <i>Anthidium placitum</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium tenuiflorae</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium clypeodentatum</i> | Insecta | G4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------------|--------------------------------|---------|-------------|------------|--------------|----------------|
| a wool-carder bee | <i>Anthidium mormonum</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium utahense</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium formosum</i> | Insecta | G4 | SNR | | |
| a wool-carder bee | <i>Anthidium emarginatum</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium atrifrons</i> | Insecta | G5 | SNR | | |
| a wool-carder bee | <i>Anthidium banningense</i> | Insecta | G3G4 | SNR | | |
| a wool-carder bee | <i>Anthidium collectum</i> | Insecta | G3 | SNR | | |
| a wool-carder bee | <i>Anthidium edwardsii</i> | Insecta | G3 | SNR | | |
| Western Little Leafcutter Bee | <i>Megachile onobrychidis</i> | Insecta | G5 | SNR | | |
| Common Leafcutter Bee | <i>Megachile centuncularis</i> | Insecta | G5 | SNR | | |
| Frigid Leafcutter Bee | <i>Megachile frigida</i> | Insecta | G5 | SNR | | |
| Small-handed Leafcutter Bee | <i>Megachile gemula</i> | Insecta | G5 | SNR | | |
| Black-and-gray Leafcutter Bee | <i>Megachile melanophaea</i> | Insecta | G5 | SNR | | |
| Parallel Leafcutter Bee | <i>Megachile parallela</i> | Insecta | G5 | SNR | | |
| a leafcutter bee | <i>Megachile nevadensis</i> | Insecta | G3G4 | SNR | | |
| a leafcutter bee | <i>Megachile odontostoma</i> | Insecta | G4 | SNR | | |
| Northwestern Leaf-Cutting Bee | <i>Megachile pascoensis</i> | Insecta | G5 | SNR | | |
| Furry Leafcutter Bee | <i>Megachile perihirta</i> | Insecta | G5 | SNR | | |
| Pugnacious Leafcutter Bee | <i>Megachile pugnata</i> | Insecta | G5 | SNR | | |
| Relative Leafcutter Bee | <i>Megachile relativa</i> | Insecta | G5 | SNR | | |
| Black Leafcutter Bee | <i>Megachile subnigra</i> | Insecta | G4G5 | SNR | | |
| Wheeler's Leafcutter Bee | <i>Megachile wheeleri</i> | Insecta | G4G5 | SNR | | |
| a leaf-cutter bee | <i>Megachile pusilla</i> | Insecta | G5 | SNA | | |
| Texas Leafcutter Bee | <i>Megachile texana</i> | Insecta | G5 | SNR | | |
| a leafcutter bee | <i>Megachile cleomis</i> | Insecta | G5 | SNR | | |
| Alfalfa Leafcutter Bee | <i>Megachile rotundata</i> | Insecta | G5 | SNA | | |
| Hills Leafcutter Bee | <i>Megachile montivaga</i> | Insecta | G5 | SNR | | |
| Los Angeles Leafcutter Bee | <i>Megachile angularum</i> | Insecta | G4G5 | SNR | | |
| Evening Primrose Leafcutter Bee | <i>Megachile anograe</i> | Insecta | G3G4 | SNR | | |
| Apical Leafcutter Bee | <i>Megachile apicalis</i> | Insecta | G4G5 | SNA | | |
| Coquillett's Leafcutter Bee | <i>Megachile coquilletti</i> | Insecta | G4 | SNR | | |
| Spiny-legged Leafcutter Bee | <i>Megachile dentitarsus</i> | Insecta | G3G4 | SNR | | |
| Horn-faced Leafcutter Bee | <i>Megachile fidelis</i> | Insecta | G5 | SNR | | |
| Gentle Leafcutter Bee | <i>Megachile gentilis</i> | Insecta | G5 | SNR | | |
| Lapland Leafcutter Bee | <i>Megachile lapponica</i> | Insecta | G5 | SNR | | |
| Lippia Leafcutter Bee | <i>Megachile lippiae</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------------|----------------------------|---------|-------------|------------|--------------|----------------|
| Yellow-legged Leafcutter Bee | Megachile mellitarsis | Insecta | G4G5 | SNR | | |
| Umatilla Leafcutter Bee | Megachile umatillensis | Insecta | G3 | SNR | | |
| Short Leafcutter Bee | Megachile brevis | Insecta | G5 | SNR | | |
| a leafcutter bee | Megachile snowi | Insecta | G3G4 | SNR | | |
| Beggar Leafcutter Bee | Megachile mendica | Insecta | G5 | SNR | | |
| a leafcutter bee | Megachile gravita | Insecta | G4 | SNR | | |
| a leafcutter bee | Megachile legalis | Insecta | G3G4 | SNR | | |
| California Cuckoo Bee | Xeromelecta californica | Insecta | G5 | SNR | | |
| Texas Sweat Bee | Agapostemon texanus | Insecta | G5 | SNR | | |
| Bicoloured Sweat Bee | Agapostemon virescens | Insecta | G5 | SNR | | |
| Angelic Sweat Bee | Agapostemon angelicus | Insecta | G4G5 | SNR | | |
| a sweat bee | Agapostemon coloradinus | Insecta | G4 | SNR | | |
| Wide-legged Sweat Bee | Agapostemon femoratus | Insecta | G5 | SNR | | |
| Alkali Bee | Nomia melanderi | Insecta | G5 | SNR | | |
| Silver-spotted Skipper | Epargyreus clarus | Insecta | G5 | S4? | | |
| Northern Cloudy Wing | Thorybes pylades | Insecta | G5 | S3 | | |
| Dreamy Dusky Wing | Erynnis icelus | Insecta | G5 | S4 | | |
| Propertius Dusky Wing | Erynnis propertius | Insecta | G5 | S3 | | |
| Dyar's Duskywing | Erynnis pacuvius | Insecta | G5 | S3 | | |
| Afranius Dusky Wing | Erynnis afranius | Insecta | G5 | SNA | | |
| Persius Dusky Wing | Erynnis persius | Insecta | G5 | S5 | | |
| Grizzled Skipper | Pyrgus centaureae | Insecta | G5 | S3 | | |
| Two-banded Checkered Skipper | Pyrgus ruralis | Insecta | G4G5 | S5 | | |
| Checkered Skipper | Pyrgus communis | Insecta | G5 | S5 | | |
| Large White Skipper | Heliopetes ericetorum | Insecta | G5 | S3S4 | | |
| Common Sooty Wing | Pholisora catullus | Insecta | G5 | S5 | | |
| Arctic Skipper | Carterocephalus mandan | Insecta | G5 | S3S4 | | |
| Garita Skipperling | Oarisma garita | Insecta | G4G5 | S3 | | |
| Juba Skipper | Hesperia juba | Insecta | G5 | S5 | | |
| Common Branded Skipper | Hesperia comma | Insecta | G5 | S3 | | |
| Nevada Skipper | Hesperia nevada | Insecta | G3 | S3? | | |
| Western Branded Skipper | Hesperia colorado | Insecta | G5 | S5 | | |
| Oregon Branded Skipper | Hesperia colorado oregonia | Insecta | G5T2 | S2 | | |
| Peck's Skipper | Polites peckius | Insecta | G5 | S2S3 | | |
| Sandhill Skipper | Polites sabuleti | Insecta | G4 | S3 | | |
| Mardon Skipper | Polites mardon | Insecta | G2 | S1 | E | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|---|---------|-------------|------------|--------------|----------------|
| Mardon Skipper | <i>Polites mardon mardon</i> | Insecta | G2T2 | S1 | E | |
| Tawny-edged Skipper | <i>Polites themistocles</i> | Insecta | G5 | S2S3 | | |
| Long Dash | <i>Polites mystic</i> | Insecta | G5 | S4 | | |
| Sonora Skipper | <i>Polites sonora</i> | Insecta | G4 | S4 | | |
| Dog Star Skipper | <i>Polites sonora siris</i> | Insecta | G4T3 | S2S3 | | |
| Sachem | <i>Atalopedes campestris</i> | Insecta | G5 | S3S4 | | |
| Woodland Skipper | <i>Ochlodes sylvanoides</i> | Insecta | G5 | S5 | | |
| Bonneville skipper | <i>Ochlodes sylvanoides bonnevillus</i> | Insecta | G5TU | SNR | | |
| Yuma Skipper | <i>Ochlodes yuma</i> | Insecta | G4 | S1 | C | |
| Dun Skipper | <i>Euphyes vestris</i> | Insecta | G5 | S3 | | |
| Dun Skipper | <i>Euphyes vestris vestris</i> | Insecta | G5T4 | S3 | | |
| Roadside Skipper | <i>Amblyscirtes vialis</i> | Insecta | G5 | S4 | | |
| Clodius Parnassian | <i>Parnassius clodius</i> | Insecta | G5 | S4 | | |
| Altaurus Parnassian | <i>Parnassius clodius altaurus</i> | Insecta | G5T4 | S4 | | |
| Smintheus Parnassian | <i>Parnassius smintheus</i> | Insecta | G5 | S4 | | |
| Olympic Parnassian | <i>Parnassius smintheus olympiannus</i> | Insecta | G5T4 | S3 | | |
| Old World Swallowtail | <i>Papilio machaon</i> | Insecta | G5 | S5 | | |
| Oregon Swallowtail | <i>Papilio machaon bairdii</i> | Insecta | G5T5 | SNA | | |
| Oregon Swallowtail | <i>Papilio machaon oregonius</i> | Insecta | G5T4T5 | S5 | | |
| Anise Swallowtail | <i>Papilio zelicaon</i> | Insecta | G5 | S5 | | |
| Indra Swallowtail | <i>Papilio indra</i> | Insecta | G4? | S4S5 | | |
| Western Tiger Swallowtail | <i>Papilio rutulus</i> | Insecta | G5 | S5 | | |
| Two-tailed Swallowtail | <i>Papilio multicaudata</i> | Insecta | G5 | S5 | | |
| Pale Tiger Swallowtail | <i>Papilio eurymedon</i> | Insecta | G5 | S5 | | |
| Canadian Tiger Swallowtail | <i>Papilio canadensis</i> | Insecta | G5 | S3? | | |
| Pine White | <i>Neophasia menapia</i> | Insecta | G5 | S5 | | |
| Becker's White | <i>Pontia beckerii</i> | Insecta | G5 | S5 | | |
| Spring White | <i>Pontia sisymbrii</i> | Insecta | G5 | S4S5 | | |
| Checkered White | <i>Pieris protodice</i> | Insecta | G4 | SNA | | |
| Western White | <i>Pieris occidentalis</i> | Insecta | G5 | S4 | | |
| Cabbage White | <i>Pieris rapae</i> | Insecta | G5 | SNA | | |
| Mustard White | <i>Pieris marginalis</i> | Insecta | G5 | S5 | | |
| Creamy Marble | <i>Euchloe ausonides</i> | Insecta | G4? | S5 | C-Part | PS:LE |
| Island Large Marble | <i>Euchloe ausonides insulanus</i> | Insecta | G4?T1 | S1 | C | LE |
| Southern Marble | <i>Euchloe lotta</i> | Insecta | G4 | S5 | | |
| Sara Orange Tip | <i>Anthocharis julia</i> | Insecta | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|--|---------|-------------|------------|--------------|----------------|
| Clouded Sulphur | <i>Colias philodice</i> | Insecta | G5 | S5 | | |
| Orange Sulphur | <i>Colias eurytheme</i> | Insecta | G4G5 | S5 | | |
| Intermountain Sulphur | <i>Colias occidentalis pseudochristina</i> | Insecta | G4G5T2T4 | S1 | | |
| Labrador sulphur | <i>Colias nastes</i> | Insecta | G5 | S2S3 | | |
| Pink-edged Sulphur | <i>Colias interior</i> | Insecta | G5 | S4? | | |
| Western Sulphur | <i>Colias occidentalis</i> | Insecta | G4G5 | S4 | | |
| Queen Alexandra's Sulphur | <i>Colias alexandra</i> | Insecta | G4G5 | S5 | | |
| Dainty Sulphur | <i>Nathalis iole</i> | Insecta | G5 | SNA | | |
| Lustrous Copper | <i>Lycaena cupreus</i> | Insecta | G4 | S2 | | |
| Edith's Copper | <i>Tharsalea editha</i> | Insecta | G5? | S4 | | |
| Ruddy Copper | <i>Tharsalea rubidus</i> | Insecta | G4? | S4 | | |
| Blue Copper | <i>Tharsalea heteronea</i> | Insecta | G5 | S5 | | |
| Purplish Copper | <i>Tharsalea helloides</i> | Insecta | G5 | S5 | | |
| Nivalis Copper | <i>Tharsalea nivalis</i> | Insecta | G4G5 | S3 | | |
| Mariposa Copper | <i>Tharsalea mariposa</i> | Insecta | G5 | S5 | C-Part | PS:SC |
| Cascadian Copper | <i>Tharsalea mariposa cascadia</i> | Insecta | G5TNR | SNR | | |
| Thea's Copper | <i>Tharsalea mariposa thea</i> | Insecta | G5TNR | SNR | | |
| Iridescent Copper | <i>Tharsalea mariposa iridescens</i> | Insecta | G5TNR | SNR | | |
| Makah Copper | <i>Tharsalea mariposa makah</i> | Insecta | G5TNR | SNR | C | |
| June's Copper | <i>Tharsalea mariposa junia</i> | Insecta | G5TNR | SNR | | |
| Chinquapin Hairstreak | <i>Habrodais grunus</i> | Insecta | G4G5 | S1 | C | |
| Chinquapin Hairstreak | <i>Habrodais grunus herri</i> | Insecta | G4G5T2T3 | S1 | C | |
| Behr's Hairstreak | <i>Satyrium behrii</i> | Insecta | G4 | S5 | | |
| Sooty Hairstreak | <i>Satyrium semiluna</i> | Insecta | G4 | S4 | | |
| California Hairstreak | <i>Satyrium californica</i> | Insecta | G4 | S5 | | |
| Sylvan Hairstreak | <i>Satyrium sylvinum</i> | Insecta | G4 | S4 | | |
| Hedge Row Hairstreak | <i>Satyrium saepium</i> | Insecta | G5? | S5 | | |
| Coral Hairstreak | <i>Harkenclenus titus</i> | Insecta | G5 | S4 | | |
| Washington Hairstreak | <i>Callophrys affinis</i> | Insecta | G4 | S4 | | |
| Sheridan's Hairstreak | <i>Callophrys sheridanii</i> | Insecta | G5 | S3 | | |
| Thicket Hairstreak | <i>Callophrys spinetorum</i> | Insecta | G4G5 | S3 | | |
| Johnson's Hairstreak | <i>Callophrys johnsoni</i> | Insecta | G3 | S2S3 | C | |
| Nelson's Hairstreak | <i>Callophrys nelsoni</i> | Insecta | G5T5 | S2S3 | | |
| Rosner's Hairstreak | <i>Callophrys nelsoni rosneri</i> | Insecta | G5T4 | S2S3 | | |
| Barry's Hairstreak | <i>Callophrys gryneus barryi</i> | Insecta | G5T4 | S2? | C | |
| Western Brown Elfin | <i>Incisalia augustinus</i> | Insecta | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|---------------------------------------|---------|-------------|------------|----------------|----------------|
| Moss Elfin | <i>Callophrys mossii</i> | Insecta | G4 | S3 | | |
| Obscure Elfin | <i>Callophrys polios</i> | Insecta | G5 | S3 | M-Part | |
| Hoary Elfin | <i>Callophrys polios maritima</i> | Insecta | G5T1 | S2S3 | M | |
| Western Pine Elfin | <i>Callophrys eryphon</i> | Insecta | G5 | S3 | | |
| Cedar Hairstreak | <i>Callophrys gryneus</i> | Insecta | G5 | S3 | C-Part | |
| Bramble Green Hairstreak | <i>Callophrys dumetorum</i> | Insecta | G4 | SNR | | |
| Gray Hairstreak | <i>Strymon melinus</i> | Insecta | G5 | S5 | | |
| Eastern Tailed Blue | <i>Everes comyntas</i> | Insecta | G5 | S2S3 | | |
| Western Tailed Blue | <i>Everes amyntula</i> | Insecta | G5 | S5 | | |
| Spring Azure | <i>Celastrina echo</i> | Insecta | G5 | S5 | | |
| Square-spotted Blue | <i>Euphilotes battoides</i> | Insecta | G4 | S5 | | |
| Dotted Blue | <i>Euphilotes enoptes</i> | Insecta | G5 | S5 | | |
| Rocky Mountain Dotted Blue | <i>Euphilotes ancilla</i> | Insecta | G5 | SNR | | |
| Arrowhead Blue | <i>Glaucopsyche piasus</i> | Insecta | G4G5 | S5 | | |
| Silvery Blue | <i>Glaucopsyche lygdamus</i> | Insecta | G5 | S5 | | |
| Northern Blue | <i>Plebejus idas</i> | Insecta | G5 | S5 | | |
| Anna blue | <i>Plebejus anna ricei</i> | Insecta | G4TNR | SNR | | |
| Anna Blue | <i>Plebejus anna</i> | Insecta | G4 | SNR | | |
| Melissa Blue | <i>Plebejus melissa</i> | Insecta | G4G5 | S5 | | |
| Greenish Blue | <i>Plebejus saepiolus</i> | Insecta | G5 | S5 | | |
| Lupine Blue | <i>Plebejus icarioides</i> | Insecta | G5 | S5 | C | |
| Puget Blue | <i>Plebejus icarioides blackmorei</i> | Insecta | G5T3 | S1 | C | |
| Lupine Blue | <i>Icaricia lupini</i> | Insecta | G5 | SNA | | |
| Lupine Blue | <i>Plebejus lupini spangelatus</i> | Insecta | G5T1 | S1S2 | | |
| Acmon Blue | <i>Plebejus acmon</i> | Insecta | G5 | S5 | | |
| Arctic Blue | <i>Plebejus glandon</i> | Insecta | G5 | S4 | | |
| Mormon Metalmark | <i>Apodemia mormo</i> | Insecta | G5 | S4 | | |
| Great Spangled Fritillary | <i>Speyeria cybele</i> | Insecta | G5 | S4 | | |
| Puget Sound Fritillary | <i>Argynnis leto pugetensis</i> | Insecta | G5TU | S3? | | |
| Coronis Fritillary | <i>Speyeria coronis</i> | Insecta | G5 | S5 | | |
| Zerene Fritillary | <i>Speyeria zerene</i> | Insecta | G5 | S4 | E-Part, C-Part | PS:LT |
| Oregon Silverspot | <i>Speyeria zerene hippolyta</i> | Insecta | G5T1 | SX | E | LT |
| Valley Silverspot | <i>Speyeria zerene bremnerii</i> | Insecta | G5T3T4 | S2S3 | C | |
| Callippe Fritillary | <i>Speyeria callippe</i> | Insecta | G5 | S5 | | |
| Great Basin fritillary | <i>Speyeria egleis</i> | Insecta | G5 | S2? | | |
| Hydaspe Fritillary | <i>Speyeria hydaspe</i> | Insecta | G5 | S4 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|----------------------------|----------------------------------|---------|-------------|------------|--------------|----------------|
| Hydaspe fritillary | Speyeria hydaspe rhodope | Insecta | G5T4 | SNR | | |
| Mormon Fritillary | Speyeria mormonia | Insecta | G5 | S4 | | |
| Atlantis Fritillary | Speyeria hesperis | Insecta | G5 | S4 | | |
| Silver-bordered Fritillary | Boloria myrina atrocotalis | Insecta | G5?T5 | S3 | C | |
| Meadow Fritillary | Boloria bellona | Insecta | G5 | S2? | | |
| Western Meadow Fritillary | Boloria epithore | Insecta | G5 | S5 | | |
| Freija Fritillary | Boloria freija | Insecta | G5 | S2S3 | | |
| Freya's fritillary | Boloria freija freija | Insecta | G5TNR | SNR | | |
| Astarte Fritillary | Boloria astarte | Insecta | G5 | S2S3 | | |
| Astarte Fritillary | Boloria astarte astarte | Insecta | G5T5 | S2S3 | | |
| Arctic Fritillary | Boloria chariclea | Insecta | G5 | S5 | | |
| Northern Checkerspot | Chlosyne palla | Insecta | G5 | S4 | | |
| Acastus Checkerspot | Chlosyne acastus | Insecta | G5 | S4 | | |
| Hoffmann's Checkerspot | Chlosyne hoffmanni | Insecta | G4 | S4 | | |
| Field Crescent | Phyciodes pratensis | Insecta | G5 | S5 | | |
| Pallid Crescent | Phyciodes pallida | Insecta | G5 | S3 | | |
| Mylitta Crescent | Phyciodes mylitta | Insecta | G5 | S5 | | |
| Pasco Crescent | Phyciodes cocyta | Insecta | G5 | S4 | | |
| Colon checkerspot | Euphydryas colon | Insecta | G5 | SNR | | |
| Snowberry Checkerspot | Euphydryas colon colon | Insecta | G5T2T3 | S2S3 | | |
| Colon Checkerspot | Euphydryas colon svihlae | Insecta | G5TNR | SNR | | |
| Colon Checkerspot | Euphydryas colon wallacensis | Insecta | G5TNR | SNR | | |
| Chalcedon Checkerspot | Euphydryas chalcedona | Insecta | G5 | S5 | | |
| Colon Checkerspot | Euphydryas colon paradoxa | Insecta | G5T4 | SNR | | |
| Chalcedon Checkerspot | Euphydryas chalcedona chalcedona | Insecta | G5TNR | SNR | | |
| Edith's Checkerspot | Euphydryas editha | Insecta | G4G5 | S5 | E-Part | PS:LE |
| Taylor's checkerspot | Euphydryas editha taylori | Insecta | G4G5T1 | S1 | E | LE |
| Bean's Checkerspot | Euphydryas editha beani | Insecta | G4G5T5 | SNR | | |
| Colonia Checkerspot | Euphydryas editha colonia | Insecta | G4G5TNR | SNR | | |
| Strand's Checkerspot | Euphydryas editha edithana | Insecta | G4G5TNR | SNR | | |
| Anicia Checkerspot | Euphydryas anicia | Insecta | G5 | S5 | | |
| Hopfinger's Checkerspot | Euphydryas anicia hopfingeri | Insecta | G5T5 | S4 | | |
| Anicia Checkerspot | Euphydryas anicia howlandi | Insecta | G5TNR | SNR | | |
| Anicia Checkerspot | Euphydryas anicia veazieae | Insecta | G5TNR | SNR | | |
| Satyr Anglewing | Polygonia satyrus | Insecta | G5 | S5 | | |
| Faun Anglewing | Polygonia faunus | Insecta | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|--------------------------------------|---------|-------------|------------|--------------|----------------|
| Zephyr Angleming | <i>Polygonia gracilis</i> | Insecta | G5 | S5 | | |
| Zephyr | <i>Polygonia gracilis zephyrus</i> | Insecta | G5T5 | S5 | | |
| Oreas Angleming | <i>Polygonia oreas</i> | Insecta | G5 | S3 | | |
| Compton Tortoise Shell | <i>Nymphalis vau-album</i> | Insecta | G5 | S3 | | |
| California Tortoise Shell | <i>Nymphalis californica</i> | Insecta | G5 | S5 | | |
| Mourning Cloak | <i>Nymphalis antiopa</i> | Insecta | G5 | S5 | | |
| Milbert's Tortoise Shell | <i>Nymphalis milberti</i> | Insecta | G5 | S5 | | |
| American Painted Lady | <i>Vanessa virginiensis</i> | Insecta | G5 | SNA | | |
| Painted Lady | <i>Vanessa cardui</i> | Insecta | G4G5 | S5B | | |
| West Coast Lady | <i>Vanessa annabella</i> | Insecta | G5 | S5B | | |
| Red Admiral | <i>Vanessa atalanta</i> | Insecta | G5 | S5 | | |
| White Admiral | <i>Limenitis arthemis</i> | Insecta | G5 | SNA | | |
| Viceroy | <i>Limenitis archippus</i> | Insecta | G5 | S4 | | |
| Viceroy | <i>Limenitis archippus lahontani</i> | Insecta | G5T1T2 | SNR | | |
| Lorquin's Admiral | <i>Limenitis lorquini</i> | Insecta | G5 | S5 | | |
| California Sister | <i>Adelpha californica</i> | Insecta | G5 | SNA | | |
| Vancouver Ringlet | <i>Coenonympha tullia insulana</i> | Insecta | G5T3T4 | S3 | | |
| Ringlet | <i>Coenonympha tullia columbiana</i> | Insecta | G5T5 | S4 | | |
| Ringlet | <i>Coenonympha tullia eunomia</i> | Insecta | G5T3 | S3 | | |
| Common Ringlet | <i>Coenonympha californica</i> | Insecta | G5 | S5 | | |
| Large Wood Nymph | <i>Cercyonis pegala</i> | Insecta | G5 | S5 | | |
| Lesser Wood Nymph | <i>Cercyonis sthenele</i> | Insecta | G4 | S4 | | |
| Dark Wood Nymph | <i>Cercyonis oetus</i> | Insecta | G5 | S5 | | |
| Vidler's Alpine | <i>Erebia vidleri</i> | Insecta | G5 | S3 | | |
| Common Alpine | <i>Erebia epipsodea</i> | Insecta | G5 | S5 | | |
| Great Arctic | <i>Oeneis nevadensis</i> | Insecta | G5 | S5 | C-Part | |
| Great Arctic | <i>Oeneis nevadensis gigas</i> | Insecta | G5TU | SH | C | |
| Chryxus Arctic Butterfly | <i>Oeneis chryxus chryxus</i> | Insecta | G5T5 | S4 | | |
| Valerata arctic | <i>Oeneis chryxus valerata</i> | Insecta | G5T3 | S1S2 | | |
| Melissa Arctic | <i>Oeneis melissa</i> | Insecta | G5 | S2S3 | | |
| Chryxus Arctic | <i>Oeneis chryxus</i> | Insecta | G5 | S4 | | |
| Monarch | <i>Danaus plexippus</i> | Insecta | G4 | S1B | C | |
| Tomato Hornworm | <i>Manduca quinquemaculata</i> | Insecta | G5 | SNR | | |
| Great Ash Sphinx Moth | <i>Sphinx chersis</i> | Insecta | G4 | SNR | | |
| Snowberry Sphinx Moth | <i>Sphinx vashti</i> | Insecta | G5 | SNR | | |
| Elegant Sphinx Moth | <i>Sphinx perelegans</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|----------------------------------|---------|-------------|------------|--------------|----------------|
| Wild Cherry Sphinx Moth | <i>Sphinx drupiferarum</i> | Insecta | G3G5 | SNR | | |
| Southwestern Eyed Sphinx Moth | <i>Smerinthus ophthalmica</i> | Insecta | G5 | SNR | | |
| Blinded Sphinx Moth | <i>Paonias excaecata</i> | Insecta | G5 | SNR | | |
| Small-eyed Sphinx Moth | <i>Paonias myops</i> | Insecta | G5 | SNR | | |
| Big Poplar Sphinx Moth | <i>Pachysphinx modesta</i> | Insecta | G5 | SNR | | |
| Western Poplar Sphinx Moth | <i>Pachysphinx occidentalis</i> | Insecta | G4G5 | SNR | | |
| Rocky Mountain Clearwing Moth | <i>Hemaris thetis</i> | Insecta | G5 | SNR | | |
| Bear Sphinx Moth | <i>Arctonotus lucidus</i> | Insecta | G4G5 | SNR | | |
| Clark's Day Sphinx Moth | <i>Proserpinus clarkiae</i> | Insecta | G5 | SNR | | |
| Yellow-banded Day Sphinx Moth | <i>Proserpinus flavofasciata</i> | Insecta | G4G5 | SNR | | |
| Galium Sphinx Moth | <i>Hyles gallii</i> | Insecta | G5 | SNR | | |
| White-lined Sphinx Moth | <i>Hyles lineata</i> | Insecta | G5 | SNR | | |
| A Notodontid Moth | <i>Notodonta pacifica</i> | Insecta | G3G4 | SNR | | |
| Police Car Moth | <i>Gnophaela vermiculata</i> | Insecta | G5 | SNR | | |
| a lichen moth | <i>Clemensia umbrata</i> | Insecta | G5 | SNR | | |
| California Tiger Moth | <i>Leptarctia californiae</i> | Insecta | G5 | SNR | | |
| Isabella Tiger Moth | <i>Pyrrharctia isabella</i> | Insecta | G5 | SNR | | |
| Great Tiger Moth | <i>Arctia caja</i> | Insecta | G5 | SNR | | |
| A moth | <i>Grammia complicata</i> | Insecta | G2 | SNR | | |
| Rosy Tiger Moth | <i>Lophocampa roseata</i> | Insecta | G2G3 | SNR | | |
| Yellow-collared Scape Moth | <i>Cisseps fulvicollis</i> | Insecta | G5 | SNR | | |
| An Underwing Moth | <i>Catocala aholibah</i> | Insecta | G5 | SNR | | |
| White Underwing | <i>Catocala relictata</i> | Insecta | G5 | SNR | | |
| Iren's Underwing | <i>Catocala irene</i> | Insecta | G5 | SNR | | |
| An Underwing Moth | <i>Catocala allusa</i> | Insecta | G4G5T4 | SNR | | |
| An Underwing Moth | <i>Catocala faustina</i> | Insecta | G4G5 | SNR | | |
| An Underwing Moth | <i>Catocala hermia</i> | Insecta | G5 | SNR | | |
| An Underwing Moth | <i>Catocala californica</i> | Insecta | G4 | SNR | | |
| Bresei's Underwing | <i>Catocala briseis</i> | Insecta | G5 | SNR | | |
| Grote's Underwing | <i>Catocala grotiana</i> | Insecta | G5 | SNR | | |
| Semirelict Underwing | <i>Catocala semirelictata</i> | Insecta | G5 | SNR | | |
| Joined Underwing | <i>Catocala junctura</i> | Insecta | G5 | SNR | | |
| An Underwing Moth | <i>Catocala verrilliana</i> | Insecta | G5 | SNR | | |
| A Borer Moth | <i>Papaipema sauzalitae</i> | Insecta | G4? | SNR | | |
| A Borer Moth | <i>Papaipema insulidens</i> | Insecta | GU | SNR | | |
| Sand-verbena Moth | <i>Copablepharon fuscum</i> | Insecta | G1G2 | S1 | C | SC |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------|------------------------------------|---------|-------------|------------|--------------|----------------|
| Black Petaltail | <i>Tanypteryx hageni</i> | Insecta | G4 | S4 | | |
| Pacific Spiketail | <i>Cordulegaster dorsalis</i> | Insecta | G5 | S3 | | |
| White-belted Ringtail | <i>Erpetogomphus compositus</i> | Insecta | G5 | S1 | | |
| Columbia Clubtail | <i>Gomphus lynnae</i> | Insecta | G3 | S1 | C | |
| Pronghorn Clubtail | <i>Gomphus graslinellus</i> | Insecta | G5 | S3 | | |
| Pacific Clubtail | <i>Gomphus kurilis</i> | Insecta | G4 | S1 | C | |
| Sinuuous Snaketail | <i>Ophiogomphus occidentis</i> | Insecta | G5 | S5 | | |
| Pale Snaketail | <i>Ophiogomphus severus</i> | Insecta | G5 | S5 | | |
| California Darner | <i>Aeshna californica</i> | Insecta | G5 | S5 | | |
| Canada Darner | <i>Aeshna canadensis</i> | Insecta | G5 | S5 | | |
| Lance-tipped Darner | <i>Aeshna constricta</i> | Insecta | G5 | S4 | | |
| Lake Darner | <i>Aeshna eremita</i> | Insecta | G5 | S5 | | |
| Variable Darner | <i>Aeshna interrupta</i> | Insecta | G5 | S5 | | |
| A Darner | <i>Aeshna interrupta interna</i> | Insecta | G5T5 | SNR | | |
| Rush Darner | <i>Aeshna juncea</i> | Insecta | G5 | S5 | | |
| Blue-eyed Darner | <i>Aeshna multicolor</i> | Insecta | G5 | S5 | | |
| Paddle-tailed Darner | <i>Aeshna palmata</i> | Insecta | G5 | S5 | | |
| Zigzag Darner | <i>Aeshna sitchensis</i> | Insecta | G5 | S2 | | |
| Subarctic Darner | <i>Aeshna subarctica</i> | Insecta | G5 | S2 | | |
| Black-tipped Darner | <i>Aeshna tuberculifera</i> | Insecta | G5 | S4 | | |
| Shadow Darner | <i>Aeshna umbrosa</i> | Insecta | G5 | S5 | | |
| Shadow Darner | <i>Aeshna umbrosa occidentalis</i> | Insecta | G5T5 | SNR | | |
| Common Green Darner | <i>Anax junius</i> | Insecta | G5 | S5 | | |
| Western River Cruiser | <i>Macromia magnifica</i> | Insecta | G5 | S3 | | |
| American Emerald | <i>Cordulia shurtleffi</i> | Insecta | G5 | S5 | | |
| Beaverpond Baskettail | <i>Epitheca canis</i> | Insecta | G5 | S4 | | |
| Spiny Baskettail | <i>Epitheca spinigera</i> | Insecta | G5 | S5 | | |
| Ringed Emerald | <i>Somatochlora albicincta</i> | Insecta | G5 | S5 | | |
| Delicate Emerald | <i>Somatochlora franklini</i> | Insecta | G5 | S1 | | |
| Ocellated Emerald | <i>Somatochlora minor</i> | Insecta | G5 | S4 | | |
| Mountain Emerald | <i>Somatochlora semicircularis</i> | Insecta | G5 | S5 | | |
| Brush-tipped Emerald | <i>Somatochlora walshii</i> | Insecta | G5 | S4 | | |
| Whitehouse's Emerald | <i>Somatochlora whitehousei</i> | Insecta | G5 | S1 | | |
| Western Pondhawk | <i>Erythemis collocata</i> | Insecta | G5 | S5 | | |
| Boreal Whiteface | <i>Leucorrhinia borealis</i> | Insecta | G5 | S1 | | |
| Crimson-ringed Whiteface | <i>Leucorrhinia glacialis</i> | Insecta | G5 | S4 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| Hudsonian Whiteface | <i>Leucorrhinia hudsonica</i> | Insecta | G5 | S5 | | |
| Dot-tailed Whiteface | <i>Leucorrhinia intacta</i> | Insecta | G5 | S5 | | |
| Red-waisted Whiteface | <i>Leucorrhinia proxima</i> | Insecta | G5 | S5 | | |
| Eight-spotted Skimmer | <i>Libellula forensis</i> | Insecta | G5 | S5 | | |
| Widow Skimmer | <i>Libellula luctuosa</i> | Insecta | G5 | S4 | | |
| Twelve-spotted Skimmer | <i>Libellula pulchella</i> | Insecta | G5 | S5 | | |
| Four-spotted Skimmer | <i>Libellula quadrimaculata</i> | Insecta | G5 | S5 | | |
| Common Whitetail | <i>Libellula lydia</i> | Insecta | G5 | S5 | | |
| Chalk-fronted Corporal | <i>Ladona julia</i> | Insecta | G5 | S5 | | |
| Blue Dasher | <i>Pachydiplax longipennis</i> | Insecta | G5 | S5 | | |
| Wandering Glider | <i>Pantala flavescens</i> | Insecta | G5 | SNA | | |
| Spot-winged Glider | <i>Pantala hymenaea</i> | Insecta | G5 | S3 | | |
| Cherry-faced Meadowhawk | <i>Sympetrum internum</i> | Insecta | G5 | S5 | | |
| Variegated Meadowhawk | <i>Sympetrum corruptum</i> | Insecta | G5 | S5 | | |
| Saffron Winged Meadowhawk | <i>Sympetrum costiferum</i> | Insecta | G5 | S5 | | |
| Black Meadowhawk | <i>Sympetrum danae</i> | Insecta | G5 | S5 | | |
| Cardinal Meadowhawk | <i>Sympetrum illotum</i> | Insecta | G5 | S5 | | |
| Red-veined Meadowhawk | <i>Sympetrum madidum</i> | Insecta | G5 | S5 | | |
| White-faced Meadowhawk | <i>Sympetrum obtrusum</i> | Insecta | G5 | S5 | | |
| Striped Meadowhawk | <i>Sympetrum pallipes</i> | Insecta | G5 | S5 | | |
| Western Meadowhawk | <i>Sympetrum semicinctum</i> | Insecta | G5 | S5 | | |
| Yellow-legged Meadowhawk | <i>Sympetrum vicinum</i> | Insecta | G5 | S5 | | |
| Black Saddlebags | <i>Tamea lacerata</i> | Insecta | G5 | S5 | | |
| River Jewelwing | <i>Calopteryx aequabilis</i> | Insecta | G5 | S4 | | |
| Emerald Spreadwing | <i>Lestes dryas</i> | Insecta | G5 | S5 | | |
| Sweetflag Spreadwing | <i>Lestes forcipatus</i> | Insecta | G5 | S3 | | |
| Spotted Spreadwing | <i>Lestes congener</i> | Insecta | G5 | S5 | | |
| Common Spreadwing | <i>Lestes disjunctus</i> | Insecta | G5 | S5 | | |
| Lyre-tipped Spreadwing | <i>Lestes unguiculatus</i> | Insecta | G5 | S5 | | |
| Emma's Dancer | <i>Argia emma</i> | Insecta | G5 | S5 | | |
| Vivid Dancer | <i>Argia vivida</i> | Insecta | G5 | S5 | | |
| Taiga Bluet | <i>Coenagrion resolutum</i> | Insecta | G5 | S5 | | |
| Subarctic Bluet | <i>Coenagrion interrogatum</i> | Insecta | G5 | S1 | | |
| Boreal Bluet | <i>Enallagma boreale</i> | Insecta | G5 | S5 | | |
| Tule Bluet | <i>Enallagma carunculatum</i> | Insecta | G5 | S5 | | |
| Northern Bluet | <i>Enallagma annexum</i> | Insecta | G5 | S5 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| Marsh Bluet | <i>Enallagma ebrium</i> | Insecta | G5 | S4 | | |
| Alkali Bluet | <i>Enallagma clausum</i> | Insecta | G5 | S4 | | |
| Pacific Forktail | <i>Ischnura cervula</i> | Insecta | G5 | S5 | | |
| Swift Forktail | <i>Ischnura erratica</i> | Insecta | G4 | S5 | | |
| Western Forktail | <i>Ischnura perparva</i> | Insecta | G5 | S5 | | |
| Sedge Sprite | <i>Nehalennia irene</i> | Insecta | G5 | S5 | | |
| California Spreadwing | <i>Archilestes californica</i> | Insecta | G4 | S5 | | |
| Western Red Damselfly | <i>Amphiagrion abbreviatum</i> | Insecta | G5 | S5 | | |
| Olive Clubtail | <i>Stylurus olivaceus</i> | Insecta | G4 | S4 | | |
| Grappletail | <i>Octogomphus specularis</i> | Insecta | G4 | S4 | | |
| A Spur-throat Grasshopper | <i>Melanoplus payettei</i> | Insecta | G2G4 | SNR | | |
| a spur-throat grasshopper | <i>Melanoplus ixalus</i> | Insecta | G1G2 | SNR | | |
| Steindachners Shieldback | <i>Neduba steindachneri</i> | Insecta | GNR | SNR | | |
| A Grasshopper | <i>Buckellacris chilcotinae</i> | Insecta | G5 | SNR | | |
| A Grasshopper | <i>Buckellacris hispida</i> | Insecta | G2G3 | SNR | | |
| Olympic Grasshopper | <i>Nisquallia olympica</i> | Insecta | G1G2 | SNR | | |
| Cascade Timberline Grasshopper | <i>Prumnacris rainierensis</i> | Insecta | G4 | SNR | | |
| Sasquatch Snowfly | <i>Sasquacapnia sasquatchi</i> | Insecta | G2 | SNR | | |
| Widespread Snowfly | <i>Capnia confusa</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Capnia elongata</i> | Insecta | G5 | SNR | | |
| Saddleback Snowfly | <i>Capnia excavata</i> | Insecta | G5 | SNR | | |
| Slender Snowfly | <i>Capnia gracilaria</i> | Insecta | G5 | SNR | | |
| Bent Snowfly | <i>Capnia licina</i> | Insecta | G4 | SNR | | |
| Northwest Snowfly | <i>Capnia melia</i> | Insecta | G5 | SNR | | |
| Dwarf Snowfly | <i>Capnia nana</i> | Insecta | G5 | SNR | | |
| Pacific Snowfly | <i>Capnia promota</i> | Insecta | G5 | SNR | | |
| Six-knobbed Snowfly | <i>Capnia sextuberculata</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Capnia umpqua</i> | Insecta | G3 | SNA | | |
| Thicklimb Snowfly | <i>Capnura elevata</i> | Insecta | G4 | SNR | | |
| Falcate Snowfly | <i>Capnura venosa</i> | Insecta | G4 | SNR | | |
| Shorttailed Snowfly | <i>Eucapnopsis brevicauda</i> | Insecta | G5 | SNR | | |
| Shortlimb Snowfly | <i>Isocapnia abbreviata</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Isocapnia agassizi</i> | Insecta | G4G5 | SU | | |
| Giant Snowfly | <i>Isocapnia grandis</i> | Insecta | G5 | SNR | | |
| Hyalite Snowfly | <i>Isocapnia hyalita</i> | Insecta | G4 | SNR | | |
| Chilliwack Snowfly | <i>Isocapnia spenceri</i> | Insecta | G4G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| Vedder Snowfly | <i>Isocapnia vedderensis</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Isocapnia palousa</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Isocapnia rickeri</i> | Insecta | G2 | SNR | | |
| Autumn Snowfly | <i>Mesocapnia autumnata</i> | Insecta | G4 | SNR | | |
| Wine Snowfly | <i>Mesocapnia oenone</i> | Insecta | G4G5 | SNR | | |
| Stretched Snowfly | <i>Mesocapnia porrecta</i> | Insecta | G4 | SNR | | |
| Spined Snowfly | <i>Mesocapnia projecta</i> | Insecta | G5 | SNR | | |
| Angulate Snowfly | <i>Paracapnia angulata</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Paracapnia ensicala</i> | Insecta | G1 | SU | | |
| Scappoose Snowfly | <i>Utacapnia imbera</i> | Insecta | G4 | SNR | | |
| Smooth Needlefly | <i>Despaxia augusta</i> | Insecta | G4G5 | SNR | | |
| Hairy Needlefly | <i>Moselia infuscata</i> | Insecta | G5 | SNR | | |
| Bullhorn Needlefly | <i>Paraleuctra forcipata</i> | Insecta | G5 | SNR | | |
| Western Needlefly | <i>Paraleuctra occidentalis</i> | Insecta | G5 | SNR | | |
| Spruce Needlefly | <i>Paraleuctra projecta</i> | Insecta | G4 | SNR | | |
| Summit Needlefly | <i>Paraleuctra vershina</i> | Insecta | G5 | SNR | | |
| Black Needlefly | <i>Perlomyia collaris</i> | Insecta | G4G5 | SNR | | |
| Utah Needlefly | <i>Perlomyia utahensis</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Megaleuctra complicata</i> | Insecta | G3 | SU | | |
| A Stonefly | <i>Megaleuctra kincaidi</i> | Insecta | G3 | SU | | |
| A Stonefly | <i>Megaleuctra stigmata</i> | Insecta | G2G3 | SU | | |
| Forked Forestfly | <i>Malenka bifurcata</i> | Insecta | G4 | SNR | | |
| California Forestfly | <i>Malenka californica</i> | Insecta | G5 | SNR | | |
| Horned Forestfly | <i>Malenka cornuta</i> | Insecta | G5 | SNR | | |
| Twisted Forestfly | <i>Malenka flexura</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Malenka perplexa</i> | Insecta | G4 | SU | | |
| A Spring Stonefly | <i>Malenka tina</i> | Insecta | G3 | SU | | |
| A Stonefly | <i>Malenka wenatchee</i> | Insecta | G2 | SU | | |
| A stonefly | <i>Lednia borealis</i> | Insecta | G1G2 | SNR | | |
| Hooked Forestfly | <i>Ostrocerca dimicki</i> | Insecta | G4 | SNR | | |
| Cascades Forestfly | <i>Ostrocerca foersteri</i> | Insecta | G4 | SNR | | |
| Least Forestfly | <i>Podmosta decepta</i> | Insecta | G5 | SNR | | |
| Delicate Forestfly | <i>Podmosta delicatula</i> | Insecta | G5 | SNR | | |
| Brown-veined Forestfly | <i>Podmosta obscura</i> | Insecta | G4 | SNR | | |
| Banded Forestfly | <i>Prostoia besametsa</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Soyedina interrupta</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------|------------------------------|---------|-------------|------------|--------------|----------------|
| Knobbed Forestfly | <i>Soyedina producta</i> | Insecta | G5 | SNR | | |
| Cataract Forestfly | <i>Visoka cataractae</i> | Insecta | G4G5 | SNR | | |
| Common Forestfly | <i>Zapada cinctipes</i> | Insecta | G5 | SNR | | |
| Columbian Forestfly | <i>Zapada columbiana</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Zapada cordillera</i> | Insecta | G3 | SU | | |
| Frigid Forestfly | <i>Zapada frigida</i> | Insecta | G5 | SNR | | |
| Intermountain Forestfly | <i>Zapada haysi</i> | Insecta | G5 | SNR | | |
| Oregon Forestfly | <i>Zapada oregonensis</i> | Insecta | G5 | SNR | | |
| Western Willowfly | <i>Doddsia occidentalis</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Taenionema jewetti</i> | Insecta | G3 | SU | | |
| Pale Willowfly | <i>Taenionema kincaidi</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Taenionema oregonense</i> | Insecta | G4 | SU | | |
| Pacific Willowfly | <i>Taenionema pacificum</i> | Insecta | G5 | SNR | | |
| Common Willowfly | <i>Taenionema pallidum</i> | Insecta | G5 | SNR | | |
| Boreal Willowfly | <i>Taeniopteryx nivalis</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Alloperla delicata</i> | Insecta | G5 | SNR | | |
| Cascades Sallfly | <i>Alloperla fraterna</i> | Insecta | G5 | SNR | | |
| Sawtooth Sallfly | <i>Alloperla serrata</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Alloperla elevata</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Haploperla chilnualna</i> | Insecta | G5 | SNR | | |
| Margined Sallfly | <i>Plumiperla diversa</i> | Insecta | G5 | SNR | | |
| Autumn Sallfly | <i>Suwallia autumnna</i> | Insecta | G5 | SNR | | |
| Pale Sallfly | <i>Suwallia dubia</i> | Insecta | G5 | SNR | | |
| Lined Sallfly | <i>Suwallia lineosa</i> | Insecta | G5 | SNR | | |
| Yellow Sallfly | <i>Suwallia pallidula</i> | Insecta | G5 | SNR | | |
| Forceps Sallfly | <i>Suwallia forcipata</i> | Insecta | G5 | SNR | | |
| Gallatin Sallfly | <i>Suwallia starki</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Sweltsa adamantea</i> | Insecta | G3 | SU | | |
| Alberta Sallfly | <i>Sweltsa albertensis</i> | Insecta | G5 | SNR | | |
| Boreal Sallfly | <i>Sweltsa borealis</i> | Insecta | G5 | SNR | | |
| Colorado Sallfly | <i>Sweltsa coloradensis</i> | Insecta | G5 | SNR | | |
| Exquisite Sallfly | <i>Sweltsa exquisita</i> | Insecta | G5 | SNR | | |
| Mountain Sallfly | <i>Sweltsa fidelis</i> | Insecta | G5 | SNR | | |
| Alpine Sallfly | <i>Sweltsa occidens</i> | Insecta | G4 | SNR | | |
| Oregon Sallfly | <i>Sweltsa oregonensis</i> | Insecta | G4G5 | SNR | | |
| Pacific Sallfly | <i>Sweltsa pacifica</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------------|-------------------------------|---------|-------------|------------|--------------|----------------|
| Canadian Sallfly | <i>Sweltsa revelstoka</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Triznaka pintada</i> | Insecta | G5 | SNR | | |
| Striped Sallfly | <i>Triznaka signata</i> | Insecta | G5 | SNR | | |
| Longhead Sallfly | <i>Kathroperla perdita</i> | Insecta | G4G5 | SNR | | |
| A Stonefly | <i>Kathroperla takhoma</i> | Insecta | G2 | SU | | |
| Hyporheic Sallfly | <i>Paraperla frontalis</i> | Insecta | G5 | SNR | | |
| Chilliwack Sallfly | <i>Paraperla wilsoni</i> | Insecta | G4G5 | SNR | | |
| Fender's Soliperlan Stonefly | <i>Soliperla fenderi</i> | Insecta | G2 | S1S2 | | |
| Skamania Roachfly | <i>Soliperla cowlitz</i> | Insecta | G1G2 | SNR | | |
| Brown Roachfly | <i>Yoraperla mariana</i> | Insecta | G4 | SNR | | |
| Black Roachfly | <i>Yoraperla nigrisoma</i> | Insecta | G5 | SNR | | |
| Coastal Roachfly | <i>Yoraperla siletz</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Calineuria californica</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Doroneuria baumanni</i> | Insecta | G4 | SNR | | |
| Golden Stone | <i>Hesperoperla pacifica</i> | Insecta | G5 | SNR | | |
| Shortwing Stone | <i>Claassenia sabulosa</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Calliperla luctuosa</i> | Insecta | G3 | SNR | | |
| A Spring Stonefly | <i>Cascadoperla trictura</i> | Insecta | G3G4 | SNR | | |
| A Stonefly | <i>Isoperla bifurcata</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Isoperla gravitans</i> | Insecta | G3 | SNR | | |
| Western Stripetail | <i>Isoperla fulva</i> | Insecta | G5 | SNR | | |
| Waterton Stripetail | <i>Isoperla fusca</i> | Insecta | G5 | SNR | | |
| Red Stripetail | <i>Isoperla marmorata</i> | Insecta | G5 | SNR | | |
| Mormon Stripetail | <i>Isoperla mormona</i> | Insecta | G5 | SNR | | |
| Springs Stripetail | <i>Isoperla petersoni</i> | Insecta | G5 | SNR | | |
| Checkered Stripetail | <i>Isoperla pinta</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Isoperla rainieri</i> | Insecta | G2 | SNR | | |
| Colorado Stripetail | <i>Isoperla sobria</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Isoperla sordida</i> | Insecta | G3G4 | SNR | | |
| A Stonefly | <i>Isoperla tilasqua</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Frisonia picticeps</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Megarcys irregularis</i> | Insecta | G3 | SNR | | |
| Truncate Springfly | <i>Megarcys subtruncata</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Megarcys yosemite</i> | Insecta | G2 | SNR | | |
| Longgill Springfly | <i>Perlinoes aureus</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Setvena tibialis</i> | Insecta | G4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|---|----------------------------------|---------|-------------|------------|--------------|----------------|
| American Springfly | <i>Skwala americana</i> | Insecta | G5 | SNR | | |
| Curved Springfly | <i>Skwala curvata</i> | Insecta | G4 | SNR | | |
| Vedder Springfly | <i>Cultus pilatus</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Cultus tostonus</i> | Insecta | G5 | SNR | | |
| Smooth Springfly | <i>Kogotus nonus</i> | Insecta | G4 | SNR | | |
| A Stonefly | <i>Osobenus yakimae</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Pictetiella lechleitneri</i> | Insecta | G1G3 | SNR | | |
| A Stonefly | <i>Rickera sorpta</i> | Insecta | G3 | SNR | | |
| Blackfoot Springfly | <i>Isogenoides colubrinus</i> | Insecta | G5 | SNR | | |
| Elongate Springfly | <i>Isogenoides elongatus</i> | Insecta | G5 | SNR | | |
| A Stonefly | <i>Pteronarcella regularis</i> | Insecta | G3 | SNR | | |
| A Stonefly | <i>Pteronarcys californica</i> | Insecta | G5 | SNR | | |
| Ebony Salmonfly | <i>Pteronarcys princeps</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma rayneri</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma cinereum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma hoodi</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Lepidostoma jewetti</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma recinum</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Lepidostoma verodum</i> | Insecta | G2G4 | SNR | | |
| A Caddisfly | <i>Dolophilodes columbia</i> | Insecta | G1G3 | SNR | | |
| A Caddisfly | <i>Polycentropus flavus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Polycentropus remotus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Polycentropus cinereus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Holocentropus interruptus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Polycentropus halidus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Tinodes cascadius</i> | Insecta | G2G4 | SNR | | |
| Mt Hood Primitive Brachycentrid Caddisfly | <i>Eobrachycentrus gelidae</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Cryptochia furcata</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Cryptochia pilosa</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Farula raineri</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Farula klahhane</i> | Insecta | GNR | SNR | | |
| Klamath Limnephilan Caddisfly | <i>Limnephilusalconura</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Limnephilus moestus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus ornatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus submonilifer</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus abbreviatus</i> | Insecta | G4G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Limnephilus acula</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Limnephilus aretto</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Limnephilus assimilis</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Limnephilus bifidus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus concolor</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus ectus</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Limnephilus flavastellus</i> | Insecta | G2 | SNR | | |
| A Caddisfly | <i>Limnephilus fumosus</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Limnephilus kalama</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Limnephilus lopho</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Limnephilus occidentalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus sitchensis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Neothremma didactyla</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Oligophlebodes ruthae</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Philocasca antennata</i> | Insecta | G1G3 | SNR | | |
| Fenders Rhyacophilan Caddisfly | <i>Rhyacophila fenderi</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila arnaudi</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila basalis</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila blarina</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila ecosa</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila gemona</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Rhyacophila inculta</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila iranda</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila kincaidi</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila latitergum</i> | Insecta | G1G3 | SNR | | |
| A Caddisfly | <i>Rhyacophila perda</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila perplana</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila rickeri</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila tralala</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Rhyacophila vaefes</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila vedra</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vetina</i> | Insecta | G2 | SNR | | |
| A Rhyacophilan Caddisfly | <i>Rhyacophila viquaea</i> | Insecta | G3G4 | SNR | | |
| A Rhyacophilan Caddisfly | <i>Rhyacophila visor</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila willametta</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila brunnea</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------------------|------------------------------------|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Micrasema dimicki</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche pasella</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche campyla</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche oxa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche analis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche logani</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Hydropsyche occidentalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Heteroplectron californicum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceraclea tarsipunctata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceraclea transversa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceraclea alagma</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Trienodes baris</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Trienodes tardus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oecetis cinerascens</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oecetis inconspicua</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oecetis immobilis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oecetis avara</i> | Insecta | GNR | SNR | | |
| A Caddisfly | <i>Banksiola crotchi</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Phryganea cinerea</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Agapetus cornutus</i> | Insecta | G1G3 | SNR | | |
| A Caddisfly | <i>Agapetus taho</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Protoptila erotica</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceratopsyche morosa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceratopsyche centra</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila rono</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila consimilis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila ajax</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila hamata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila modica</i> | Insecta | G3G5 | SNR | | |
| A Caddisfly | <i>Hydroptila arctica</i> | Insecta | G5 | SNR | | |
| Aalsea Ochrotrichian Micro Caddisfly | <i>Ochrotrichia alsea</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Ochrotrichia tarsalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ochrotrichia trapoiza</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Ochrotrichia okanoganensis</i> | Insecta | G1G3 | SNR | | |
| A Caddisfly | <i>Ochrotrichia stylata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oxyethira zeronia</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------|------------------------------------|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Oxyethira dualis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oxyethira serrata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Orthotrichia aegerfasciella</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Orthotrichia cristata</i> | Insecta | G5 | SNR | | |
| A Micro Caddisfly | <i>Leucotrichia pictipes</i> | Insecta | G5 | SNR | | |
| A Large Caddisfly | <i>Agrypnia vestita</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Agrypnia improba</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceratopsyche amblis</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Ceratopsyche cockerelli</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche mollala</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Cheumatopsyche smithi</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydropsyche californica</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydropsyche confusa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Parapsyche almota</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Parapsyche elsis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Agraylea saltesea</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Hydroptila argosa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydroptila xera</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ochrotrichia oregona</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Oxyethira aeola</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma cascadense</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma quercinum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma roafi</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lepidostoma unicolor</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceraclea latahensis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Mystacides alafimbriatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Nectopsyche gracilis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Nectopsyche lahontanensis</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Nectopsyche minuta</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Allocosmoecus partitus</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Amphicosmoecus canax</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Asynarchus aldinus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Chyranda centralis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Clistronia magnifica</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Clostoea disjuncta</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Desmona mono</i> | Insecta | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------|--|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Dicosmoecus atripes</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Dicosmoecus gilvipes</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ecclisomyia conspersa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ecclisomyia maculosa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glyphopsyche irrorata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Grammotaulius betteni</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Halesochila taylori</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hesperophylax alaskensis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydatophylax hesperus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Lenarchus vastus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus dispar</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus externus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus fagus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus femoralis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus frijole</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus harrimani</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus morrisoni</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus nogus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus spinatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Limnephilus sericeus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Psychoglypha alascensis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Dolophilodes dorca</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Dolophilodes novusamericana</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Dolophilodes pallidipes</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Wormaldia gabriella</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Wormaldia occidea</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Agrypnia glacialis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Agrypnia pagetana</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Polycentropus denningi</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Polycentropus variegatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Psychomyia lumina</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila angelita</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila bifila</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila chilsia</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila coloradensis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila coloradensis coloradensis</i> | Insecta | G5T5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------|-------------------------------|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Allomyia cascadis</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Allomyia tripunctata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Apatania sorex</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Apatania zonella</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Pedomoecus sierra</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Amiocentrus aspilus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Anagapetus debilis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma montanum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma penitum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma traviatum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma velonum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma verdonum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Protoptila coloma</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Goeracea genota</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Arctopsyche grandis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila grandis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila hyalinata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila jenniferae</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Rhyacophila narvae</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila norcuta</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila oreta</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila pacifica</i> | Insecta | G1Q | SNR | | |
| A Caddisfly | <i>Rhyacophila pellisa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila pichaca</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Rhyacophila rotunda</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila tucula</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vaccua</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vagrita</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila valuma</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vao</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vemna</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila verrula</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vobara</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vocala</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vofixa</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila vuzana</i> | Insecta | G4G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------------|---------------------------------|---------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Neophylax occidentis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Neophylax rickeri</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Neophylax splendens</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Neothremma alicia</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oligophlebodes sierra</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Oligophlebodes sigma</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Micrasema bactro</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Dolophilodes aequalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ylodes frontalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Rhyacophila bifurcata</i> | Insecta | GNR | SNR | | |
| A Caddisfly | <i>Wormaldia anilla</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Wormaldia lacerna</i> | Insecta | G1 | SNR | | |
| A Caddisfly | <i>Psychomyia flavida</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma alascense</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma excitum</i> | Insecta | G4 | SNR | | |
| Grounded Saddle-case Caddisfly | <i>Glossosoma pternum</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Glossosoma pyroxum</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Glossosoma wenatchee</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Pycnopsyche guttifera</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Platycentropus radiatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Helicopsyche borealis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Stactobiella delira</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Nyctiophylax affinis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Neophylax smithi</i> | Insecta | G1G3 | SNR | | |
| A Caddisfly | <i>Agraylea multipunctata</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hydatophylax argus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ptilostomis ocellifera</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Palaeagapetus nearcticus</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Clistoronia flavicollis</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Allomyia acanthis</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Allomyia cidoipes</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Allomyia leei</i> | Insecta | GNR | SNR | | |
| A Caddisfly | <i>Allomyia whatcomensis</i> | Insecta | GNR | SNR | | |
| A Caddisfly | <i>Lepania cascada</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Moselyana comosa</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Anagapetus bernea</i> | Insecta | G4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------------|------------------------------------|-----------|-------------|------------|--------------|----------------|
| A Caddisfly | <i>Anagapetus hoodi</i> | Insecta | G3G4 | SNR | | |
| A Caddisfly | <i>Culoptila cantha</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ylodes reuteri</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Asynarchus pacificus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ecclisocosmoecus scylla</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Eocosmoecus frontalis</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Eocosmoecus schmidi</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Hesperophylax designatus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Hesperophylax occidentalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Homophylax andax</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Homophylax crotchi</i> | Insecta | G3 | SNR | | |
| A Caddisfly | <i>Homophylax rentzi</i> | Insecta | G2G4 | SNR | | |
| A Caddisfly | <i>Lenarchus rho</i> | Insecta | G4G5 | SNR | | |
| A Caddisfly | <i>Onocosmoecus unicolor</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Psychoglypha bella</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Psychoglypha browni</i> | Insecta | G2G4 | SNR | | |
| A Caddisfly | <i>Psychoglypha subborealis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Parthina linea</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Goereilla baumanni</i> | Insecta | G1 | SNR | | |
| A Caddisfly | <i>Rossiana montana</i> | Insecta | G2G3 | SNR | | |
| A Caddisfly | <i>Himalopsyche phryganea</i> | Insecta | G4 | SNR | | |
| A Caddisfly | <i>Brachycentrus americanus</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Brachycentrus occidentalis</i> | Insecta | G5 | SNR | | |
| A Caddisfly | <i>Ceratopsyche oslari</i> | Insecta | G5 | SNR | | |
| A Cave Obligate Mite | <i>Elliotta howarthi</i> | Arachnida | G1G2 | SNR | | |
| A Cave Obligate Mite | <i>Robustocheles occulta</i> | Arachnida | G2G3 | SNR | | |
| Georgia Basin Bog Spider | <i>Gnaphosa snohomish</i> | Arachnida | G2 | SNR | | |
| a pseudoscorpion | <i>Aspurochelifer littlefieldi</i> | Arachnida | GNR | SNR | | |
| a pseudoscorpion | <i>Globocreagris theveneti</i> | Arachnida | GNR | SNR | | |
| Intertidal Pseudoscorpion | <i>Halobisium occidentale</i> | Arachnida | GNR | SNR | | |
| a pseudoscorpion | <i>Pseudogarypinus frontalis</i> | Arachnida | GNR | SNR | | |
| Reddish Two-eyed Chelifer | <i>Roncus lubricus</i> | Arachnida | GNR | SNA | | |
| a pseudoscorpion | <i>Microcreagris tacomensis</i> | Arachnida | GNR | SNR | | |
| a mite | <i>Torrenticola pacificensis</i> | Arachnida | GNR | SNR | | |
| A Cave Obligate Harvestman | <i>Speleonychia sengeri</i> | Arachnida | G1G2 | SNR | | |
| A Cave Obligate Pseudoscorpion | <i>Americocreagris columbiana</i> | Arachnida | G2G3 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|-------------------------------------|------------|-------------|------------|--------------|----------------|
| Yukon floater | <i>Anodonta beringiana</i> | Bivalvia | G4 | SNA | | |
| Western floater | <i>Anodonta kennerlyi</i> | Bivalvia | G4 | S4 | | |
| Winged floater | <i>Anodonta nuttalliana</i> | Bivalvia | G2G3Q | S1 | | |
| Oregon floater | <i>Anodonta oregonensis</i> | Bivalvia | G5 | S3 | | |
| California floater | <i>Anodonta californiensis</i> | Bivalvia | G3 | S2 | C | |
| Western ridgemussel | <i>Gonidea angulata</i> | Bivalvia | G3 | S2S3 | | |
| Western pearlshell | <i>Margaritifera falcata</i> | Bivalvia | G5 | S3S4 | | |
| Asiatic clam | <i>Corbicula fluminea</i> | Bivalvia | G5 | SNA | | |
| Pacific Littleneck | <i>Leukoma staminea</i> | Bivalvia | GNR | SNR | | |
| Rusty Peaclam | <i>Pisidium ferrugineum</i> | Bivalvia | G5 | SNR | | |
| Tiny Peaclam | <i>Pisidium insigne</i> | Bivalvia | G5 | SNR | | |
| Triangular Peaclam | <i>Pisidium variabile</i> | Bivalvia | G5 | SNR | | |
| Globular Peaclam | <i>Pisidium ventricosum</i> | Bivalvia | G5 | SNR | | |
| Rocky Mountain Fingernailclam | <i>Sphaerium patella</i> | Bivalvia | G2G3 | SNR | | |
| Foolish Mussel | <i>Mytilus trossulus</i> | Bivalvia | G5 | SNR | | |
| Washington Butterclam | <i>Saxidomus gigantea</i> | Bivalvia | G5 | SNR | | |
| Pacific Razor | <i>Siliqua patula</i> | Bivalvia | G5 | SNR | | |
| Giant Rock-scallop | <i>Crassadoma gigantea</i> | Bivalvia | G5 | SNR | | |
| Pacific Geoduck | <i>Panopea abrupta</i> | Bivalvia | G5 | SNR | | |
| Olympia Oyster | <i>Ostrea lurida</i> | Bivalvia | GNR | SNR | | |
| Western thorn | <i>Carychium occidentale</i> | Gastropoda | G3G4 | S3S4 | | |
| Glossy pillar | <i>Cochlicopa lubrica</i> | Gastropoda | G5 | S5 | | |
| Toothless Column | <i>Columella edentula</i> | Gastropoda | G5 | SNR | | |
| Mellow Column | <i>Columella columella</i> | Gastropoda | G5 | SNR | | |
| Mellow Column | <i>Columella columella alticola</i> | Gastropoda | G5T5 | S4? | | |
| Crestless column | <i>Pupilla hebes</i> | Gastropoda | G5 | S3S4 | | |
| Columbia vertigo | <i>Vertigo columbiana</i> | Gastropoda | G5 | S1? | | |
| Mitered vertigo | <i>Vertigo concinnula</i> | Gastropoda | G5TNR | SNR | | |
| Cross vertigo | <i>Vertigo modesta</i> | Gastropoda | G5 | SNR | | |
| Ovate vertigo | <i>Vertigo ovata</i> | Gastropoda | G5 | SNR | | |
| Threaded Vertigo | <i>Vertigo rowellii</i> | Gastropoda | G3G5 | SNR | | |
| Hoko Vertigo | <i>Vertigo</i> sp. 1 | Gastropoda | G1 | S1 | | |
| Western flat-whorl | <i>Planogyra clappi</i> | Gastropoda | G4G5 | S3S4 | | |
| Indecisive Vallonia | <i>Vallonia albula</i> | Gastropoda | G4 | SNR | | |
| Silky vallonia | <i>Vallonia cyclophorella</i> | Gastropoda | G5 | S4 | | |
| Lovely vallonia | <i>Vallonia pulchella</i> | Gastropoda | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-----------------------------|--------------------------|------------|-------------|------------|--------------|----------------|
| Beaded lancetooth | Ancotrema sportella | Gastropoda | G4G5 | S4 | | |
| Robust Lancetooth | Haplotrema vancouverense | Gastropoda | G5 | S5 | | |
| Oregon lancetooth | Ancotrema hybridum | Gastropoda | G5 | S4 | | |
| Ribbed Spot | Punctum californicum | Gastropoda | G5 | SNR | | |
| Pinhead Spot | Paralaoma caputspinulae | Gastropoda | G5 | S4 | | |
| Conical spot | Punctum randolphi | Gastropoda | G5 | S4 | | |
| Fir pinwheel | Radiodiscus abietum | Gastropoda | G4 | S3 | | |
| Salmon coil | Helicodiscus salmonaceus | Gastropoda | G3G4 | S2S3 | | |
| Banded tigersnail | Anguispira kochi | Gastropoda | G5 | S3S4 | | |
| Forest disc | Discus whitneyi | Gastropoda | G5 | S5 | | |
| Rotund Disc | Discus rotundatus | Gastropoda | G5 | SNA | | |
| Black arion | Arion ater | Gastropoda | G5 | SNA | | |
| Brown-banded arion | Arion circumscriptus | Gastropoda | G5 | SNA | | |
| Darkface arion | Arion distinctus | Gastropoda | G5 | SNA | | |
| Garden arion | Arion hortensis | Gastropoda | G5 | SNA | | |
| Hedgehog arion | Arion intermedius | Gastropoda | G5 | SNA | | |
| Chocolate arion | Arion rufus | Gastropoda | G4G5 | SNA | | |
| Pacific bananaslug | Ariolimax columbianus | Gastropoda | G5 | S5? | | |
| Keeled jumping-slug | Hemphillia burringtoni | Gastropoda | G3 | S3 | | |
| Dromedary jumping-slug | Hemphillia dromedarius | Gastropoda | G3G4 | S3S4 | | |
| Warty jumping-slug | Hemphillia glandulosa | Gastropoda | G3G4 | S3 | | |
| Malone jumping slug | Hemphillia malonei | Gastropoda | G3 | S3 | | |
| Pale jumping-slug | Hemphillia camelus | Gastropoda | G4 | S3S4 | | |
| Skade's Jumping-slug | Hemphillia skadei | Gastropoda | G3? | SNR | | |
| Magnum mantleslug | Magnipelta mycophaga | Gastropoda | G3 | S2 | | |
| Reticulate taildropper | Prophysaon andersonii | Gastropoda | G5 | S4 | | |
| Blue-gray taildropper | Prophysaon coeruleum | Gastropoda | G3G4 | S1 | C | |
| Papillose taildropper | Prophysaon dubium | Gastropoda | G4 | S3 | | |
| Yellow-bordered taildropper | Prophysaon foliolatum | Gastropoda | G4G5 | S4 | | |
| Mottled taildropper | Prophysaon obscurum | Gastropoda | G1G3 | SNR | | |
| Scarletback taildropper | Prophysaon vanattae | Gastropoda | G4G5 | S4? | | |
| Sheathed Slug | Zacoleus idahoensis | Gastropoda | G3G4 | SNR | | |
| Chrome ambersnail | Catinella rehderi | Gastropoda | G3 | SNR | | |
| Suboval ambersnail | Catinella vermeta | Gastropoda | G5 | SNR | | |
| Boundary ambersnail | Oxyloma hawkinsii | Gastropoda | G3G4 | SNR | | |
| Oblique Ambersnail | Oxyloma nuttallianum | Gastropoda | G2G4 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------|------------------------------------|------------|-------------|------------|--------------|----------------|
| Niobrara Ambersnail | <i>Oxyloma haydeni</i> | Gastropoda | G3 | SNR | | |
| Riblet Ambersnail | <i>Catinella gabbi</i> | Gastropoda | G1G2 | SNR | | |
| Oregon Ambersnail | <i>Succinea oregonensis</i> | Gastropoda | G2G4 | SNR | | |
| Rustic Ambersnail | <i>Succinea rusticana</i> | Gastropoda | G4G5 | SNR | | |
| Brown hive | <i>Euconulus fulvus</i> | Gastropoda | G5 | S5 | | |
| Minute gem | <i>Hawaiiia minuscula</i> | Gastropoda | G5 | SNA | | |
| Blue glass | <i>Nesovitrea binneyana</i> | Gastropoda | G5 | S3S4 | | |
| Amber glass | <i>Nesovitrea electrina</i> | Gastropoda | G5 | S4 | | |
| Garlic glass-snail | <i>Oxychilus alliarius</i> | Gastropoda | G5 | SNA | | |
| Cellar glass-snail | <i>Oxychilus cellarius</i> | Gastropoda | G5 | SNA | | |
| Dark-bodied glass-snail | <i>Oxychilus draparnaudi</i> | Gastropoda | G5 | SNA | | |
| Northern tightcoil | <i>Pristiloma arcticum</i> | Gastropoda | G3G4 | S3S4 | | |
| Black-footed tightcoil | <i>Pristiloma chersinella</i> | Gastropoda | G3G4 | SNR | | |
| Thinlip tightcoil | <i>Pristiloma idahoense</i> | Gastropoda | G3 | S2? | | |
| Broadwhorl tightcoil | <i>Pristiloma johnsoni</i> | Gastropoda | G3 | S2S3 | | |
| Denticulate tightcoil | <i>Pristiloma lansingi</i> | Gastropoda | G5 | S5 | | |
| Crowned tightcoil | <i>Pristiloma pilsbryi</i> | Gastropoda | G1G2 | S1 | | |
| Striate tightcoil | <i>Pristiloma stearnsii</i> | Gastropoda | G5 | S3 | | |
| Shiny tightcoil | <i>Pristiloma wascoense</i> | Gastropoda | G3G4 | S3? | | |
| Northwest Striate | <i>Striatura pugetensis</i> | Gastropoda | G5 | S4 | | |
| Contracted glass-snail | <i>Vitrea contracta</i> | Gastropoda | G5 | SNA | | |
| Quick Gloss | <i>Zonitoides arboreus</i> | Gastropoda | G5 | SNR | | |
| Black gloss | <i>Zonitoides nitidus</i> | Gastropoda | G5 | SNR | | |
| Western Glass-snail | <i>Vitrina pellucida</i> | Gastropoda | G5 | SNR | | |
| Evening fieldslug | <i>Deroceras hesperium</i> | Gastropoda | G2Q | SH | | |
| Meadow slug | <i>Deroceras laeve</i> | Gastropoda | G5 | S4S5 | | |
| One-ridge fieldslug | <i>Deroceras monentolophus</i> | Gastropoda | G4 | S3 | | |
| Gray fieldslug | <i>Deroceras reticulatum</i> | Gastropoda | G5 | SNA | | |
| Longneck fieldslug | <i>Deroceras invadens</i> | Gastropoda | G5 | SNA | | |
| Yellow Gardenslug | <i>Limax flavus</i> | Gastropoda | G5 | SNA | | |
| Giant gardenslug | <i>Limax maximus</i> | Gastropoda | G5 | SNA | | |
| Threeband Gardenslug | <i>Lehmannia valentiana</i> | Gastropoda | G5 | SNA | | |
| Greenhouse slug | <i>Milax gagates</i> | Gastropoda | G5 | SNA | | |
| Idaho forest snail | <i>Allogona ptychophora</i> | Gastropoda | G5 | S5 | | |
| Dry land forestsnail | <i>Allogona ptychophora solida</i> | Gastropoda | G5T2? | S1S2 | | |
| Oregon forestsnail | <i>Allogona townsendiana</i> | Gastropoda | G3G4 | S3S4 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|-------------------------------|------------------------------------|------------|-------------|------------|--------------|----------------|
| Puget Oregonian | <i>Cryptomastix devia</i> | Gastropoda | G2 | S2S3 | | |
| Pygmy Oregonian | <i>Cryptomastix germana</i> | Gastropoda | G4 | S4 | | |
| Columbia Oregonian | <i>Cryptomastix hendersoni</i> | Gastropoda | G3Q | S1S2 | C | |
| Wide-lipped Oregonian | <i>Cryptomastix mullani</i> | Gastropoda | G4 | S4 | | |
| Disc Oregonian | <i>Cryptomastix sanburni</i> | Gastropoda | G3 | S1S2 | | |
| Poplar Oregonian | <i>Cryptomastix populi</i> | Gastropoda | G2G3 | S1S2 | C | |
| Hell's Canyon Oregonian | <i>Cryptomastix</i> sp. 7 | Gastropoda | G2 | S1 | | |
| Juniper Springs Oregonian | <i>Cryptomastix</i> sp. 8 | Gastropoda | G1 | SNR | | |
| Northwest hesperian | <i>Vespericola columbianus</i> | Gastropoda | G5 | S4 | | |
| Dalles hesperian | <i>Vespericola depressa</i> | Gastropoda | G2Q | S1 | | |
| Brushfield Hesperian | <i>Vespericola pilosus</i> | Gastropoda | G2G3 | SNR | | |
| Vancouver snail | <i>Microphysula cookei</i> | Gastropoda | G5? | S4 | | |
| Spruce Snail | <i>Microphysula ingersollii</i> | Gastropoda | G5 | S4 | | |
| Oregon megomphid | <i>Megomphix hemphilli</i> | Gastropoda | G3 | S1 | | |
| Umatilla megomphid | <i>Megomphix lutarius</i> | Gastropoda | G1G2 | SH | | |
| Humped coin | <i>Polygyrella polygyrella</i> | Gastropoda | G3 | S1 | | |
| Limestone Point mountainsnail | <i>Oreohelix</i> sp. 18 | Gastropoda | G1TH | SH | | |
| Grand Coulee mountainsnail | <i>Oreohelix junii</i> | Gastropoda | G2 | S2S3 | | |
| Rocky Mountainsnail | <i>Oreohelix strigosa</i> | Gastropoda | G5 | S4 | | |
| Blue Mountainsnail | <i>Oreohelix strigosa delicata</i> | Gastropoda | G5T1 | S1 | | |
| Subalpine mountainsnail | <i>Oreohelix subrudis</i> | Gastropoda | G5 | SNR | | |
| Hell's Canyon Mountainsnail | <i>Oreohelix</i> sp. 29 | Gastropoda | G2 | S1S2 | | |
| Chelan mountainsnail | <i>Oreohelix</i> sp. 1 | Gastropoda | G2 | S2 | | |
| Yakima Mountainsnail | <i>Oreohelix</i> sp. 2 | Gastropoda | G1G2 | SNR | | |
| Pacific sideband | <i>Monadenia fidelis</i> | Gastropoda | G4G5 | S4 | C-Part | |
| Dalles sideband | <i>Monadenia fidelis minor</i> | Gastropoda | G4G5T2 | S1 | C | |
| Brown gardensnail | <i>Helix aspersa</i> | Gastropoda | G5 | SNA | | |
| Grovesnail | <i>Cepaea nemoralis</i> | Gastropoda | G5 | SNA | | |
| Glossy valvata | <i>Valvata humeralis</i> | Gastropoda | G5 | SNR | | |
| Fringed valvata | <i>Valvata lewisi</i> | Gastropoda | G5 | SNR | | |
| Rams-horn valvata | <i>Valvata mergella</i> | Gastropoda | G1G2 | S1 | | |
| Threeridge valvata | <i>Valvata tricarinata</i> | Gastropoda | G5 | S1? | | |
| Chinese mysterysnail | <i>Cipangopaludina chinensis</i> | Gastropoda | G5 | SNA | | |
| Washington duskysnail | <i>Amnicola</i> sp. 2 | Gastropoda | G1 | S1 | | |
| Masked duskysnail | <i>Lyogyrus</i> sp. 2 | Gastropoda | G1G2 | S1 | | |
| Rocky Mountain Duskysnail | <i>Colligyrus greggi</i> | Gastropoda | G4 | S1 | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|--------------------------|---------------------------------|------------|-------------|------------|--------------|----------------|
| Ashy pebblesnail | <i>Fluminicola fuscus</i> | Gastropoda | G2 | S2 | C | |
| Nez Perce Pebblesnail | <i>Fluminicola gustafsoni</i> | Gastropoda | G2G3 | SNR | | |
| Olympia pebblesnail | <i>Fluminicola virens</i> | Gastropoda | G2 | S2? | | |
| Columbia Springsnail | <i>Pyrgulopsis robusta</i> | Gastropoda | G5 | SNR | | |
| Bulb Juga | <i>Juga bulbosa</i> | Gastropoda | GNR | SNR | | |
| Pleated juga | <i>Juga plicifera</i> | Gastropoda | GNR | SNR | | |
| Prairie fossaria | <i>Fossaria bulimoides</i> | Gastropoda | G5 | SNR | | |
| Classification uncertain | <i>Fossaria cockerelli</i> | Gastropoda | G3G4 | S3S4 | | |
| Classification uncertain | <i>Fossaria exigua</i> | Gastropoda | G5 | S4 | | |
| Rock fossaria | <i>Fossaria modicella</i> | Gastropoda | G5 | S3 | | |
| Golden fossaria | <i>Fossaria obrussa</i> | Gastropoda | G5 | SNR | | |
| A freshwater snail | <i>Fossaria perplexa</i> | Gastropoda | G1G2Q | S1 | | |
| A Freshwater Snail | <i>Fossaria vancouverensis</i> | Gastropoda | GHQ | SH | | |
| Swamp Lymnaea | <i>Lymnaea stagnalis</i> | Gastropoda | G5 | SNR | | |
| Mimic lymnaea | <i>Pseudosuccinea columella</i> | Gastropoda | G5 | SNA | | |
| Big-eared radix | <i>Radix auricularia</i> | Gastropoda | G5 | SNA | | |
| Abbreviate pondsnaill | <i>Stagnicola apicina</i> | Gastropoda | GU | SNR | | |
| Wrinkled Marshsnail | <i>Stagnicola caperata</i> | Gastropoda | G5 | S3S4 | | |
| Woodland pondsnaill | <i>Stagnicola catascopium</i> | Gastropoda | G5 | SNA | | |
| Marsh pondsnaill | <i>Stagnicola elodes</i> | Gastropoda | G5 | S3 | | |
| Widelip pondsnaill | <i>Stagnicola traski</i> | Gastropoda | G3G4 | SNR | | |
| Shortface lanx | <i>Fisherola nuttalli</i> | Gastropoda | G2 | S2 | C | |
| Lance aplexa | <i>Aplexa elongata</i> | Gastropoda | G5 | S3S4 | | |
| Glass physa | <i>Physa skinneri</i> | Gastropoda | G5 | SNR | | |
| Cloaked physa | <i>Physa megalochlamys</i> | Gastropoda | G3G4 | SNR | | |
| Tadpole physa | <i>Physa gyrina</i> | Gastropoda | G5 | S4S5 | | |
| Rotund physa | <i>Physella columbiana</i> | Gastropoda | G3 | S1? | | |
| Olive physa | <i>Physella cooperi</i> | Gastropoda | G3 | S1? | | |
| Grain physa | <i>Physella hordacea</i> | Gastropoda | G1Q | S1? | | |
| Twisted physa | <i>Physella lordi</i> | Gastropoda | G5 | SNR | | |
| Rocky Mountain physa | <i>Physella propinqua</i> | Gastropoda | G5Q | SNR | | |
| Sunset physa | <i>Physella virginea</i> | Gastropoda | G5 | SNR | | |
| Disc gyro | <i>Gyraulus circumstriatus</i> | Gastropoda | G5 | S5 | | |
| Star gyro | <i>Gyraulus crista</i> | Gastropoda | G5 | SNR | | |
| Flexed gyro | <i>Gyraulus deflectus</i> | Gastropoda | G5 | SNA | | |
| Ash gyro | <i>Gyraulus parvus</i> | Gastropoda | G5 | SNR | | |

| Common Name | Scientific Name | Class | Global Rank | State Rank | State Status | Federal Status |
|------------------------|----------------------------------|----------------|-------------|------------|--------------|----------------|
| Pacific Coast Gyraulus | <i>Gyraulus vermicularis</i> | Gastropoda | G4 | SNR | | |
| Two-ridge rams-horn | <i>Helisoma anceps</i> | Gastropoda | G5 | SNR | | |
| Button sprite | <i>Menetus opercularis</i> | Gastropoda | G5 | S5 | | |
| Coarse rams-horn | <i>Planorbella binneyi</i> | Gastropoda | G4G5 | SNR | | |
| Fine-lined rams-horn | <i>Planorbella occidentalis</i> | Gastropoda | G3 | SNR | | |
| Rough rams-horn | <i>Planorbella subcrenata</i> | Gastropoda | G5 | S5 | | |
| Sharp sprite | <i>Promenetus exacuus</i> | Gastropoda | G5 | S3 | | |
| Umbilicate sprite | <i>Promenetus umbilicatellus</i> | Gastropoda | G4 | S3 | | |
| Nerite rams-horn | <i>Vorticifex neritoides</i> | Gastropoda | G1Q | S1S2 | | |
| Artemesian rams-horn | <i>Vorticifex effusa</i> | Gastropoda | GNR | SNR | | |
| Creeping ancyloid | <i>Ferrissia rivularis</i> | Gastropoda | G5 | SNR | | |
| Fragile ancyloid | <i>Ferrissia fragilis</i> | Gastropoda | G5 | SNR | | |
| Newcomb periwinkle | <i>Littorina subrotundata</i> | Gastropoda | G5 | S4 | | |
| Northern Abalone | <i>Haliotis kamtschatkana</i> | Gastropoda | G3G4 | SNR | E | |
| Pristine springsnail | <i>Pristinicola hemphilli</i> | Gastropoda | G3 | S2S3 | | |
| New Zealand Mudsnaill | <i>Potamopyrgus antipodarum</i> | Gastropoda | G5 | SNA | | |
| Black Katy Chiton | <i>Katharina tunicata</i> | Polyplacophora | G5 | SNR | | |
| Leschi's millipede | <i>Leschius mcallisteri</i> | Diplopoda | GNR | SNR | | |

State Status of the species is determined by the Washington Department of Fish and Wildlife. Factors considered include abundance, occurrence patterns, vulnerability, threats, existing protection, and taxonomic distinctness.

E = Endangered. In danger of becoming extinct or extirpated from Washington.

T = Threatened. Likely to become Endangered in Washington.

S = Sensitive. Vulnerable or declining and could become Endangered or Threatened in the state.

C = Candidate Animal. Under review for listing.

M = Monitor. Taxa of potential concern.

-Part = Part. Used when two portions of a taxon have different state status.

Federal Status under the U.S. Endangered Species Act (USES) as published in the Federal Register:

LE = Listed Endangered. In danger of extinction.

LT = Listed Threatened. Likely to become endangered.

PE = Proposed Endangered.

PT = Proposed Threatened.

C = Candidate species. Sufficient information exists to support listing as Endangered or Threatened.

SC = Species of Concern. An unofficial status, the species appears to be in jeopardy, but insufficient information to support listing.

PS = Partial Status. Part of the taxon has the status following the colon and part has no status.

PSAT = Proposed threatened because of similar appearance

UR = Under Review

, = separator indicating that different parts of the taxon have different statuses.

Common Name**Scientific Name****Class****Global Rank****State Rank****State Status****Federal Status**

Global Rank characterizes the relative rarity or endangerment of the element world-wide.

G1 = Critically Imperiled - At very high risk of extinction or elimination due to very restricted range, very few populations or occurrences, very steep declines, very severe threats, or other factors.

G2 = Imperiled - At high risk of extinction or elimination due to restricted range, few populations or occurrences, steep declines, severe threats, or other factors.

G3 = Vulnerable - At moderate risk of extinction or elimination due to a fairly restricted range, relatively few populations or occurrences, recent and widespread declines, threats, or other factors.

G4 = Apparently Secure - At fairly low risk of extinction or elimination due to an extensive range and/or many populations or occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors.

G5 = Secure - At very low risk of extinction or elimination due to a very extensive range, abundant populations or occurrences, and little to no concern from declines or threats.

GH = Possibly Extinct - Known from only historical occurrences but still some hope of rediscovery.

GU = Unrankable - Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.

GX = Presumed Extinct - Not located despite intensive searches and virtually no likelihood of rediscovery.

GNR = Unranked - Global rank not yet assessed.

G#G# = Range Rank - A numeric range rank (e.g., G2G3, G1G3) is used to indicate uncertainty about the exact status of a taxon or ecosystem type.

Q = Questionable taxonomy.

? = Indicates that the rank is somewhat uncertain.

State Rank characterizes the relative rarity or endangerment within the state of Washington.

S1 = Critically Imperiled - At very high risk of extirpation in the state due to very restricted range, very few populations or occurrences, very steep declines, severe threats, or other factors.

S2 = Imperiled - At high risk of extirpation in the state due to restricted range, few populations or occurrences, steep declines, severe threats, or other factors.

S3 = Vulnerable - At moderate risk of extirpation in the state due to a fairly restricted range, relatively few populations or occurrences, recent and widespread declines, threats, or other factors.

S4 = Apparently Secure - At a fairly low risk of extirpation in the state due to an extensive range and/or many populations or occurrences, but with possible cause for some concern as a result of local recent declines, threats, or other factors.

S5 = Secure - At very low or no risk of extirpation in the state due to a very extensive range, abundant populations or occurrences, with little to no concern from declines or threats.

SH = Possibly Extirpated - Known from only historical records but still some hope of rediscovery.

SX = Presumed Extirpated - Species is believed to be extirpated from the state. Not located despite intensive searches of historical sites and other appropriate habitat, and virtually no likelihood that it will be rediscovered.

SU = Unrankable - Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.

SNR = Unranked - Subnational conservation status not yet assessed

SNA = Not Applicable - A conservation status rank is not applicable because the species or ecosystem is not a suitable target for conservation activities.

? = Indicates that the rank is somewhat uncertain.

B, N and M = qualifiers used to indicate breeding, nonbreeding and migrant status.