

References



| 1 | 6. REFERENCES |
|----------------------------|---|
| 2 3 4 | Abbe, T.B. and D.R. Montgomery. 1996. Large woody debris jams, channel hydraulics, and habitat formation in large rivers. Regulated Rivers: Research and Management 12:201-221. |
| 5 6 | Abbe, T.B. and D.R. Montgomery. 2003. Patterns and processes of wood debris accumulation in the Queets river basin, Washington. Geomorphology 51:81-107. |
| 7 8 9 0 | Adams, D.M., R.J. Alig, D.J. Anderson, J.A. Stevens, and J.T. Chmelik. 1992. Future prospects for western Washington's timber supply. Institute of Forest Resources Contribution Number 74. College of Forest Resources, University of Washington, Seattle, Washington. |
| 1 2 3 | Adams, M.J. and R.B. Bury. 2002. The endemic headwater stream amphibians of the American northwest: associations with environmental gradients in a large forested preserve. Global Ecology and Biogeography 11(2):169-178. |
| .4 .5 .6 .7 | Adams, P.B., C.B. Grimes, J.E. Hightower, S.T. Lindley, and M.L. Moser. 2002. Status review for North American green sturgeon, <i>Acipenser medirostris</i> . National Marine Fisheries Service, Southwest Fisheries Science Center, Santa Cruz, California. |
| .8 .9 20 | Adams, T.K. and K. Sullivan. 1989. The physics of forest stream heating: a simple model. Timber/Fish/Wildlife Report Number TFW-WQ3-90-007. Weyerhaueser, Federal Way, Washington. |
| 21 22 | Agee, J.K. 1993. Fire ecology of the Pacific Northwest forests. Island Press, Washington, D.C. |
| 23 24 25 | Agee, J.K. 1994. Fire and weather disturbances in terrestrial ecosystems of the eastern Cascades. General Technical Report PNW-GTR-320. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 26 27 28 29 | Alig, R.J., A.J. Plantinga, S. Ahn, and J.D. Kline. 2003. Land use changes involving forestry in the United States: 1952 to 1997, with projections to 2050. Gen. Tech. Rep. PNW-GTR-587. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 92 p. |
| 30 31 | Allen, A.W. 1983. Habitat suitability index models: beaver. Report FWS/OBS-82/10.30. U.S. Fish and Wildlife Service, Washington, D.C. |
| 32 33 34 35 36 | Amaranthus, A., H. Jubas, and D. Arthur. 1989. Stream shading, summer streamflow, and maximum water temperature following intense wildfire in headwater streams. Pages 75-78 <i>in</i> N.H. Berg, technical coordinator. Proceedings of the symposium on fire and watershed management. General Technical Report PSW-109. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, California. |



| 1 2 3 4 5 | the 29 April 1999 "Forests and Fish Report" and of associated "Draft Emergency Forest Practice Rules." American Fisheries Society, Bethesda, Maryland, and Society for Ecological Restoration, Tucson, Arizona. Available at http://216.119.67.178/docs/FFR_Final1.rtf . |
|-----------------------|--|
| 6 7 8 | American Forest and Paper Association. 2002. 2002-2004 Edition sustainable forestry initiative program. American Forest and Paper Association, Washington, D.C. 47pp. |
| 9 10 11 | Ames, K.M., D.E. Dumond, J.R. Galm, and R. Minor. 1998. Prehistory of the southern plateau. Pages 103-119 <i>in</i> D.E. Walker, editor. Handbook of North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington D. C. |
| 12 13 14 | Amweg, E.L., D.P. Weston, and N.M. Ureda. 2005. Use and toxicity of pyrethroid pesticides in the Central Valley, California, USA. Environmental Toxicology and Chemistry 24:966-972(2005). |
| 15 16 17 18 | Anderson, C.W. 2002. Ecological effects on streams from forest fertilization-literature review and conceptual framework for future study. U.S. Geological Survey Water-Resources Investigations Report 01-4047. U.S. Geological Survey, Portland, Oregon. |
| 19 20 | Anderson, H.W. and R.L. Hobba. 1959. Forests and floods in the northwestern United States. International Association of Scientific Hydrology 48:30-39. |
| 21 22 | Anderson, N.H. and J.R. Sedell. 1979. Detritus processing by macroinvertebrates in stream ecosystems. Annual Review of Entomology 24:351-377. |
| 23 24 25 | Anderson, T.D., and JM.J. Lydy. 2002. Increased toxicity to invertebrates associated with a mixture of atrazine and organophosphate insecticides. Environmental Toxicology and Chemistry 21:1507-1514(2002). |
| 26 27 28 29 | Andrus, C. 1993. Issue #2. How rapidly does water that is warmed within a clearcut cool off once the stream enters a downstream reach? Oregon Department of Forestry issue paper dated August 25, 1993. Salem, OR. 6 p. + tables and figures. |
| 30 31 32 | Andrus, C.W. and H.A. Froehlich. 1986. Wind damage within streamside buffers and its effect on accelerated sedimentation in coastal Oregon streams. COPE Report 5(1):7-9. |
| 33 34 35 36 | Anthony, R.G., E.D. Forsman, A.B. Franklin, D.R. Anderson et al. 2004. Status and trends in demography of northern spotted owl, 1985-2003. Report to the Northwest Forest Plan Regional Ecosystem Office, Interagency Regional Monitoring Program, Portland, Oregon. 84 pages. |



| 1 | Anthony, R.G., E.D. Forsman, A.B. Franklin, D.R. Anderson, K.P. Burnham, G.C. |
|----------|--|
| 2 | White, C.J. Schwarz, J. Nichols, J.E. Hines, G.S. Olson, S.H. Ackers, S. |
| 3 | Andrews, B.L. Biswell, P.C. Carlson, L.V. Diller, K.M. Dugger, K.E. Fehring, |
| 4 | T.L. Fleming, R.P. Gerhardt, S.A. Gremel, R.J. Gutierrez, P.J. Happe, D.R. |
| 5 | Herter, J.M. Higley, R.B. Horn, L.L. Irwin, P.J. Loschl, J.A. Reid, and S.G. |
| 6 | Sovern. 2004. Status and Trends in Demography of Northern Spotted Owls, |
| 7 | 1985–2003. Final Report to the Interagency Regional Monitoring Program, |
| 8 | Portland, Oregon. September 2004. 179 pp. |
| 9 | Armour, C.L., D.F. Duff, and W. Elmore. 1991. The effects of livestock grazing on |
| 10 | riparian and stream ecosystems. Fisheries 16:7-11. |
| 11 | Armstrong, R.H. and J.E. Morrow. 1980. The Dolly Varden char <i>Salvelinus malma</i> . |
| 12 13 | Pages 99-140 <i>in</i> E.K. Balon, editor. Charrs: Salmonid fishes of the genus Salvelinus. Dr. W. Junk, The Hague, Netherlands. |
| 14 | Arrow, K., R. Solow, P.R. Portney, E.E. Leamer, R. Radner, and H. Schuman. 1993. |
| 15 | Report of the NOAA panel on contingent valuation. National Oceanic and |
| 16 | Atmospheric Administration, Damage Assessment and Restoration Program. |
| 17 | Ashton, D.T. 2002. A comparison of abundance and assemblage of lotic amphibians in |
| 18 | late-seral and second-growth redwood forests in Humboldt County, California. |
| 19 | Thesis, Humboldt State University, Arcata, California. |
| 20 | Aubry, K.B., L.L.C. Jones, and P.A. Hall. 1988. Use of woody debris by Plethodontid |
| 21 | salamanders in douglas-fir forests in Washington. Pages 32-37 in R.C. Szaro, |
| 22 | K.E. Severson, and D.R. Patton, editors. Management of amphibians, reptiles, |
| 23 | and amall mammals in North America. General Technical Report RM-GTR-166. |
| 24 | USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, |
| 25 | Fort Collins, Colorado. |
| 26 | Aubry, K.B. and P.A. Hall. 1991. Terrestrial amphibian communities in the southern |
| 27 | Washington cascade range. Pages 326-338 in L.F. Ruggiero, K.B. Aubry, A.B. |
| 28 | Carey, and M.H. Huff, technical coordinators. Wildlife and vegetation of |
| 29 | unmanaged douglas-fir forests. General Technical Report PNW-GTR-285. |
| 30 | USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 31 | Avery, M.W. 1965. Washington: a history of the Evergreen State. University of |
| 32 | Washington Press, Seattle, Washington. |
| 33 | Bailey, R.G. 1994. Ecoregions of the United States (Map), Revised Edition. Scale |
| 34 | 1:7,500,000, Colored. USDA Forest Service, Washington, D. C. |
| 35 | Bailey, R.G., P.E. Avers, T. King, and W. H. McNab (Compilers/Editors). 1994. |
| 36 | Ecoregions and subregions of the United States. USDA Forest Service, |
| 37 | Washington, D.C. |



| 2 3 | Fish passasge through culverts. Report Number FHWA-FL-90-006. USDA Forest Service, Technology and Information Center, San Dimas, California. |
|----------------------|---|
| 4 5 6 | Bare, B.B., B.R. Lippke, C.D. Oliver, and S. Zens. 1995. Eastern Washington timber supply analysis. CINTRAFOR Special Paper 18. College of Forest Resources, University of Washington, Seattle Washington. 191 p. |
| 7 8 9 | Bartholow, J.M. 2002. Estimating cumulative effects of clearcutting on stream temperatures. U.S. Geological Survey, Fort Collins Science Center, Fort Collins, Colorado. Available at http://smig.usgs.gov/SMIG/features_0902/clearcut.html . |
| 10 11 | Baskin, Y. 1998. As whitebark pines succumb to a foreign fungus, the birds and the bears may suffer too. Natural History, November 1998: 50-55. |
| 12 13 14 15 | Bauer, H.H. and M.C. Mastin. 1997. Recharge from precipitation in three small glacial-till-mantled catchments in the Puget Sound lowland, Washington. USGS Water-Resources Investigations Report 96-4106. U.S. Geological Survey, Reston, Virginia. |
| 16 17 18 19 | Baxter, C.V., C.A. Frissell, and F.R. Hauer. 1999. Geomorphology, Logging Roads, and the Distribution of Bull Trout Spawning in a Forested River Basin: Implications for Management and Conservation. Transactions of the American Fisheries Society. 128:854-867. |
| 20 21 22 23 | Beechie, T.J. 1998. Rates and pathways of recovery for sediment supply and woody debris recruitment in northwestern Washington streams and implications for salmonid habitat restoration. Dissertation, University of Washington, Seattle, Washington. |
| 24 25 26 | Beechie, T.J. and T.H. Sibley. 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams. Transactions of the American Fisheries Society 126:217-229. |
| 27 28 29 30 | Beechie, T., E. Beamer, and L. Waserman. 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. North American Journal of Fisheries Management 14:797-811. |
| 31 32 33 | Beechie, T.J., G. Press, P. Kennard, R.E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in northwestern Washington streams. North American Journal of Fisheries Management 20:436-452. |
| 34 35 | Beier, P. 1993. Determining minimum habitat areas and habitat corridors for cougars. Conservation Biology 7(1):94-108. |
| 36 37 38 | Bell, M.C. 1991. Fisheries handbook of engineering requirements and biological criteria. U.S. Army Corps of Engineers, Office of the Chief of Engineers, Fish Passage Development and Evaluation Program, North Pacific Division, Portland, Oregon. |



| 2 3 4 | the protection of water quality: analysis of scientific literature. Idaho Forest, Wildlife, and Range Policy Analysis Group Report Number 8. College of Natural Resources, University of Idaho. |
|----------------------------|--|
| 5 6 7 8 | Benda, L.E., D.J. Miller, T. Dunne, G.H. Reeves, and J.K. Agee. 1998. Dynamic landscape systems. Pages 261-288 <i>in</i> R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal region ecoregion. Springer-Verlag, New York, New York. |
| 9 10 11 | Benda, L., D. Miller, J. Sias, D. Martin, R. Bilby, C. Veldhuisen, and T. Dunne. 2003. Wood recruitment processes and wood budgeting. American Fisheries Society Symposium 37:49-73. |
| 12 13 | Bergen, S., Fridley, L., Ganter, M., and P. Schiess. 1995. Predicting the visual effect of forest operations. Journal of Forestry 93:33-37. |
| 14 15 16 | Beschta, R.L. 1991. Stream habitat management for fish in northwestern United States: the role of riparian vegetation. American Fisheries Society Symposium 10:53-58. |
| 17 18 19 | Beschta, R.L. 1997. Stream habitat improvement for salmon: the rest of the story. Coastal Oregon Productivity Enhancement Program (COPE) Report. USGS Forest and Rangeland Ecosystem Science Center, Corvallis, Oregon. |
| 20 21 | Beschta, R.L. 1997a. Riparian shade and stream temperature: An alternative perspective. Rangelands 19(2):25-28. |
| 22 23 24 | Beschta, R.L. and E.G. Robison. 1990. Characteristics of coarse wood debris for several coastal streams of southeast Alaska, USA. Canadian Journal of Fisheries and Aquatic Sciences 47:1684-1693. |
| 25 26 | Beschta, R.L. and J.R. Boyle. 1995. Cumulative Effects of Forest Practices in Oregon: Literature and Synthesis. Oregon State University, Corvallis, Oregon. |
| 27 28 29 30 31 | Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pages 191-232 <i>in</i> E.O. Salo and T.W. Cundy, editors. Streamside management: forestry and fishery interactions. College of Forest Resources, University of Washington, Contribution No. 57. Seattle, Washington. |
| 32 33 34 | Beschta, R.L., M.R. Pyles, A.E. Skaugset, and C.G. Surfleet. 2000. Peak flow responses to forest practices in the western Cascades of Oregon, USA. Journal of Hydrology 223:102-120. |



| 1 2 3 4 5 6 7 | Beschta, R.L., J.R. Boyle, C.C. Chambers, W.P. Gibson, S.V. Gregory, J. Grizzel, J.C. Hagar, J.L. Li, W.C. McComb, T.W. Parzybok, M.L. Reiter, G.H. Taylor, and J.E. Warila. 1995. Chapter 7, Effects of Forest Practices on Water. <i>In</i> Cumulative Effects of Forest Practices in Oregon: Literature and Synthesis. March, 1995. Bilby, R.E. 1979. The function and distribution of organic debris dams in forest stream ecosystems. Doctoral Dissertation. Cornell University, Ithaca, New York. |
|---------------------------------|--|
| 8 9 10 11 | Bilby, R.E. 1988. Interactions between aquatic and terrestrial systems. Pages 13-29 <i>in</i> K.J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. College of Forest Resources, Institute of Forest Resources, University of Washington, Seattle, Washington. |
| 12 13 14 | Bilby, R.E. and J.W. Ward. 1989. Changes in characteristics and function of wood debris with increasing size of streams in western Washington. Transactions of the American Fisheries Society 118:368-387. |
| 15 16 17 18 19 | Bilby, R.E., and L.J. Wasserman. 1989. Forest practices and riparian management in Washington State: data based regulation development. Pages 87-94 <i>in</i> R.E. Gresswell, B.A. Barton, and J.L. Kershner, editors. Practical approaches to riparian resource management: an educational workshop May 8-11, 1989, Billings, Montana. U.S. Bureau of Land Management, Billings, Montana. |
| 20 21 22 23 | Bilby, R.E. and P.A. Bisson. 1992. Allochthonous versus autochthonous organic matter contributions to the trophic support of fish populations in clear-cut and old-growth forested streams. Canadian Journal of Fisheries and Aquatic Sciences 49: 540-551. |
| 24 25 26 27 | Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. Pages 324-346 <i>in</i> R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York, New York. |
| 28 29 30 31 | Bilby, R.E., B.R. Fransen, and P.A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: evidence from stable isotopes. Canadian Journal of Fisheries and Aquatic Science 53: 164-173. |
| 32 33 34 | Binkley, D., H. Burnham, and H.L. Allen. 1999. Water quality impacts of forest fertilization with nitrogen and phosphorus. Forest Ecology and Management 121:191-213. |
| 35 36 37 | BioAnalysts, Inc. 2000. The role of large woody debris in rocky reach reservoir. Rocky Reach Hydroelectric Project, FERC Project Number 2145. Prepared for Public Utility District Number 1 of Chelan County, Wenatchee, Washington. |



| 1 2 3 4 | Bisbal, | G.A. and W.E. McConnaha. 1999. Consideration of ocean conditions in the management of salmon. Pages 7-30 <i>in</i> G.A. Bisbal, editor. Ocean conditions and the management of Columbia river salmon. Proceedings of a symposium, July 1, 1999. Northwest Power Planning Council, Portland, Oregon. |
|----------------------------------|---------|---|
| 5 6 7 8 | Bisson, | P.A. and R.E. Bilby. 1998. Organic Matter and Trophic Dynamics. Pages 373-398 <i>in</i> R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York, New York. |
| 9 10 11 12 | Bisson, | P.A. and R.E. Bilby. 2001. Organic matter and trophic dynamics. Pages 373-398 in R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York, New York. |
| 13 14 15 16 17 18 | Bisson, | P.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski, and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143-190 <i>in</i> E.O. Salo and T.W. Cundy, editors. Streamside management: forestry and fishery interactions. College of Forest Resources, University of Washington, Seattle, Washington. Contribution No. 57. |
| 19 20 21 | Bjornn, | T.C. and D.W. Reiser. 1979. Habitat requirements of anadromous salmonids. USDA Forest Service General Technical Report PNW-96. USDA Forest Service Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 22 23 24 25 | Bjornn, | T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-128 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 26 27 28 29 | Bjornn, | T.C., M.A. Brusven, M. Molnau, F.J. Watts, R.L. Wallace, D.R. Neilson, M.F. Sandine, and L.C. Stuehrenberg. 1974. Sediment in streams and its effects on aquatic life. Technical Completion Report, Project B-025-IDA. Water Research Institute, University of Idaho, Moscow, Idaho. |
| 30 31 32 33 34 | Blatner | , K.A., C.E. Keegan III, S.R. Shook, and F.G. Wagner. 2003. Washington's forest products industry: current conditions and forecast 2003. Department of Natural Resource Sciences Cooperative Extension, Washington State University, Pullman, Washington. Available at http://cru.cahe.wsu.edu/CEPublications/misc0511/misc0511.pdf . |
| 35 36 37 38 | Blauste | in, A.R., J.J. Beatty, D.H. Olson, and R.M. Storm. 1995. The biology of amphibians and reptiles in old-growth forests in the Pacific Northwest. General Technical Report, PNW-GTR-337. USDA Forest Service Pacific Northwest Research Station, Portland, Oregon. |



| 2 3 | Blessing, B.J., E.P. Phenix, L.L.C. Jones, and M.G. Raphael. 1999. Nests of Van Dyke's salamander (<i>Plethodon vandykei</i>) from the Olympic peninsula, Washington. Northwestern Naturalist 80:77-81. |
|--------------------------|--|
| 4 5 6 7 | Blukis Onat, A.R. and J.L. Hollenbeck. 1981. Inventory of Native American religious use, practices, localities, and resources, study area on the Mt. Baker-Snoqualmie National Forest, Washington State. Report prepared for the U.S. Forest Service, Mt. Baker-Snoqualmie National Forest, Seattle, Washington. |
| 8 9 10 11 12 | Blum, J.P. 1984. Management strategies for restoration and rehabilitation of sockeye salmon (<i>oncorhynchus nerka</i>) in Lake Ozette, Washington. Pages 55-62 in J.M. Walton and D.B. Houston, editors. Proceedings of the Olympic Wild Fish Conference, 23-25 March, 1983. Fisheries Technology Program, Peninsula College, Port Angeles, Washington. |
| 13 14 | Boelter, D.H. and G.E. Close. 1974. Pipelines in forested wetlands. Journal of Forestry 72:561. |
| 15 16 17 | Boise-Cascade Corporation. 1996. North Fork Teanaway watershed analysis. Washington Department of Natural Resources, Forest Practices Division. Olympia, Washington. |
| 18 19 20 | Bolsinger, C.L. 1973. Changes in commercial forest area in Oregon and Washington, 1945-1970. USDA Forest Service Resources Bulletin PNW-RB -46. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 21 22 23 | Bolsinger, C.L., N. McKay, D.R. Gedney, and C. Alerich. 1997. Washington's public and private forests. USDA Forest Service Resources Bulletin PNW-RB-218. USDA Forest Service Pacific Northwest Research Station, Portland, Oregon. |
| 24 25 26 27 | Booth, D.B., D. Hartley, and R. Jackson. 2002. Forest Cover, Impervious Surface Area, and The Mitigation of Stormwater Impacts. Journal of the American Water Resources Association Vol. 38, No. 3 American Water Resources Association, June 2002. |
| 28 29 30 | Booth, D.B. and C.J. Jackson. 1997. Urbanization, of Aquatic Systems – Degradation Thresholds, Stormwater Detention, and the Limits of Mitigation. Water Resources Bulletin 33:1077-1090. |
| 31 32 33 34 | Bortleson, G.C. and J.C. Ebbert. 2000. Occurrence of pesticides in streams and ground water in the Puget Sound Basin, Washington and British Columbia, 1996-1998. USGS Water-Resources Investigations Report 00-4118. U.S. Geological Survey, Reston, Virginia. |
| 35 36 37 | Bosch, J.M. and J.D. Hewlett. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. Journal of Hydrology 55:3-23. |



| 1 2 3 | Bottom, D.L., P.J. Howell, and J.D. Rodgers. 1983. Final report: fish research project Oregon salmonid habitat restoration. Oregon Department of Fish and Wildlife, Portland, Oregon. |
|----------------------------------|---|
| 4 5 6 | Boulton, A.J., S. Findlay, P. Marmonier, E.H. Stanley, and H.M. Valett. 1998. The functional significance of the hyporheic zone in streams and rivers. Annual Review of Ecology and Systematics 29:59-81. |
| 7 8 9 10 | Bountry, J.A., T.J. Randle, L.A. Piety, and R.A. Link. 2002. Physical processes, human impacts and restoration issues of the lower Dungeness River, Clallam County, Washington. US Bureau of Reclamation Technical Services Center, Boulder, Colorado. |
| 11 12 13 14 15 16 | Bowling, L.C. and D.P. Lettenmaier. 2001. The effects of forest roads and harvest on catchment hydrology in a mountainous maritime environment. Pages 145-164 <i>in</i> M.S. Wigmosta and S.J. Burges, editors. Land use and watersheds: human influence on hydrology and geomorphology in urban and forest areas. AGU Water Science and Application Volume 2. American Geophysical Union, Washington, D.C. |
| 17 18 | Bowling, L.C., P. Storck, and D.P. Lettenmaier. 2000. Hydrologic effects of logging in western Washington, United States. Wat. Resour. Res. 36(11):3223-3240. |
| 19 20 21 | Bradley, G. 1996. Forest aesthetics: harvest practices in visually sensitive areas - guidelines for the design of harvest practices in visually sensitive areas. Washington Forest Protection Association, Olympia, Washington. |
| 22 23 | Brattstrom, B.H. 1963. A preliminary review of the thermal requirements of amphibians. Ecology 44:238-255. |
| 24 25 26 | Brazier, J.R. and G.W. Brown. 1973. Buffer strips for stream temperature control. Research Paper 15. Forest Research Laboratory, School of Forestry, Oregon State University, Corvallis, Oregon. |
| 27 28 29 | Brinson, M.M., B.L. Swift, R.C. Plantico, and J.S. Barclay. 1981. Riparian ecosystems: their ecology and status. FWS/OBS-18/17. U.S. Fish and Wildlife Service, Washington D.C. |
| 30 31 32 | British Columbia Ministry of Environment, Lands, and Parks. 1993. Wildlife at risk in British Columbia: Salish sucker. BC Environment, Fisheries Branch, Victoria, British Columbia, Canada. |
| 33 34 | Brittell, J.D., R.J. Poelker, W. J. Sweeney, and G.M. Koehler. 1989. Native cats of Washington. Washington Department of Wildlife, Olympia, Washington. |
| 35 36 | Broderson. J.M. 1973. Sizing buffer strips to maintain water quality. Thesis, University of Washington, Seattle, Washington. |
| 37 38 | Brooks, K.N., P.F. Ffolliot, H.M. Gregerson, and J.L. Thames. 1991. Hydrology and the management of watersheds. Iowa State University Press, Ames, Iowa. |

Final EIS 6-9 References



| 1 2 3 | Brosofske, K., J. Chen, R.J. Naiman, and J.F. Franklin. 1997. Harvesting effects on microclimatic gradients from small streams to uplands in western Washington. Ecological Applications 7(4):33-451188-1200. |
|----------------------------|--|
| 4 5 6 7 | Brown, E.R., editor. 1985. Management of wildlife and fish habitats in forests of Western Oregon and Washington, Part 2 - Appendices. Publication No. R6-F&WL-192-1985. USDA Forest Service, Pacific Northwest Region, and USDI Bureau of Land Management, Portland, Oregon. |
| 8 9 | Brown, E.R. and J.T. Krygier. 1970. Effects of clear-cutting on stream temperature. Water Resources Research 6:1133-1139. |
| 10 11 | Brown, G.W. 1980. Forestry and water quality. Second Edition. Oregon State University, Corvallis, Oregon. |
| 12 13 | Brown, H.A. 1975. Temperature and development of the tailed frog, <i>Ascaphus truei</i> . Comparative Biochemistry and Physiology 50(A):397-405. |
| 14 15 16 | Brown, T.G. and G.F. Hartman. 1988. Contribution of seasonally flooded lands and minor tributaries to the production of coho salmon in Carnation Creek, British Columbia. Transactions of the American Fisheries Society 117:546-551. |
| 17 18 | Bryant, M.D. 1983. The role and management of woody debris in west coast salmonid nursery streams. North American Journal of Fisheries Management 3:322-330. |
| 19 20 21 22 23 | Buchanan, D.V. and S.V. Gregory. 1997. Development of water temperature standards to protect and restore habitat for bull trout and other cold water species in Oregon. Pages 119-126 <i>in</i> W.C. Mackay, M.K. Brewin, and M. Monita, editors. Proceedings of the friends of the bull trout conference. Bull Trout Task Force, Trout Unlimited, Calgary, Alberta, Canada. |
| 24 25 26 27 | Buchanan, J.B. and P. Swedeen. 2005. Final Briefing Report to the Washington State Forest Practices Board Regarding Spotted Owl Status and Forest Practices Rules. Washington Department of Fish and Wildlife, Olympia, WA. August 2005. 85 p. |
| 28 29 30 | Bull, E.L., R.S. Holthausen, and M.G. Henjum. 1992. Roost trees used by pileated woodpeckers in northeastern Oregon. Journal of Wildlife Management 56(4):786-793. |
| 31 32 33 | Bull, E.L. and B.E. Carter. 1996. Tailed frogs: distribution, ecology, and association with timber harvest in northeastern Oregon. Research Paper PNW-RP-497.USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 34 35 36 | Bull, E., K. Parks, and T. Torgersen. 1997. Trees and logs important to wildlife in the interior Columbia River Basin. General Technical Report PNW-GTR-391.USDA Forest Service, Portland, Oregon. |



| 1 2 3 | Bull, E.L., Torgersen, T.R. Wertz, T.L. 2001. The importance of vegetation, insects, and neonate ungulates in black bear diet in Northeastern Oregon. Northwest Science 75(3):244-253. |
|----------------------------------|--|
| 4 5 6 | Burgner, R.L., editor. 1968. Further studies of Alaska sockeye salmon. University of Washington Publications in Fisheries, New Series, Vol. 3. University of Washington, Seattle, Washington. |
| 7 8 9 | Burroughs, E.R. and B.R. Thomas. 1977. Declining root strength in Douglas fir after falling as a factor in slope stability. Research Paper INT-190. USDA Forest Service, Ogden, Utah. |
| 10 11 | Burroughs, E.R. Jr. and J.G. King. 1989. Reduction of soil erosion of forest roads. USDA Forest Service, Intermountain Research Station, Ogden, Utah. |
| 12 13 14 15 16 | Bury, B.R. and P.S. Corn. 1988. Responses of aquatic streamside amphibians to timber harvest: a review. Pages 165-181 <i>in</i> K. J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. Institute of Forest Resources Contribution Number 59. College of Forest Resources, University of Washington, Seattle, Washington. |
| 17 18 19 20 21 22 | Bury, R.B., P.S. Corn, K.B. Aubry, F.F. Gilbert, and L.L.C. Jones. 1991. Aquatic amphibian communities in Oregon and Washington. Pages 353-362 <i>in</i> L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, technical editors. Wildlife and vegetation of unmanaged douglas-fir forests. General Technical Report PNW-285. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 23 24 25 26 27 28 | Buskirk, S.W. and L.F. Ruggiero. 1994. American marten. Pages 7-37 in L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon, and W.J. Zielinski, editors. American marten, fisher, lynx, and wolverine: the scientific basis for conserving forest carnivores in the western united states. General Technical Report RM-254. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |
| 29 30 31 | Butts, S.R. and W.C. McComb. 2000. Associations of forest-floor vertebrates with coarse woody debris in managed forests of western Oregon. Journal of Wildlife Management 64(1):95-104. |
| 32 33 34 | Cadenasso, M.L., M.M. Traynor, and S.T.A. Pickett. 1997. Functional location of forest edges: gradients of multiple physical factors. Canadian Journal of Forest Research 27:774-782. |
| 35 36 37 38 | Caldwell, J., E.K. Doughty, and K. Sullivan. 1991. Evaluation of downstream temperature effects on Type 4/5 waters. TFW-WQ5-91-004. Prepared for TFW CMER Water Quality Steering Committee and Washington Department of Natural Resources, Olympia, Washington. 71 p. |



| 2 | managed forests of the Pacific Northwest. Northwest Science 72(2): 127-133. |
|----------------------------|--|
| 3 4 | Carey, A.B. and R.O. Curtis. 1996. Conservation of biodiversity: a useful paradigm for forest ecosystem management. Wildlife Society Bulletin 24(4):610-620. |
| 5 6 7 8 9 | Carey, A.B., C.E. Elliott, B.R. Lippke, J. Sessions, C.J. Chambers, C.D. Oliver, J.F. Franklin, and M.G. Raphael. 1996. Washington forest landscape management project – a pragmatic, ecological approach to small landscape management. Report Number 2. USDA Forest Service, Washington State Department of Fish and Wildlife and Washington State Department of Natural Resources, Olympia, Washington. |
| 11 12 13 14 | Carlson, J.Y., C.W. Andrus, and H.A. Froehlich. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in northeastern Oregon, U.S.A. Canadian Journal of Aquatic Sciences 47:1103-1111. |
| 15 16 | Cassirer, E.F. and C.R. Groves. 1990. Distribution, habitat use, and status of harlequin ducks in northern Idaho. Idaho Fish and Game, Boise, Idaho. |
| 17 18 19 | Cassirer, E.F., G. Schirato, F. Sharp, C.R. Groves, and R.N. Anderson. 1993. Cavity nesting by harlequin ducks in the Pacific Northwest. Wilson Bulletin 105:691-694. |
| 20 21 22 23 | Castelle, A.J., C. Conolly, M. Emers, E.D. Metz, S. Meyer, M. Witter, S. Mauermann, T. Erickson, and S. S. Cooke. 1992. Wetland buffers: use and effectiveness. Publication Number 92-10. Shorelands and Coastal Zone Management Program, Washington State Department of Ecology, Olympia, Washington. |
| 24 25 26 27 | Cederholm, C.J. 1994. A suggested landscape approach for salmon and wildlife habitat protection in western Washington riparian ecosystems. Washington Forest Landscape Management Project-Progress Report Number 1:78-90. Washington State Department of Natural Resources, Olympia, Washington. |
| 28 29 30 31 32 | Cederholm, C.J. and L.M. Reid. 1987. Impacts of forest management on coho salmon (<i>Oncorhynchus kisutch</i>). Pages 373-398 in E.O. Salo and T.W. Cundy, editors. Streamside management: forestry and fishery interactions. Institute of Forest Resources Contribution Number 57. University of Washington, College of Forest Resources, Seattle, Washington. |
| 33 34 35 36 37 | Cederholm, C.J. and W. Scarlett. 1981. Seasonal immigrations of juvenile salmonids into four small tributaries of the Clearwater River, Washington, 1977-1981. Pages 89-110 in E.L. Brannon and E.O. Salo, editors. Proceedings of the salmon and trout migratory behavior symposium. School of Fisheries, University of Washington, Seattle, Washington. |



| 1 2 3 4 5 | Cederholm, C.J., L.C. Lestelle, B.G. Edie, D.J. Martin, J.V. Tagart, and E. O. Salo. 1978. The effects of landslide siltation on the salmon and trout resources of Stequaleho Creek and the Main Clearwater River, Jefferson County, Washington, 1972–1975. Final Report: Part 2. FRI-UW-7804. Fisheries Research Institute, University of Washington, Seattle, Washington. |
|------------------------------|---|
| 6 7 8 9 10 11 | Cederholm, C.J., D.H. Johnson, R.E. Bilby, L.G. Dominguez, A.M. Garrett, W.H. Greber, E.I. Greda, M.D. Kunze, B.G. Marcot, J.F. Palmisano, R.W. Plotnikoff, W.G. Pearcy, C.A.Simenstad, and P.C. Trotter. 2001. Pacific salmon and wildlife: ecological contexts, relationships, and implications for management. Chapter 26 <i>in</i> D.H. Johnson and T.H. O'Neil, managing directors. Wildlife-Haibtat Relationships in Oregon and Washington. Oregon State University Press, Corvallis, Oregon. |
| 13 14 15 16 | Center for International Trade in Forest Products (CINTRAFOR). 1999. Cost and compromise: determining the public's willingness to pay for values received from forests. CINTRAFOR Fact Sheet Number 35. College of Forest Resources, University of Washington, Seattle, Washington. |
| 17 18 19 | Centers for Water and Wildland Resources (CWWR). 1996. Status of the Sierra Nevada. Wildland Resources Center Report No. 39. June 1996. University of California, Davis. |
| 20 21 | CH2MHILLCH2MHill. 2000. Review of the scientific foundations of the Forest and Fish Plan. Washington Forest Protection Association, Olympia, Washington. |
| 22 23 24 25 | Chamberlin, T.W., R.D. Harr, and F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. Pages 181-205 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 26 27 28 | Champion Pacific Timberlands, Inc. January 2000. Report on visual and recreation management practices of Champion Pacific Timberlands, Inc. Champion Pacific Rainier District, Orting Washington. |
| 29 30 | Chaney, E., E. Elmore, and W.S. Platts. 1993. Livestock grazing on western riparian areas. Fourth Edition. U.S. Environmental Protection Agency, Washington, D.C. |
| 31 32 | Chapman, D.W. 1965. Net production of juvenile coho salmon in three Oregon streams. Transactions of the American Fisheries Society 94:40-52. |
| 33 34 35 | Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Transactions of the American Fisheries Society 117:1-21. |
| 36 37 38 | Chapman, D.W. and K.P. McLeod. 1987. Development of criteria for fine sediment in the Northern Rockies ecoregion. EPA 910/9-87-162. U.S. Environmental Protection Agency, Seattle, Washington. |



| 2 3 | Chatters, J.C. and D. L. Pokotylo. 1998. Prehistory: Introduction. Pages 73-76 in D. E. Walker, editor. Handbook of North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington, D.C. |
|----------------------------|--|
| 4 5 6 7 | Chatwin, S.C., D.E. Howes, J.W. Schwab, and D.N. Swanston. 1991. A guide for management of landslide-prone terrain in the Pacific Northwest. Land Management Handbook ISSN 0229-1622, Number 18. British Columbia Ministry of Forests, Victoria, British Columbia, Canada. |
| 8 9 10 | Chen, J. 1991. Edge effects: microclimatic pattern and biological responses in old-growth douglas-fir forests. College of Forest Resources, University of Washington, Seattle, Washington. |
| 11 12 13 | Chen, J., J.F. Franklin, and T.A. Spies. 1990. Microclimatic pattern and basic biological responses at the clearcut edges of old growth Douglas fir stands. Northwest Environmental Journal 6:424-425. |
| 14 15 | Chen J., J.F. Franklin, and T.A. Spies. 1992. Vegetation response to edge environments in old-growth douglas-fir forests. Ecological Applications 2:387–396. |
| 16 17 18 | Chen, J., J.F. Franklin, and T.A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-Growth douglas-fir forest. Agricultural and Forest Meteorology 63:219-237. |
| 19 20 21 | Chen, J., J.F. Franklin, and T.A. Spies. 1995. Growing-season microclimatic gradients from clear-cut edges into old-growth douglas-fir forests. Ecological Applications 5:74-86. |
| 22 23 24 | Chen, J., S.C. Saunders, T.R. Crow, R.J. Naiman, K.D. Brosofske, G.D. Mroz, B.L. Brookshire, and J.F. Franklin. 1999. Microclimate in forest ecosystem and landscape ecology. BioScience 49(4):288-297. |
| 25 26 27 | Cheng, J.D. 1989. Streamflow changes after clear-cut logging of a pine beetle-infested watershed in southern British Columbia, Canada. Water Resources Research 25:449-456. |
| 28 29 30 | Christensen, D.L., B.J. Herwig, D.E. Schindler, and S.R. Carpenter. 1996. Impacts of lakeshore residential development on coarse woody debris in north temperate lakes. Ecological Applications 6(4):1143-1149. |
| 31 32 | City of Seattle. 1998. Draft Cedar River watershed habitat conservation plan and EA/EIS summary. City of Seattle, Seattle, Washington. |
| 33 34 35 36 37 | Close, D.A., M. Fitzpatrick, H. Li, B. Parker, D. Hatch, and G. James. 1995. Status report of the Pacific lamprey (<i>Lampetra tridentata</i>) in the Columbia River basin. Project Number 94-026. Prepared for the U.S. Department of Energy, Bonneville Power Administration Environment, Fish and Wildlife Project, Portland, Oregon. |

References 6-14 Final EIS



| 1 2 3 | Coates, D.R. and C.G. Higgins, editors. 1990. Groundwater geomorphology: the role of subsurface water in earth-surface processes and landforms. Geological Society of America, Boulder, Colorado. |
|----------------------------------|--|
| 4 5 6 7 | Coffin, B.A., and R.D. Harr. 1992. Effects of forest cover on volume of water delivery to soils during rain on snow. Final Report TFW-SH1-92-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 8 9 10 11 | Coho, C. and S.J. Burges. 1991. Analysis of initiation mechanisms of dam-break floods in managed forests. Report Number TFW-SH9-91-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. 23pp. |
| 12 13 14 | Collins, B.D. and D.R. Montgomery. 2002. Forest development, wood jams, and restoration of floodplain rivers in the Puget lowland, Washington. Society for Ecological Restoration 10:237-247. |
| 15 16 17 | Collins, B.D., D.R. Montgomery, and A.D. Haas. 2002. Historical changes in the distribution and functions of large wood in Puget lowland rivers. Canadian Journal of Fisheries and Aquatic Sciences 59:66-76. |
| 18 19 20 | Conners, M.E. and R.J. Naiman. 1984. Particulate allochthonous inputs: relationship with stream size in an undisturbed watershed. Canadian Journal of Fisheries and Aquatic Sciences 41:1473-1484. |
| 21 22 | Conservation Foundation. 1988. Protecting America's wetlands: action agenda. The Conservation Foundation, Washington, D.C. |
| 23 24 25 26 27 | Cooperative Monitoring, Evaluation, and Research Committee (CMER). 2004a. The hydrologic impacts of roads at varying spatial and temporal scales: a review of published literature as of 04-09-04. Prepared for the Upland Processes Science Advisory Group of the Committee for CMER, Washington Department of Natural Resources, Olympia, Washington. |
| 28 29 30 31 32 | Cooperative Monitoring, Evaluation, and Research Committee (CMER). 2004b. CMER Work Plan. Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/forestpractices/adaptivemanagement/cmer/cmerworkplan2-11-04.pdf . |
| 33 34 35 36 37 38 | Corbett, E.S. and Lynch. 1985. Management of streamside zones on municipal watersheds. Pages 187-190 <i>in</i> R.R. Johnson, C.D. Ziebell, D.R. Patton, P.F. Folliott, and R.H. Hamre, editors. Riparian ecosystems and their management: reconciling conflicting uses. First North American Riparian Conference, April 16-18, 1985, Tucson, Arizona. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |



| 1 2 | Corkran, C.C. and C. Thoms. 1996. Amphibians of Oregon, Washington, and British Columbia. Lone Pine, Edmonton, Alberta, Canada. |
|----------------------------|---|
| 3 4 | Corn, P.S. and R.B. Bury. 1989. Logging in western Oregon: responses of headwater habitats and stream amphibians. Forest Ecology and Management 29:39-57. |
| 5 6 7 8 9 | Corn, P.S. and R.B. Bury. 1991. Terrestrial amphibian communities in the Oregon Coast Range. Pages 305-318 <i>in</i> L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, technical. coordinators. Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-GTR-285. USDA Forest Service Pacific Northwest Research Station, Portland, Oregon. |
| 10 11 12 | Correa, G. 2002. Salmon and steelhead habitat limiting factors – water resource inventory area 17 Quilcene-snow basin. Washington State Conservation Commission, Lacey, Washington. |
| 13 14 15 16 | Costanza, R., R. d'Arge, R. de Groot, S. Farber, M. Grasso, B. Hannon, K.Limburg, S. Naeem, R. O'Neill, J. Paruelo, R. Raskin, P. Sutton, P., and M. van den Belt. 1997. The value of the world's ecosystem services and natural capital. Nature 387:253-260. |
| 17 18 19 20 | Courtney, S.P., J.A. Blakesley, R.E. Bigley, M.L. Cody, J.P. Dumbacher, R.C. Fleischer, A.B. Franklin, J.F. Franklin, R.J. Gutierrez, J.M. Marzluff, and L. Sztukowski. 2004. Scientific Evaluation of the Status of the Northern Spotted Owl. Sustainable Ecosystem Institute (SEI), Portland, Oregon. September 2004. |
| 21 22 23 | Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. Publication FWS/OBS-79/31. U.S. Fish and Wildlife Service, Washington, D.C. |
| 24 25 26 27 28 | Cromack, K.J., F.J. Swanson, and C.C. Grier. 1978. A Comparison of harvesting methods and their impact on soils and environment in the Pacific Northwest. Pages 449-476 <i>in</i> C.T. Youngberg. Forest soils and land use: proceedings of the fifth North American forest soils conference. Department of Forest and Wood Sciences, Colorado State University, Fort Collins, Colorado. |
| 29 30 31 32 33 | Culp, J.M. and R.W. Davies. 1983. An assessment of the effects of streambank clear-cutting on macroinvertebrate communities in a managed watershed. Canadian Technical Report of Fisheries and Aquatic Sciences, Number 1208. Department of Fisheries and Oceans, Fisheries Resources Branch, Pacific Biological Station, Nanaimo, British Columbia, Canada. |
| 34 35 | Cummins, K.W. 1974. Structure and function of stream ecosystems. BioScience 24:631-641. |
| 36 37 38 39 | Cummins, K., D. Botkin, H. Regier, M. Sobel, and L. Talbot. 1994. Status and future of salmon of western Oregon and northern California: management of the riparian zone for the conservation and production of salmon. Draft Research Report. The Center for the Study of the Environment. Santa Barbara. California. |

References 6-16 Final EIS



| 1 2 3 | Curry, R.A., D.A. Scruton, and K.D. Clarke. 2002. The thermal regimes of brook trout incubation habitats and evidence of changes during forestry operations. Canadian J. Forest Res. 32(7):1200-1207. |
|----------------------------------|---|
| 4 5 | Cyr, H. and J.A. Downing. 1988. The abundance of Phytophilouls invertebrates on different species of submerged macrophytes. Freshwater Biology 20:365-374. |
| 6 7 8 | Dakin, S. 2003. There's more to landscape than meets the eye: towards inclusive landscape assessment in resource and environmental management. Canadian Geographer 47:185-200. |
| 9 10 11 12 | Dane, B.G. 1978. A review and resolution of fish passage problems at culvert sites in British Columbia. Fisheries and Marine Service Technical Report Number 810. Department of Fisheries and Environment Pacific Region, Fisheries and Marine Service, Vancouver, British Columbia, Canada. |
| 13 14 15 16 | Daniels, J.M. 2003. Assessing socioeconomic resiliency in Washington counties. Report prepared for the Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/htdocs/fr/sales/sustainharvest/socioeconpaper.pdf . |
| 17 18 19 20 | Darnell, R.M., W.E. Pequenhnat, B.M. Jones, F.J. Benson, and R. E. Debenbaush. 1976. Impacts of construction activities in wetlands of the United States. EPA Publication Number 600/3-76-045. U.S. Environmental Protection Agency, Corvallis, Oregon. |
| 21 22 23 | Daugherty, C.H., and A.L. Sheldon. 1982. Age determination, growth and life history of a Montana population of the tailed frog (<i>Ascaphus truei</i>). Herpetologica 38(4):461-468. |
| 24 25 26 27 28 29 | Dawley, E.M., R.D. Legerwood, T.H. Blahm, C.W. Sims, J.T. Durkin, R.A. Kirn, A.E. Rankis, G.E. Monan, and F.J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report to Bonneville Power Administration, Northwest and Alaska Fisheries Center, National Marine Fisheries Service, Seattle, Washington. |
| 30 31 32 33 | Dean Runyan Associates. 2002. Washington state county travel impact 1991 to 2001. Prepared for Washington State Office of Trade and Economic Development and Washington State Tourism, Olympia, Washington. Available at: http://www.deanrunyan.com/impactsWA.html . |
| 34 35 36 37 38 39 | Deas, M.L. and G.T. Orlob. 1999. Klamath river modeling project #96-HP-01: assessment of alternatives for flow and water quality control in the Klamath river below Iron Gate dam. Report Number 99-04. University of California Davis Center for Environmental and Water Resources Engineering, Water Resources Modeling Group, University of California, Davis, California. Available at: http://www.krisweb.com/stream/do.htm . |



| 1 2 3 4 | Dent, L., and J.B.S. Walsh. 1997. Effectiveness of riparian management areas and hardwood conversions in maintaining stream temperature. Forest Practices Technical Report No. 3, Oregon Department of Forestry, Forest Practices Monitoring Program, Salem, OR. 58 p. |
|------------------|--|
| 5 6 | de Vlaming, V.L. and R.B. Bury. 1970. Thermal selection in tadpoles of the tailed frog <i>Ascaphus truei</i> . Journal of Herpetololgy 4:179-189. |
| 7 8 9 | Dhakal, A.S. and R.C. Sidle. 2003. Long-term modeling of landslides for different forest management practices. Earth Surface Processes and Landforms 28(8):853 868. |
| 10 11 | Dickson, J.G., R.N. Conner, and J.H. Williamson. 1983. Snag retention increases bird use of a clearcut. Journal of Wildlife Management 47:799-804. |
| 12 13 14 | Diller, L.V. and R.L. Wallace. 1996. Distribution and habitat of <i>Rhyacotriton Variegatus</i> in managed, young growth forests in North Coastal California. Journal of Herpetology 30(2):184-191. |
| 15 16 17 | Dinicola, R.S. 1990. Characterization and simulation of rainfall-runoff relationships for headwater basins in western King and Snohomish counties, Washington. U.S. Geological Survey Water-Resources Investigations Report 89-4952. |
| 18 19 | Dodd, C. K., Jr. 1978. Terrestrial critical habitat and marine turtles. Bulletin of the Maryland Herpetological Society 14:233-240. |
| 20 21 22 | Dodd, C.K., Jr. and B.A. Cade. 1998. Movement patterns and the conservation of amphibians breeding in small, temporary wetlands. Conservation Biology 12(2):331-339. |
| 23 24 25 | Dodge, S.R., editor. 2001. Food for fish, food for thought: managing the invisible components of streams. Pacific Northwest Research Station Science Findings 32:1-5. |
| 26 27 | Dolloff, C.A. and M.L. Warren Jr. 2003. Fish relationships with large wood in small streams. American Fisheries Society Symposium 37:179-193. |
| 28 29 30 | Dong, J., J. Chen, K.D. Brosofske, and R.J. Naiman. 1998. Modeling air temperature gradients across managed small streams in western Washington. Journal of Environmental Management 53:309-321. |
| 31 32 | Doyle, A.T. 1990. Use of riparian and upland habitats by small mammals. Journal of Mammalogy 71:14-23. |
| 33 34 35 | Dragovich, J.D., M.J. Brunengo, and W.J. Gerstel. 1993a. Landslide inventory and analysis of the Tilton creek-Mineral river area, Lewis county. Part one: terrain and geologic factors. Washington Geology 21:9-18. |



| 1 2 3 | Dragovich, J.D., M.J. Brunengo, and W.J. Gerstel. 1993b. Landslide inventory and analysis of the Tilton creek-Mineral river area, Lewis county. Part two: soils, harvest age, and conclusions. Washington Geology 21:18-30. |
|--|--|
| 4 | Dumas, P.C. 1955. Eggs of the salamander <i>Plethdodon dunni</i> in nature. Copeia, p. 65. |
| 5 6 7 | Duncan, S.H., R.E. Bilby, J.W. Ward, and J.T. Heffner. 1987. Transport of road-surface sediment through ephemeral stream channels. Water Resources Bulletin 23:113-119. |
| 8 9 | Dupuis, L., and D. Steventon. 1999. Riparian management and the tailed frog in northern coastal forests. Forest Ecology and Management 124:35-43. |
| 10 11 12 13 14 | Dvornich, K.M., K.R. McAllister, and K.B. Aubry. 1997. Amphibians and reptiles of Washington State: location data and predicted distributions. Volume 2 <i>in</i> K.M. Cassidy, C.E. Grue, M.R. Smith and K.M. Dvornich, editors. Washington state gap analysis. Final Report. Washington Cooperative Fish and Wildlife Research Unit, University of Washington, Seattle, Washington. |
| 15 16 | Edmonds, R.L., J.K.Agee, and R.I. Gara. 2000. Forest Health and Protection. McGraw-Hill New York, New York. |
| 17 18 19 | Edwards, R.T. 1998. The hyporheic zone. Pages 399-428 <i>in</i> R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the pacific coast ecoregion. Springer-Verlag, New York, New York. |
| 20 21 22 23 | Emmett, R.L., S.A. Hinton, S.L. Stone, and M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in west coast estuaries. Volume 2: species life history summaries. NOAA/NOS Strategic Environmental Assessments Division, Rockville, Maryland. |
| 242526 | Erickson, K. 1999. Assimilative capacity study for nutrient loading in the lower White River review draft. Washington Department of Ecology Publication Number 00-03-001. Washington Department of Ecology, Olympia, Washington. |
| 27 28 29 | Erman, D.C., J.D. Newbold, and K.B. Roby. 1977. Evaluation of streamside bufferstrips for protecting aquatic organisms. Contribution 165. California Water Resources Center, University of California, Davis, California. |
| 30 31 32 33 34 | Everest, F.H., R.L. Beschta, J.C. Scrivener, K.V. Koski, J.R. Sedell, and C.J. Cederholdm. 1987. Fine sediment and salmonid production: A paradox. Pages 98-142 <i>in</i> E.O. Salo and T.W. Cundy, editors. Streamside management: forestry and fishery interactions. Institute of Forest Resources Contribution Number 57. University of Washington, College of Forest Resources, Seattle, Washington. |
| 35 36 37 38 | Fairchild, W.L., E.O. Swansburg, J.T. Arsenault, and S.B. Brown. 1999. Does an association between pesticide use and subsequent declines in catch of Atlantic salmon (Salmo salar) represent a case of endocrine disruption? Environmental Perspectives 107:349-357(1999). |



| 1 2 3 4 | and Methodological Development. Prepared for the Riparian Scientific Advisory Group and the Cooperative Monitoring, Evaluation and Research Committee, Olympia, Washington. TFW-RSAG1-01-001. |
|----------------------|--|
| 5 6 | Fannin, R.J. and T.P. Rollerson. 1993. Debris flows: some physical characteristics and behavior. Canadian Geotechnical Journal 30:71-81. |
| 7 8 9 | Federal Caucus. 1999. Conservation of Columbia basin fish: building a conceptual recovery plan ("All-H paper"). Federal Caucus, Bonneville Power Administration, Portland, Oregon. Available at www.salmonrecovery.gov/all_H_paper.pdf . |
| 11 12 13 | FEMAT. 1993. Forest Ecosystem Management: An ecological, economic, and social assessment. Section V: Aquatic Ecosystem Assessment. Forest Ecosystem Management Assessment Team, Washington, D.C. |
| 14 15 16 | Fetherson, K.L, R.J. Naiman, and R.E. Bilby. 1995. Large woody debris, physical process, and riparian forest development in montane river networks of the Pacific Northwest. Geomorphology 13:133-144. |
| 17 18 19 | Flosi, G. and F.L. Reynolds. 1994. California stream restoration manual. California Department of Fish and Game, Native Anadromous Fish and Watershed Branch, Sacramento, California. |
| 20 21 22 23 | Forsman, E.D. 2003. Demographic characteristics of northern spotted owls (<i>Strix occidentalis</i>) on the Olympic Peninsula study area, Washington, 1987-2002. Annual monitoring report for 2002. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 24 25 | Forsman, E.D., S. DeStephano, M.G. Raphael, and R.J. Gutierrez (editors). 1996. Demography of the northern spotted owl. Studies in Avian Biology 17. |
| 26 27 28 29 | Forsman, E.D., S. Sovern, M. Taylor. 2002. Unpublished annual report for demography of spotted owls on the east slope of the Cascade Range, Washington, 1989-2002, FY 2002. Wildlife Ecology Team, Wildlife Habitat Relationships in Washington and Oregon. USDA Forest Service, Pacific Northwest Research Station, Cle Elum Ranger District, Cle Elum, Washington. |
| 31 32 | Forsman, E.D., S. DeStephano, M.G. Raphael, and R.J. Gutierrez (editors). 1996. Demography of the northern spotted owl. Studies in Avian Biology 17:1-122. |
| 33 34 35 | Fowler, W.B., J.D. Helvey, and E. N. Felix. 1987. Hydrologic and climatic changes in three small watersheds after timber harvest. Research Paper PNW-RP-379. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 36 37 38 | Fox, M.J. 2001. A New Look at the Quantities and Volumes of Instream Wood in Forested Basins Within Washington State. M.S. Thesis at University of Washington, College of Forest Resources. 2001. |



| 1 2 3 | Fox, M.J. 2003. Spatial organization, position, and source characteristics of large woody debris in natural systems, Ph.D. dissertation at University of Washington, College of Forest Resources. 2003. |
|----------------------------|--|
| 4 5 | France, R.L. 1997. Macroinvertebrate colonization of woody debris in Canadian Shield lakes following riparian clearcutting. Conservation Biology 11:513-521. |
| 6 7 8 9 | Franklin, A.B., K.P. Burnham, G.C. White, R.J. Anthony, E.D. Forsman, C. Schwarz, J.D. Nichols, and J. Hines. 1999. Range-wide status and trends in northern spotted owl populations. Colorado Cooperative Fish and Wildlife Research Unit, Colorado State University, Fort Collins, Colorado. |
| 0 | Franklin, J.F. and C. Dyrness. 1973. Vegetation of Oregon and Washington. U.S. Department of Agriculture, Portland, Oregon. |
| 2 .3 .4 .5 .6 | Franklin, J.F. and T.A. Spies. 1991. Composition, function, and structure of old-growth douglas-fir forests. Pages 71-82 <i>in</i> L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, technical coordinators. Wildlife, and Vegetation of Unmanaged Douglas-Fir Forests. General Technical Report PNW-GTR-285 U.S.D.A. Forest Service Pacific Northwest Research Station, Portland, Oregon. |
| .7 .8 .9 20 | Franklin, J.F., K. Cromack, Jr., W. Dension, et al. 1981. Ecological characteristics of old-growth, Douglas-fir forests. General Technical Report PNW-118. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 21 22 23 24 25 | Franklin, J.F., T.A Spies, R. Van Pelt, A.B. Carey, D.A. Thornburgh, D.R. Berg, D.B. Lindenmayer, M.E. Harmon, W.S. Keeton, D.C. Shaw, K. Bible, and J.Q. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. Forest Ecology and Management 155:399-423. |
| 26 27 28 29 | Fransen, B., S. Needham, G. McWethy, and V. Kim. 1997. Development of a process to delineate potential fish habitat based on physical characteristics measured at the upper extent of known fish distributions. Version 1.0. Weyerhaeuser Company, Federal Way, Washington. |
| 30 31 32 | Fraver, S. 1994. Vegetation responses along edge-to-interior gradients in the mixed hardwood forests of the Roanoke River Basin, North Carolina. Conservation Biology 8(3):822-832. |
| 33 34 35 36 | Furniss, M.J., T.D. Roelofs, and C.S. Yee. 1991. Road construction and maintenance. Pages 297-323 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 18. American Fisheries Society, Bethesda, Maryland. |
| 57 58 | Galm, J.R., G.D. Hartmann, R. Masten, and G. Stephenson. 1981. A cultural resources overview of Bonneville Power Administration's mid-Columbia project, Central Washington. Fastern Washington University Reports in Archaeology 100-16 |

Final EIS 6-21 References



| 1 | GeoEngineers. 2003. Development of conceptual models and research designs to study |
|----|--|
| 2 | the potential effects of forest practices in Washington on groundwater |
| 3 | temperatures. Draft prepared for the U.S. Fish and Wildlife Service, Olympia, |
| 4 | Washington. |
| 5 | Geppert, R.R., C.W. Lorenz, and A.G Larson. 1984. Cumulative effects of forest |
| 6 | practices on the environment, a state of the knowledge. Prepared for the |
| 7 | Washington Forest Practices Board, Washington Department of Natural |
| 8 | Resources, Olympia, Washington. |
| 9 | Gerstel, W.J. 1996. The upside of the landslides of February 1996 – validating a |
| 10 | stability analysis of the Capitol campus bluffs, Olympia, Washington. |
| 11 | Washington Geology 24(3):3-16. |
| 12 | Gerstel, W.J. and M.J. Brunengo. 1994. Mass wasting on the urban fringe. Washington |
| 13 | Geology 22(2):11-17. |
| 14 | Gibbs, J.P. 1998. Amphibian movements in response to forest edges, roads, and |
| 15 | streambeds in southern New England. Journal of Wildlife Management |
| 16 | 62(2):584-596. |
| 17 | Goheen, E.M., D.J. Goheen, and K. Marshall. 2002. The status of whitebark pine along |
| 18 | the pacific crest ccenic trail on the umpqua national forest. General Technical |
| 19 | Report PNW-GTR-530. USDA Forest Service, Pacific Northwest Research |
| 20 | Station, Portland, Oregon. |
| 21 | Gomez, D.M. and R.G. Anthony. 1996. Amphibian and reptile abundance in riparian |
| 22 | and upslope areas of five forest types in western Oregon. Northwest Science |
| 23 | 70(2):109-119. |
| 24 | Good, D.A. and D.B. Wake. 1992. Geographic variation and speciation in torrent |
| 25 | salamanders of genus <i>Rhyacotriton</i> (Caudata: Rhyacotritonidae). University of |
| 26 | California Publications in Zoology 126:1-91. |
| 27 | Graham, R.T., D. Minore, A.E. Harvey, M.F. Jurgensen, and S. Page-Dumroese. 1991. |
| 28 | Soil management as an integral part of silvicultural systems. Proceedings - |
| 29 | Management and Productivity of Western-Montane Forest Soils. General |
| 30 | Technical Report INT-280. USDA Forest Service Intermountain Research |
| 31 | Station, Ogden, Utah. |
| 32 | Gray, D.H. and W.F. Megahan. 1981. Forest vegetation removal and slope stability in |
| 33 | the Idaho batholith. USDA Forest Service, Ogden, Utah. |
| 34 | Gregory, R.S. and C.D. Levings. 1998. Turbidity reduces predation on migrating |
| 35 | juvenile Pacific salmon. Transactions of the American Fisheries Society |
| 36 | 127:275-285. |
| 37 | Gregory, S.V. and P.A. Bisson. 1997. Degradation and loss of anadromous salmonid |
| 38 | habitat in the Pacific Northwest. Pages 277-314 in D.J. Stouder, P.A. Bisson, |



| 1 2 | and R.J. Naiman, editors. Pacific salmon and their ecosystems: status and uture Options. Chapman and Hall, New York, New York. |
|-----------------------|---|
| 3 4 5 6 7 | Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy, and J.R. Sedell. 1987. Influence of forest practices on aquatic production. Pages 143-190 <i>in</i> E.O Salo and T.W. Cundy, editors. Streamside mangement: forestry and fishery interactions. Institute of Forest Resources Contribution Number 57. College of Forest Resources, University of Washington, Seattle, Washington. |
| 8 9 .0 | Gregory, S.V., F.J. Swanson, W.A. Mckee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. BioScience 41:540-551. |
| 1.2 | Gregory, S.V., M.A. Meleason, and D.J. Sobota. 2003. Modeling dynamics of wood in streams and rivers. American Fisheries Society Symposium 37:315-335. |
| 3 | Gremel, S. 2001. Spotted owl monitoring in Olympic National Park: 2001 annual report. USDI National Park Service, Olympic National Park, Port Angeles, Washington. |
| .5 .6 .7 .8 | Gremel, S. 2003. The effects of barred owls on spotted owls in Olympic National Park, Washington. Presentation to the 5-year status review, scientific review panel for northern spotted owl. Sustainable Ecosystems Institute. December 12, 2003, Vancouver, Washington. |
| 9 20 21 22 | Gresswell, R.E. and C. May. 2000. Large wood recruitment and redistribution. Pages 61-64 <i>in</i> J. Erickson, editor. The cooperative forest ecosystem research program annual report 2000. The Cooperative Forest Ecosystem Research Program, Oregon State University, Corvallis, Oregon. |
| 23 24 25 | Grette, G.B. 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. Thesis, School of Fisheries, University of Washington, Seattle, Washington. |
| 26 27 28 29 | Grigal, D.F. and K.N. Brooks. 1997. Forest management impacts on untrained peatlands. Chapter 26 <i>in</i> C.C. Trettin, M.F Jurgensen, D.F. Grigal, M.R. Gale, and J.K. Jeglum, editors. Northern forested wetlands: ecology and management. CRC Lewis, Boca Raton, Florida. |
| 30 31 32 | Grizzel, J.D. 2005. Telephone interview with N. Wolff, co-author of Occurrence of windthrow in forest buffer strips and its effect on small streams in northwest Washington. Northwest Science, Vol. 72, No. 3, p. 214-223. October 6, 2005. |
| 33 34 35 | Grizzel, J.D. and N. Wolff. 1998. Occurrence of windthrow in forest buffer strips and its effect on small streams in northwest Washington. Northwest Science 72(3):214-223. |
| 36 37 38 | Grizzel, J.D., M. McGowan, D. Smith, and T. Beechie. 2000. Streamside buffers and large woody debris recruitment: evaluating the effectiveness of watershed analysis prescriptions in the north Cascades region. Report No. TFW-MAG1-00- |

Final EIS 6-23 References



| 1 2 | 003. Washington Department of Natural Resources, Forest Practices Division, Olympia, WA. 37 p. |
|----------------------|---|
| 3 4 | Groot, C. and L. Margolis. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver, British Columbia, Canada. |
| 5 6 7 | Growth Management Services (GMS). 1999. Washington state growth management act: an overview. Washington State Office of Community Development, Olympia, Washington. |
| 8 9 10 11 | Gucinski, H., M.J. Furniss, R.R. Ziemer, and M.H. Brookes. 2001 Forest Roads: A Synthesis of Scientific Information. General Technical Report PNW-GTR-509. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 103p. |
| 12 13 14 | Gunther, E. 1973. Ethnobotany of western Washington.: Revised Editionthe knowledge and use of indigenous plants by Native Americans. University of Washington Press, Seattle, Washington. |
| 15 16 | Haack, R.A. and J.W. Byler. 1993. Insects and pathogens: regulators of forest ecosystems. Journal of Forestry 91(9):32-37. |
| 17 18 19 | Haeberlin, H. and E. Gunther. 1930. The indians of the Puget Sound. University of Washington Publications in Anthropology Volume 4, Number 1. University of Washington Press, Seattle, Washington. |
| 20 21 | Hagar, J.C. 1999. Influence of riparian buffer width on bird assemblages in western Oregon. Journal of Wildlife Management 63(2):484-496. |
| 22 23 24 | Hagen, D.W., G.E.E. Moodie, and P.F. Moodie. 1972. Territoriality and courtship in the Olympic mudminnow, <i>Novumbra hubbsi</i> . Canadian Journal of Zoology 50(8):1111-1115. |
| 25 26 27 | Hajda, Y. 1990. Southwestern coast salish. Pages 503-517 in Wayne Suttles, editor.Handbook of North American Indians. Volume 7, Northwest Coast. Smithsonian Institution, Washington D.C. |
| 28 29 | Hallock, M. and P.E. Mongillo. 1998. Washington state status report for the pygmy whitefish. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 30 31 32 33 | Hallock, L.A. and McAllister, K.R. 2002. Olympic torrent salamander in Washington Herp Atlas. Washington DNR Natural Heritage Program, Washington Department of Fish and Wildlife, and USDI Bureau of Land Management, Olympia, Washington. Available at: http://www.dnr.wa.gov/nhp/refdesk/herp/ . |
| 34 35 | Hamid, Abdue, T.M. O'Dell, S. Katovich. 1995. White pine weevil. USDA Forest Service Forest Insect and Disease Leaflet 21. |



| 1 2 3 4 | Hammer, D.A. 1989. Protecting water quality with wetlands in river corridors. Pages 200-210 in J.A. Kusler and S. Daly, editors. International symposium: wetlands and river corridor management. Association of State Wetland Managers, Berne, New York. |
|----------------------------|---|
| 5 6 | Hancock, P.J. 2002. Human impacts on the stream-groundwater exchange zone. Environmental Management 29:763-781. |
| 7 8 9 | Hanson, E., D. Hays, L. Hicks, L. Young, and J. Buchanan. 1993. Spotted owl habitat in Washington: a report to the Washington Forest Practices Board. Washington Forest Practices Board Spotted Owl Advisory Group, Olympia, Washington. |
| 10 11 12 | Harcombe, P.A. 1986. Stand development in a 130-year old spruce-hemlock forest based on age structure and 50 years of mortality data. Forest Ecology and Management 14:41-58. |
| 13 14 15 | Hardisty, M.W. and I.C. Potter. 1971. The behavior, ecology and growth of larval lampreys. Pages 85-125 <i>in</i> M.W. Hardisty and I.C. Potter, editors. The biology of lampreys. Academic Press, London, England. |
| 16 17 18 | Haring, D. 2000. Salmonid habitat limiting factors – water resource inventory area 15 (East). Final Report. Washington State Conservation Commission, Olympia, Washington. |
| 19 20 21 | Haring, D. 2001. Habitat limiting factors-Yakima river watershed - water resource inventory areas 37-39. Final Report. Washington State Conservation Commission, Olympia, Washington. |
| 22 23 24 25 26 | Harmon, M.E., J.F. Franklin, F.J. Swanson, P. Sollins, S.V. Gregory, J.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, K. Cromack, Jr., and K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. Pages 132-302 <i>in</i> A. Macfadyen and E.D. Ford editors. Advances in ecological research. Volume 15. Academic Press, London, England. |
| 27 28 29 | Harp, E.L., A.F. Chleborad, R.J. Schuster, S.H. Cannon, M.E. Reid, and R.C. Wilson. 1997. Landslides and landslide hazards in Washington State due to February 5-9 1996 storm. U.S. Geological Survey, Tacoma, Washington. |
| 30 31 32 | Harr, R.D. 1983. Potential for augmenting water yield through forest practices in Western Washington and Western Oregon. Water Resources Bulletin 19(3): 383-393. |
| 33 34 | Harr, R.D. 1986. Effects of clearcutting on rain-on-snow runoff in Western Oregon-a new look at old studies. Water Resources Research 22(7):1095-1100. |
| 35 36 | Harr, R.D. and J.T. Krygier. 1972. Clearcut logging and lowflows in Oregon coastal watersheds. Research Note No. 54. Corvallis, OR. |



| 1 2 3 | Harr, R.D., R.L. Fredriksen, and J. Rothacher. 1979. Changes in streamflow following timber harvest in southwestern Oregon. USDA Forest Service Res. Paper PNW-249. |
|----------------------|---|
| 4 5 6 | Harr, R. D., W.C. Harper, J.T. Krygier, and F.S. Hsieh. 1975. Changes in storm hydrographs after roadbuilding and clearcutting in the Oregon Coast Range. Water Resources Research 11(3): 436-444. |
| 7 8 9 | Harr, R.D., A. Levno, and R. Mersereau. 1982. Changes in streamflow after logging 130- year-old douglas-fir in two small watersheds in western Oregon. Water Resources Research 18:637-644. |
| 10 11 12 | Harrington, C.A. 2003. The 1930's survey of forest resources in Washington and Oregon. USDA Forest Service, General Technical Report PNW-GTR-584. Pacific Northwest Research Station, Portland, Oregon. |
| 13 14 15 | Harris, A.S. 1989. Wind in the forests of southeast Alaska and guides for reducing damage. USDA Forest Service, General Technical Report PNW-GTR-244. Pacific Northwest Research Station, Portland, Oregon. |
| 16 17 18 | Harris, C. 1974. The geographical distribution and habitat of the Olympic mudminnow, (<i>Novumbra hubbsi</i>) Shultz. Thesis, University of Washington, Seattle, Washington. |
| 19 20 | Harris, L.D. 1984. The fragmented forest. University of Chicago Press, Chicago, Illinois. |
| 21 22 | Harris, S.W. and W.H. Marshall. 1963. Ecology of water level manipulations on a northern marsh. Ecology 44:331:343. |
| 23 24 | Hart, J.L. 1973. Pacific fishes of canada. Fisheries Research Board of Canada, Ottowa, Canada. |
| 25 26 27 28 | Hartman, G.F., J.C. Scrivener, and M.J. Miles. 1996. Impacts of logging in Carnation creek, a high-energy coastal stream in British Columbia, and their implication for restoring fish habitat. Canadian Journal of Fisheries and Aquatic Sciences 53(1):237-251. |
| 29 30 31 | Hays, D.W., K.R. McAllister, S.A. Richardson, and D.W. Stinson. 1999. Washington state recovery plan for the western pond turtle. Washington Department of Fish Washington, Olympia, Washington. |
| 32 33 34 | Healey, M.C. 1991. Life history of Chinook salmon (<i>Oncorhynchus tshawytscha</i>). Pages 313-393 <i>in</i> C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, British Columbia, Canada. |
| 35 36 37 38 | Hebert Research Inc. 2003. Washington State non-highway and off-road vehicle activities fuel use survey. Report prepared for Interagency Committee for Outdoor Recreation. February. Available at: http://www.iac.wa.gov/iac/docs.htm |



| 1 2 3 | Heifetz, J., M.L. Murphy, and K.V. Koski. 1986. Effects of logging on winter habitat of juvenile salmonids in Alaska streams. North American Journal of Fisheries Management 6:52-58. |
|----------------------------|--|
| 4 5 | Helvey, J.D. 1980. Effects of a north central Washington wildfire on runoff and sediment production. Water Resources Bulletin 16:627-634. |
| 6 7 8 | Hermann, R.K. 1978. Reproduction systems. Pages 27-38 <i>in</i> B.D. Cleary, R.D. Greaves, and R.K. Hermann, editors. Regenerating Oregon's forests. Oregon State University Extension Service, Corvallis, Oregon. |
| 9 10 11 12 | Hessburg, P.F., R.G. Mitchell, and G.M. Filip. 1994. Historical and current roles of insects and pathogens in eastern Oregon and Washington forested landscapes. General Technical Report PNW-GTR-327. USDA Forest Service, Portland, Oregon. |
| 13 14 | Hibbs, D.E. and A.L. Bower. 2001. Riparian forests in the Oregon coast range. Forest Ecology and Management 154:201-213. |
| 15 16 17 | Hicks, B.J., R.L. Beschta, and R.D. Harr. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. Wat Resour. Bull. 27(2):217-225. |
| 18 19 20 21 | Hicks, B.J., J.D. Hall, P.A. Bisson, and J.R. Sedell. 1991. Responses of salmonids to habitat changes. Pages 483-518 <i>in</i> W.R Meehan, editor. Influences of forest and rangeland management. American Fisheries Society Special Bulletin 19. American Fisheries Society, Bethesda, Maryland. |
| 22 23 24 25 26 | Hicks, M. 2002. Evaluating standards for protecting aquatic life in Washington's surface water quality standards - temperature criteria. Draft Discussion Paper and Literature Summary, Publication Number 00-10-070. Washington Department of Ecology, Olympia, Washington. Available at: http://www.ecy.wa.gov/biblio/0010070.html . |
| 27 28 29 30 | Hicks, M. 2003. Focus on temperature: water quality standards. Washington Department of Ecology Publication No. 03-10-069. Washington Department of Ecology, Olympia, Washington. Available at: http://www.ecy.wa.gov/pubs/0310069.pdf . |
| 31 32 | Hidaka, F.T. 1973. Low-flow characteristics of streams in the Puget Sound region, Washington. U.S. Geological Survey, Tacoma, Washington. |
| 33 34 35 | Holland, D.C. 1994. The western pond turtle: habitat and history. Final Report, Project Number 92-068. Prepared for United States Department of Energy, Bonneville Power Administration, Environment, Fish and Wildlife, Portland, Oregon. |



| 1 2 3 4 5 6 | Holthausen, R.S., R. Anthony, K. Aubry, K. Burnett, N. Fredricks, J. Furnish, R. Lesher, E.C. Meslow, M. Raphael, R. Rosentreter, and E.E. Starkey. 1994. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. Appendix J2, Results of additional species analysis. USDA Forest Service and USDI Bureau of Land Management, Portland, Oregon. |
|----------------------------------|---|
| 7 8 9 10 | Horne, A.L. and R.W. Haynes. 1999. Developing measures of socioeconomic resiliency in the interior Columbia Basin. General Technical Report PNW-GTR-453. USDA Forest Service, Pacific Northwest Research Station and U.S. Department of the Interior, Bureau of Land Management. |
| 11 12 13 | House, R.A. and P.L. Boehne. 1987. The effect of stream cleaning on salmonid habitat and populations in a coastal Oregon drainage. Western Journal of Applied Forestry 2:84-87. |
| 14 15 16 17 18 19 | Hruby, T., T. Granger, K. Brunner, S. Cooke, K. Dublonica, R Gersib, L. Reinelt, K. Richter, D. Sheldon, A. Wald, and F. Weinmann. 1998. Draft methods for assessing wetland functions. Volume I: riverine and depressional wetlands in the lowlands of western washington. Washington State Department of Ecology Publication #98-106. Washington State Department of Ecology, Olympia, Washington. |
| 20 21 22 | Huff, M. 2002. Marbled murrelet effectiveness monitoring. Northwest forest plan 2002. Annual Summary Report. U.S. Fish and Wildlife Service, Portland, Oregon. Available online at: http://www.fs.fed.us/pnw/pubs/gtr_439.pdf . |
| 23 24 25 | Huff, M., P. Jodice, J. Baldwin, S. Miller, R. Young, K. Ostrom, C.J. Ralph, M. Raphael, C. Strong, and C. Thompson. 2003. Draft Marbled murrelet effectiveness monitoring northwest forest plan 2002 annual summary report. 29p. |
| 26 27 28 29 | Huff, M.H., R.D. Ottmar, E. Alvarado, R.E. Vihnanek, J.F. Lehmkuhl, P.F. Hessburg, and R.L. Everett. 1995. Historical and Current Forest Landscapes in Eastern Oregon and Washington. United States Department of Agriculture. General Technical Report PNW-GTR-355. |
| 30 31 32 | Hunn, E.S., N.J. Turner, and D.H. French. 1998. Ethnobiology and subsistence. Pages 525-545 <i>in</i> D.E. Walker, editor. Handbook of North American Indians. Volume 7, Plateau. Smithsonian Institution, Washington, D.C. |
| 33 34 35 | Huff, M., P. Jodice, J. Baldwin, S. Miller, R. Young, K. Ostrom, C.J. Ralph, M. Raphael, C. Strong, and C. Thompson. 2003. Draft Marbled murrelet effectiveness monitoring northwest forest plan 2002 annual summary report. 29p. |
| 36 37 38 39 | Hunter, M.A. 1992. Hydropower flow fluctuations and salmonids: a review of the biological effects, mechanical causes, and options for mitigation. Washington Department of Fisheries Technical Report #119. Washington Department of Fisheries, Olympia, Washington. |



| 1 2 3 | Hunter, M.G. 1998. Watershed-level patterns among stream amphibians in the Blue River watershed, west-central Cascades of Oregon. Unpublished Thesis, Oregon State University, Corvallis, Oregon. |
|----------------------|--|
| 4 5 | Hyatt, T.L., and R.J. Naiman. 2001. The residence time of large woody debris in the Queets river, Washington, USA. Ecological Applications 11:191-202. |
| 6 7 | Hynes, H.B. 1970. The ecology of running waters. University of Toronto Press, Toronto, Ontario, Canada. |
| 8 9 .0 | Ice, G. 1985. Catalog of landslide inventories for the Northwest. Technical Bulletin 456. National Council for Air and Stream Improvement, Durham, North Carolina. |
| 1 2 3 4 | Independent Multidisciplinary Science Team. 1999. Recovery of wild salmonids in western Oregon forests: Oregon forest practices rules and the measures in the Oregon plan for salmon and watersheds. Governor's Natural Resources Office, Salem, Oregon. |
| .5 .6 .7 | Interagency Committee for Outdoor Recreation (IAC). 2001. The 1999 public and tribal lands inventory. Final Report. Interagency Committee for Outdoor Recreation, Olympia, Washington. |
| .8 .9 20 21 | Interagency Committee for Outdoor Recreation. 2002. An assessment of outdoor recreation in Washington state: a state comprehensive outdoor recreation planning (SCORP) document, 2002-2007. Interagency Committee for Outdoor Recreation, Olympia, Washington. |
| 22 23 24 25 | Interagency Committee for Outdoor Recreation. 2003. Estimates of future participation in outdoor recreation in Washington State: an addendum to the state comprehensive outdoor recreation planning (SCORP). Interagency Committee for Outdoor Recreation, Olympia, Washington. |
| 26 27 28 29 | Intergovernmental Panel on Climate Change. 2003. Special report on land use, land-use change, and forestry, Chapter 2: implications of different definitions and generic issues. Intergovernmental Panel on Climate Change, Geneva, Switzerland. Available at: http://www.grida.no/climate/ipcc/land_use/099.htm . |
| 30 31 32 33 | Isaak, D.J., W.A. Hubert, and C.R. Berry, Jr. 2003. Conservation assessment for lake chub, mountain sucker, and fine scale dace in the Black Hills National Forest, South Dakota and Wyoming. USDA Forest Service, Black Hills National Forest, Custer, South Dakota. |
| 34 35 36 37 | Iwamoto, R.N., E.O. Salo, M.A. Madej, and R.L. McComas. 1978. Sediment and water quality: a review of the literature including a suggested approach for water quality criteria. EPA/910/9-78-048. US Environmental Protection Agency, Region Ten, Seattle, Washington. |



| 1 2 3 4 | Jackson, C.R., D.P. Batzer, S.S. Cross, S.M. Haggerty, and C.A. Sturm. 2003. Recovery of amphibian and invertebrate communities in recently logged coastal range headwater streams. Unpublished report to the National Council for Air and Stream Improvement (NCASI). |
|----------------------|--|
| 5 6 7 | Jennings, M.R. and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game, Rancho Cordova, California. |
| 8 9 10 | Johnson, A.C., D.N. Swanston, and K.E. McGee. 2000. Landslide initiation, runout, and deposition within clearcuts and old-growth forests of Alaska. Journal of the American Water Resources Association 36(1):17-30. |
| 11 12 13 | Johnson, A.W., and D.M. Ryba. 1992. A literature review of recommended buffer widths to maintain various functions of stream riparian areas. King County Surface Water Management Division, Seattle, Washington |
| 14 15 | Johnson, D.H. and T.A. O'Neil, managing directors. 2001. Wildlife-habitat relationships in Oregon and Washington. Oregon State University Press, Corvallis, Oregon. |
| 16 17 18 | Johnson, S.L. and J.A. Jones. 2000. Stream temperature responses to forest harvest and debris flows in western Cascades, Oregon. Canadian Journal of Fisheries and Aquatic Sciences 57(2):30-39. |
| 19 20 21 | Joint Natural Resources Cabinet. 1999. Statewide Strategy to Recover Salmon. Joint Natural Resources Cabinet, Olympia, Washington. Available at: http://www.governor.wa.gov/gsro/strategy/summary.htm . |
| 22 23 | Joint Natural Resources Cabinet. 2002. Reference guide to salmon recovery. Joint Natural Resources Cabinet, Olympia, Washington. |
| 24 25 26 | Jones, J.A. and D.A. Post. 2004. Seasonal and successional streamflow response to forest cutting and regrowth in the northwest and eastern United States. Wat. Resour. Res. 40, W05203, doi:10.1029/2003WR002952. |
| 27 28 | Jones, L.L.C. 1989. <i>Plethodon vandykei</i> (Van Dyke's Salamander). Herpetological Review 20:48. |
| 29 30 31 32 | Jones, L.L.C. 1999. Survey protocol for the Van Dyke's salamander (<i>Plethodon vandykei</i>). Pages 201-252 <i>in</i> D.H. Olson, editor. Survey protocols for amphibians under the survey and manage provision of the Northwest Forest Plan. Version 3.0, October 1999. USDA Forest Service, Portland, Oregon. |
| 33 34 35 | Jones, S.A., and G.E. Grant. 1996. Peak flow responses to clear-cutting and roads in large and small basins, western cascades, Oregon. Water Resources Journal 32(4):959-974. |
| 36 37 | Karr, J.R., and I.J. Schlosser. 1977. Impact of nearstream vegetation and stream morphology on water quality and stream biota. EPA-600/3-77-097. |



| 1 2 | Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Athens, Georgia. |
|------------------|---|
| 3 4 5 6 | Karr, J.R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A. Frissell, and D.A. Perry. 2004. The Effects of Postfire Salvage Logging on Aquatic Ecosystems in the American West. BioScience. November 2004, Vol. 54 No. 11. Pages 1029-1033. |
| 7 8 9 | Kattlemann, R.C., N.H. Berg, and J. Rector. 1983. The potential for increasing streamflow from Sierra Nevada watersheds. Water Resources Bulletin 19(3):395-402. |
| 10 11 | Katula, R. 1992. The northwestern <i>Percopsis</i> , the sand roller. American Currents 17(1) (spring): 3 pages. |
| 12 13 14 | Kauffman and Krueger. 1984. Livestock impacts on riparian ecosystems and streamside management implications-a review. Journal of Range Management 37(5):430-37. |
| 15 16 | Keller, E.A. and F.J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. Earth Surface Processes and Landforms 4:361-380. |
| 17 18 | Kelly E.G., E.D. Forsman, and R.G. Anthony. 2003. Are barred owls displacing spotted owls? Condor 105(1):45-53. |
| 19 20 21 | Kennedy, D. and R.T. Bouchard. 1998. Lillooet. Pages 174-190 <i>in</i> D.E. Walker, editor. Handbook of the North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington, D.C. |
| 22 23 24 | Keppeler, E.T., and R.R. Zeimer. 1990. Logging effects on streamflow-water yield and summer low flows at Caspar Creek in northwestern California. Water Resources Research 26(7): 1669-1679. |
| 25 26 27 | Ketcheson, G. and H.A. Froelich. 1978. Hydrologic factors and environmental impacts of mass soil movements in the Oregon Coast Range. Water Resources Research Institute Bulletin 56. Oregon State University, Corvallis, Oregon. |
| 28 29 30 | Kew, M. 1990. Central and southern coast Salish ceremonies since 1900. Pages 476-480 in Wayne Suttles, editor. Handbook of North American Indians. Volume 7, Northwest Coast. Smithsonian Institution Press, Washington D.C. |
| 31 32 33 | King, J.C. and L.C. Tennyson. 1984. Alteration of streamflow characteristics following road construction in north central Idaho. Water Resources Research 20(8):1159- 1163. |
| 34 35 | King County. 1994. Issaquah Creek Basin and Nonpoint Action Plan. Department of Public Works, Surface Water Management Division, Seattle Washington. |



| 1 2 3 | King County. 2000. The 2000 annual growth report. King County Government, Seattle Washington. Available at: http://www.metrokc.gov/budget/agr/agr00/ch7-00.pdf . |
|------------------------------------|--|
| 4 5 6 | Kinley, T.A. and N.J. Newhouse. 1997. Relationship of riparian reserve zone width to bird density and diversity in southeastern British Columbia. Northwest Science 71:75-86. |
| 7 8 9 10 11 12 | Knopf, F.L. 1985. Significance of riparian vegetation to breeding birds across an latitudinal cline. Pages 105-111 in R.R. Johnson, C.D. Ziebell, D.R. Patton, P.F. Folliott, and R.H. Hamre, editors. Riparian ecosystems and their management: reconciling conflicting uses. USDA Forest Service General Technical Report RM-120. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |
| 13 14 15 | Knutson, K.L. and V.L. Naef. 1997. Management recommendations for Washington's priority habitats: riparian. Washington Department of Fish and Washington, Olympia, Washington. |
| 16 17 18 19 | KondolphKondolf, M., R. Kattleman, M. Embury, and D.C. Erman. 1996. Status of riparian habitat. Sierra Nevada Ecosystem Project: Final Report to Congress. University of Southern California, Centers for Water and Wildland Resources, Davis, California. |
| 20 21 | Kostow, K. 2002. Oregon lampreys: natural history, status, and problem analysis. Oregon Department of Fish and Wildlife. Portland, Oregon. |
| 22 23 24 25 26 27 | Kovalchik, B.L. and W. Elmore. 1992. Effects of cattle grazing systems on willow-dominated plant associations in central Oregon. Pages 111-119 <i>in</i> W.P. Clary, E.D. McArthur, D. Bedunah, and C.L. Wambolt, editors. Proceedings – symposium on ecology and management of riparian shrub communities. General Technical Report INT-289. USDA Forest Service, Intermountain Research Station, Ogden, Utah. |
| 28 29 | Krieger, D.J. 2001. Economic value of forest ecosystem services: a review. The Wilderness Society, Washington. |
| 30 31 32 | Kreutzweiser, D.P. and S.S. Capell. 2001. Fine sediment deposition in streams after selective forest harvesting without riparian buffers. Canadian Journal of Forest Resources 31:2134-2142. |
| 33 34 | Kuttel, M. 2001. Southeast Washington salmonid habitat limiting factors report. Washington State Conservation Commission, Olympia, Washington. |
| 35 36 37 38 | Kuttel, M. 2002. Salmonid habitat limiting factors water resource inventory areas 33 (lower) & 35 (middle) Snake watersheds, and lower six miles of the Palouse River. Draft. Washington State Conservation Commission, Olympia, Washington. |



| 1 2 3 | LaMarche, J. and D.P. Lettenmaier. 2001. Effects of forest roads on flood flows in the Deschutes River Basin, Washington. Earth Surface Processes and Landforms 26:115-134. |
|----------------------------|--|
| 4 5 6 | Lamberti, G.A., S.V. Gregory, L.R. Ashkenas, R.C. Wildman, and K.M.S. Moore. 1991. Stream ecosystem recovery following a catastrophic debris flow. Canadian Journal of Fisheries and Aquatic Sciences 48:196-208. |
| 7 8 9 | Larkin, P.A. 1972. The Stock Concept and Management of Pacific Salmon. Pages 11-15 <i>in</i> R.C. Simon and P.A. Larkin, editors. The stock concept in pacific salmon. University of British Columbia Press, Vancouver, Canada. |
| 0 .1 .2 | Larsen, E.M., editor. 1997. Management recommendations for Washington's priority species. Volume Three: amphibians and reptiles. Washington Department of Fish and Wildlife, Olympia, Washington. |
| .3 .4 .5 | Larseon, L.L and D.E. Lewarch, editors. 1995. The archaeology of West Point, Seattle, Washington. King County Department of Metropolitan Services, Seattle, Washington. |
| .6 .7 .8 .9 | Larson, L.L. 1988. Report of cultural resource reconnaissance and identification of traditional contemporary American Indian land and resource use in the Snoqualmie River Flood Damage Reduction study area. Report prepared for the U.S. Army Corps of Engineers by Blukis-Onat Archaeological Services. Seattle, Washington. |
| 21 | Lasmanis, R. 1991. The geology of Washington. Rocks & Minerals 66(4):262. |
| 22 23 24 | Layton, D., G. Brown, and M. Plummer. 1999. Valuing multiple programs to improve fish populations. Department of Environmental Science and Policy, University of California, Davis, California. |
| 25 26 27 | Ledwith, T. 1996. The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone. Watershed Management Council Networker 6(5):6-7. |
| 28 29 30 | Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer. 1980. Atlas of North American freshwater fishes. North Carolina State Museum of Natural History. |
| 31 32 33 34 35 | Lehmkuhl, J.F. and L.F. Ruggiero. 1991. Forest fragmentation in the Pacific Northwest and its potential effects on wildlife. Pages 35-46 <i>in</i> L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, editors. Wildlife and vegetation of unmanaged Douglas-fir forests. General Technical Report PNW-GTR-285. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 36 37 38 | Leonard W.P., H.A. Brown, L.L.C. Jones, K.R. McAllister, and R.M. Storm. 1993. Amphibians of Washington and Oregon. Seattle Audubon Society, Seattle, Washington. |



| 1 2 | Lewarch, D.E. and J.R. Benson. 1989. Prehistoric upland land use in the Yakima folds region of the western Columbia plateau. Archaeology in Washington 1:31-48. |
|------------------------------|--|
| 3 4 | Lewarch, D.E. and J.R. Benson. 1991. Long-term land use patterns in the southern Cascade Range. Archaeology in Washington 3:27-40. |
| 5 6 7 8 9 | Lewis, J.C., S.R. Mori, E.T. Keppeler, and R.R. Ziemer. 2001. Impacts of logging on storm peak flows, flow volumes and suspended sediment loads in Caspar Creek, California. Pages 85-125 <i>in</i> M.S. Wigmosta and S.J. Burges, editors. Land Use and Watersheds: Human influences on hydrology and geomorphology in urban and forest areas. Water Science and Application Vol. 2, American Geophysical Union, Washington, D.C. |
| 11 12 | Lichatowich, J. 1993. The status of Pacific salmon stocks in the Quilcene ranger district. USDA Forest Service, Olympic National Forest, Quilcene Ranger District. |
| 13 14 15 16 | Lindenmayer, D.B., D.R. Foster, J.F. Franklin, M.L. Hunter, R.F. Noss, F.A. Schmiegelow, and D. Perry. 2004. Salvage Harvesting Policies after Natural Disturbance. Science Magazine. Vol. 303, February 27, 2004. Pages 1303- 1304. |
| 17 18 19 20 | Lint, J., tech. coord. 2005. Northwest Forest Plan—The First 10 Years (1994–2003): Status and Trends of Northern Spotted Owl Populations and Habitat. Gen. Tech. Rep. PNW-GTR-648. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 176 pp. |
| 21 22 23 24 | Lint, J., B. Noon, R. Anthony, E. Forsman, M. Raphael, M. Collopy, and E. Starkey. 1999. Northern spotted owl effectiveness monitoring plan for the Northwest Forest Plan. General Technical Report PNW-440. USDA Forest Service, Portland, Oregon. |
| 25 26 27 28 29 | Lint, J., R. Horn, F. Oliver, C. Larson, K. Krause, M. O'Hara, M. Oleri, H. Wise, M. Irwin, K. Fukuda, and Phil Colvard. 2003. Demographic characteristics of northern spotted owls (<i>Strix occidentalis caurina</i>) in the Klamath Mountains Province of Oregon, 1983-2002. Annual Report, FY2002. Roseburg District, Bureau of Land Management, Roseburg, Oregon. |
| 30 31 32 | Lisle, T.E. 1986. Effects of woody debris on anadromous salmonid habitat, Prince of Wales Island, southeast Alaska. North American Journal of Fisheries Management 7:18-33. |
| 33 34 | Lloyd, D.S. 1987. Turbidity as a water quality standard for salmonid habitats in Alaska. North American Journal of Fisheries Management 7:34-45. |
| 35 36 37 | Loomis, J. 2000. Measuring the total economic value of restoring ecosystem services in an impaired river basin: results from a contingent valuation survey. Ecological Economics:103-117. |

References 6-34 Final EIS



| 1 2 3 | Loomis, J. and R. Richardson. 2000. Economic values of protecting roadless areas in the United States. The Wilderness Society and Heritage Forests Campaign, Washington, D.C. |
|-----------------------|--|
| 4 5 6 7 8 | Lovejoy, T.E., R.O. Bierregaard Jr., A.B. Rylands, J.R. Malcolm, C.E. Quintela, L.H. Harper, K.S. Brown Jr., A.H. Powell, G.V.N. Powell, H.O.R. Schubart, and M.B. Hays. 1986. Edge and other effects of isolation on Amazon forest fragments. Pages 257-285 <i>in</i> M.E. Soule, editor. Conservation Biology: The Science of Scarcity and Diversity. Sinauer Associates, Sunderland, Massachusetts. |
| 9 .0 .1 | Lower Columbia Fish Recovery Board. 2003. Review Draft LCFRB Recovery/Subbasin Plan Technical Foundation Executive Summary. Lower Columbia Fish Recovery Board, Vancouver, Washington. |
| 2 | Lull, K.J., J.A. Tindall, and D.F. Potts. 1995. Assessing nonpoint-source pollution risk. Journal of Forestry 93(1):35-40. |
| .4 .5 .6 | Lunetta, R.S., B.L. Cosentino, D.R. Montgomery, E.M. Beamer, T.J. Beechie. 1997. GIS-based evaluation of salmon habitat in the Pacific Northwest. Photogrammatic Engineering and Remote Sensing 63(10):1219-1229. |
| .7 .8 .9 | Lydy, M.J. and K.R. Austin. 2005. Toxicity assessment of pesticide mixtures typical of the Sacramento-San Joaquin Delta using Chironomus tentans. Archives of Environmental Contamination and Toxicology 48:49-55(2005). |
| 20 21 | Lydy, M, J. Belden, C. Wheelock, B. Hammock, and D. Denton. 2004. Challenges in regulating pesticide mixtures. Ecology and Society 9(2004). |
| 22 23 24 | Lynch, J.A., E.S. Corbett, and K. Mussallem. 1985. Best management practices for controlling nonpoint-source pollution of forested watersheds. Journal of Soil Conservation 40:164-167. |
| 25 26 27 28 | MacDonald, J.S., E.A. MacIsaac, and H.E. Herunter. 2003. The effect of variable-retention buffer zones on water temperatures in small headwater streams in subboreal forest ecosystems of British Columbia. Canadian Journal of Forest Research 33:1371-1382. |
| 29 80 81 | MacDonald, L.H., A.H. Smart, and R.C. Wissmar. 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. EPA/910/9-91-001. Edward Brothers Press, Ann Arbor, Michigan. |
| 32 33 | Machtans, C.S., M. Villard, and S.J. Hannon. 1996. Use of riparian buffer strips as movement corridors by forest birds. Conservation Biology 10(5):1366-1379. |
| 34 35 | Mack, C.A. and R.H. McClure. 2002. <i>Vaccinium</i> processing in the Washington cascades. Journal of Ethnobiology 22:35–60. |
| 36 37 38 | Madej, M.A. 1982. Sediment transport and channel changes in an aggrading stream in the Puget Lowland, Washington. Pages 97-108 <i>in</i> F.J. Swanson, R.J. Janda, T. Dunne, and D.N. Swanston, editors. Sediment budgets and routing in forested |

Final EIS 6-35 References



| 2 | drainage basins. USDA Forest Service General Technical Report PNW-141. USDA Forest Service, Portland, Oregon. |
|----------------------------|--|
| 3 4 | Madsen, S.J. 1985. Habitat use by cavity-nesting birds in the Okanogan National Forest, Washington. Thesis, University of Washington, Seattle, Washington. |
| 5 6 7 | Magill, A.W. 1992. Managed and natural landscapes: what do people like? USDA Forest Service Research Paper PSW-RP-213. Pacific Southwest Research Station, Berkeley, California. |
| 8 9 10 11 | Marcus, W.D., M.K. Young, L.E. Noel, and B.A. Mullan. 1990. Salmonid-habitat relationships in the western United States: a review and indexed bibliography. Technical Report RM-188. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |
| 12 13 14 15 16 | Marshall, A.R., C. Smith, R. Brix, W. Dammers, J. Hymer, and L. Lavoy. 1995. Genetic diversity units and major ancestral lineages for chinook salmon in Washington. Pages 111-173 <i>in</i> C. Busack and J.B. Shaklee, editors. Genetic diversity units and major ancestral lineages of salmonid fishes in Washington. Washington Department of Fish and Wildlife Technical Report Number RAD 95-02. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 18 19 | Marshall and Associates. 2000. Riparian buffer analysis for the Washington Hardwoods Commission. Washington Hardwoods Commission, Olympia, Washington. |
| 20 21 22 | Martin, C.W., J.W. Hornbeck, G.E. Likens, and D.C. Buso. 2000. Impacts of intensive harvesting on hydrology and nutrient dynamics of northern hardwood forests. Canadian Journal of Fisheries and Aquatic Sciences 57(Supplemental 2): 19-29. |
| 23 24 25 | Martin, D.E. and L.E. Benda. 2001. Patterns of instream wood recruitment and transport at the watershed scale. Transactions of the American Fisheries Society 130:940-958. |
| 26 27 28 29 | Martin, D.E., C.H. Nilon, D.B. Noltie, J.D. Hipple. 1998. Developing a model for watershed management through determining land-use effects on the endangered Topeka shiner (<i>Notropis topeka</i>). University of Missouri-Columbia, Columbia, Missouri. |
| 30 31 | Martin, T.E. 1988. Habitat and area effects on forest bird assemblages: is nest predation an influence? Ecology 69:74-84. |
| 32 33 | Maser, C. and J.R. Sedell. 1994. From the forest to the sea, the ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie, Delray Beach, Florida. |
| 34 35 | Matson, R.G. and G. Coupeland. 1995. The prehistory of the Northwest Coast. Academic Press, San Diego, California. |
| 36 37 38 | May, C.W. 1996. Assessment of Cumulative Effects of Urbanization on Small Streams in the Puget Sound Lowland Ecoregion: Implications for Salmonid Resource Management. PhD Dissertation, University of Washington, Seattle Washington. |

References 6-36 Final EIS



| 1 2 | McAllister, K.R. 1995. Distribution of amphibians and reptiles in Washington State. Northwest Fauna 3:81-112. |
|----------------------------|---|
| 3 4 5 | McAllister, K.R. and W.P. Leonard. 1997. Washington State status report for the Oregon spotted frog. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 6 7 8 | McAllister, K.R., W.P. Leonard, D.W. Hays, and R.C. Friesz. 1999. Washington State status report for the northern leopard frog. Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia, Washington. |
| 9 | McArdle, R.E. 1949. The yield of Douglas-fir in the Pacific Northwest. USDA Technical Bulletin Number 201. USDA Forest Service, Washington, D.C. |
| 1 2 3 | McComb, W.C., K. McGarigal, and R.G. Anthony. 1993. Small mammal and amphibian abundance in streamside and upslope habitats of mature <u>dD</u> ouglas-fir stands, western Oregon. Northwest Science 67:7-15. |
| .5 | McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin, and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. Canadian Journal of Forest Research 20:326-330. |
| .7 .8 .9 | McGarry, E.V. 1994. A quantitative analysis and description of the delivery and distribution of large woody debris entering small streams in western Oregon and Washington. Canadian Journal of Forest Research 20:326-330. |
| 20 21 | McGurk, B.J. and D.R. Fong. 1995. Equivalent roaded area as a measure of cumulative effect of logging. Environmental Management 19(4):609-621. |
| 22 23 24 25 | McHenry, M.L., J. Lichatowich, and R. Kowalski-Hagaman. 1996. Status of Pacific salmon and their habitats on the Olympic Peninsula, Washington. Report to Department of Fisheries, Lower Elwha S'Klallam Tribe, Port Angeles, Washington. |
| 26 27 28 29 | McHenry, M.L., E. Shott, R.H. Conrad, and G.B Grette. 1998. Changes in the quantity and characteristics of large woody debris in streams of the Olympic Peninsula, Washington, U.S.A. (1982-1993). Canadian Journal of Fisheries and Aquatic Sciences 55:1395-1407. |
| 30 31 | McKenzie, D., Z.M. Gedalof, D.L. Peterson, and P.W. Mote. 2004. Climatic change, wildfire, and conservation. Conservation Biology 18(4):890-902. |
| 32 33 34 35 36 | McShane, C., T. Hamer, H. Carter, G. Swartzman, V. Friesen, D. Ainley, R. Tressler, K. Nelson, A. Burger, L. Spear, T. Mohagen, R. Martin, L. Henkel, K. Prindle, C. Strong, and J. Keany. 2004. Evaluation report for the 5-year status review of the marbled murrelet in Washington, Oregon, and California. Unpublished report. EDAW, Inc. Seattle, Washington. Prepared for the U.S. Fish and Wildlife Service, Region 1. Portland, Oregon. |



| 1 2 3 | Meehan, W.R. 1970. Some effects of shade cover on stream temperature in southeast Alaska. USDA Forest Service Research Note PNW-113. USDA Forest Service Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
|----------------------------------|---|
| 4 5 6 | Meehan, W.R., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 7 8 9 10 | Meehan, W.R., and T.C. Bjornn. 1991. Salmonid distributions and life histories. Pages 47-82 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 11 12 13 14 15 16 | Meehan, W.R., F.J. Swanson, and J.R. Sedell. 1977. Influences of riparian vegetation on aquatic ecosystems with particular reference to salmonid fishes and their food supply. Pages 137-145 <i>in</i> R.R. Johnson and D.A. Jones, technical coordinators. in Importance, preservation, and management of riparian habitat: a symposium. USDA Forest Service Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |
| 17 18 | Megahan, W.F. and W.J. Kidd. 1972. Effects of logging and logging roads on erosion and sediment deposition from steep terrain. Journal of Forestry: 136-141. |
| 19 20 21 | Meleason, M.A., S.V. Gregory, and J.P. Bolte. 2003. Implications of riparian management strategies on wood in streams of the Pacific Northwest. Ecological Applications 13:1212-1221. |
| 22 23 24 | Meldrim, J.W. 1968. The ecological zoogeography of the Olympic mudminnow, <i>Novumbra hubbsi</i> Schultz. Dissertation, University of Washington, Seattle, Washington. |
| 25 26 27 28 | Melquist, W.E., J.S. Whitman, and M.G. Hornocker. 1981. Resource partitioning and coexistence of sympatric mink and river otter populations. Pages 187-220 <i>in</i> J. Chapman and D. Pursley, editors. World Furbearer Conference, Frostburg, Maryland. |
| 29 30 | Merrill & Ring. October 1999. Report on visual and recreation management practices of Merrill & Ring. Merrill and Ring, Pysht Tree Farm, Port Angeles, Washington. |
| 31 32 33 | Meyer, W.H. 1961. Yield of even-aged stands of ponderosa pine. Technical Bulletin Number 630. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 34 35 36 | Miller, J. 1998. Middle Columbia River Salishans. Pages 253-270 <i>in</i> D.F. Walker, editor. Handbook of North American Indians. Volume Twelve, the Plateau=Smithsonian Institution, Washington, D.C. |



| 1 2 3 | Mitchell, R.G. 2001. Patterns of long term balsam woolly adelgid infestations and effects in Oregon and Washington. Western Journal of Applied Forestry 16(3):121-126. |
|----------------------------|---|
| 4 5 | Mitsch, W.J. and J.G. Gosselink. 1993. Wetlands. Second Edition. Van Nostrand Reinhold, New York, New York. |
| 6 7 8 | Mongillo, P.E. and Hallock, M. 1999. Washington state status report for the Olympic mudminnow. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 9 10 | Montgomery, D.R. 1994. Road surface drainage, channel initiation, and slope instability. Water Resources Research 30(6):1925-1932. |
| 11 12 | Montgomery, D.R. 2004. Geology, geomorphology, and restoration ecology of salmon. GSA Today. Vol 14 (11): 4-12. |
| 13 14 | Montgomery, D.R. and T.R. Abbe. 2003. Patterns and processes of wood debris accumulation in the Queets river basin, Washington. Geomorphology 51:81–107. |
| 15 16 | Montgomery, D.R. and E.E. Wohl. 2004. Rivers and riverine landscapes. Developments in Quaternary Science 1:221-246 |
| 17 18 | Montgomery, D.R., K. Sullivan, and H.M. Greenberg. 1998. Regional test of a model for shallow landsliding. Hydrological Processes 12:943-955. |
| 19 20 21 | Montgomery, D.R., T.M. Massong, and S. Hawley. 2003. Influence of debris flows and log jams on the location of pools and alluvial channel reaches, Oregon coast range. Geological Society of America Bulletin 115:78-88. |
| 22 23 24 | Moore, M.K. 1977. Factors contributing to blowdown in streamside leave strips on Vancouver Island. British Columbia Ministry of Forests Information Division, Victoria, Canada. |
| 25 26 27 28 29 | Morgan, V.E. 1999. The SR-1-1 Sequim bypass archaeological project: mid- to late-holocene occupation on the Olympic Peninsula, Clallam County, Washington. Eastern Washington University Reports on Archaeology and History 100-108. Archaeological and Historical Services, Eastern Washington University, Cheney, Washington. |
| 30 31 32 | Moring, J.R. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. Fishery Research Report 9. Oregon Department of Fish and Wildlife, Corvallis, Oregon. |
| 33 34 35 | Moring, J.R., P.D. Eiler, M.T. Negus, and K.E. Gibbs. 1986. Ecological importance of submerged pulpwood logs in a Maine reservoir. Transactions of the American Fisheries Society 115:335-342. |



| 2 3 | Moring, J.R., M.T. Negus, R.D. McCullough, and S.W. Herke. 1989. Large concentrations of submerged pulpwood logs as fish attraction structures in a reservoir. Bulletin of Marine Science 44:609-615. |
|----------------------|--|
| 4 5 6 | Morrison, P.H. 1975. Ecological and geomorphological consequences of mass movements in the Alder Creek watershed and implications for forest land management. Thesis, University of Oregon, Eugene, Oregon. |
| 7 8 | Morton, P. 1999. The economic benefits of wilderness: theory and practice. Denver Law Review 76(2):465–518. |
| 9 10 | Mote, P., M. Holmberg, N. Mantua. 1999. Impact of climate change on the Pacific Northwest: Summary. JISAO/SMA Climate Impacts Group. |
| 11 12 | Moyle, P.B. 1976. Inland fishes of California. University of California Press, Berkeley, California. |
| 13 14 15 | Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E.D. Wikramanayake. 1995. Fish species of special concern in California. 2nd Edition. California Department of Fish and Game, Sacramento, California. |
| 16 17 18 19 | Murphy, M.L. 1995. Forestry impacts on freshwater habitat of anadromous salmonids in the Pacific Northwest and Alaska-requirements for protection and restoration. Decision Analysis Series Number 7. NOAA Coastal Ocean Program, Silver Spring, Maryland. |
| 20 21 22 | Murphy, M.L. and J.D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade mountains, Oregon. Canadian Journal of Fisheries and Aquatic Sciences. 38:137-145. |
| 23 24 25 | Murphy, M.L. and K.V. Koski. 1989. Input and depletion of woody debris in Alaska streams and implication for streamside management. North American Journal of Fisheries Management 9:427-436. |
| 26 27 28 29 | Murphy, M.L. and W.R. Meehan. 1991. Stream ecosysems. Pages 17-46 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 30 31 32 33 | Murphy, M.L., J. Heifetz, S.W. Johnson, K.V. Koski, and J.F. Thedinga. 1986. Effects of clearcut logging with and without buffer strips on juvenile salmonids in Alaskan streams. Canadian Journal of Fisheries and Aquatic Sciences 43:1521-1533. |
| 34 35 36 | Murray Pacific Corporation. 1995. Habitat conservation plan for the northern spotted owl. Murray Pacific Corporation/West Fork Timber Company LLC, Lakewood, Washington. |



| 1 | Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. |
|----------------------------------|--|
| 2 | Grand, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status |
| 3 | review of chinook salmon from Washington, Idaho, Oregon, and California. |
| 4 | U.S. Department Commerce, NOAA Tech. Memo. NMFS-NWFSC-35. |
| 5 | National Marine Fisheries Service, Northwest Fisheries Center, Seattle, |
| 6 | Washington. |
| 7 | Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. |
| 8 | O'Connor, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of |
| 9 | ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. |
| 10 | Pages 127-188 in R.J. Naiman, editor. Watershed management: balancing |
| 11 | sustainability and environmental change. Springer-Verlag, New York, New |
| 12 | York. |
| 13 14 | Naiman, R.J. and R.E. Bilby. 1998. River ecology and management. Springer-Verlag, New York, New York. |
| 15 16 17 18 | Naiman, R.J., K.L. Fetherson, S.J. McKay, and J. Chen. 1998. Riparian forests. Pages 289-323 in R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal region ecoregion. Springer-Verlag, New York, New York. |
| 19 20 21 22 23 24 | Naiman, R.J., T.J. Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. MacDonald, M.D. O'Connor, P.L. Olson, and E.A. Steel. 1992. Fundamental elements of ecologically healthy watersheds in the Pacific Northwest coastal ecoregion. Pages 127-188 in R.J. Naiman, editor. Watershed management: balancing sustainability and environmental change. Springer-Verlag, New York, New York. |
| 25 26 | Naiman R.J., R.E. Bilby, and P.A. Bisson. 2000. Riparian ecology and management in the Pacific coastal rain forest. BioScience 50(11):996-1011. |
| 27 28 29 30 31 | National Marine Fisheries Service (NMFS). 1996a. Making Endangered Species Act determinations of effect for individual or grouped action at the watershed scale (Appendix II) in Coastal Salmon Conservation Working Guidance for Comprehensive Salmon Restoration Initiates on the Pacific Coast. Seattle, Washington. National Marine Fisheries Service, Silver Spring, Maryland. |
| 32 33 34 35 | NMFS. 1996b. Factors for decline: a supplement to the Notice of Determination for west coast steelhead under the Endangered Species Act. Protected Species Branch, Portland, Oregon, and Protected Species Management Division, Long Beach, California. |
| 36 37 38 | NMFS. 1998. Factors contributing to the decline of chinook salmon: an addendum to the 1996 west coast steelhead factors for decline report. Protected Resources Division, Portland, Oregon. |



| 1 2 3 4 | NMFS. 1999. Reinitiation of consultation on operation of the federal Columbia River power system, including the juvenile fish transportation program, and 19 Bureau of Reclamation projects in the Columbia Basin. Biological Opinion. National Marine Fisheries Service, Northwest Region, Seattle, Washington. |
|----------------------------|---|
| 5 6 | NMFS. 2000. Recovery planning guidance for technical recovery teams. National Marine Fisheries Service, Northwest Fisheries Center, Seattle, Washington. |
| 7 8 | NMFS. 2004. Puget Sound harvest resources management plan. National Marine Fisheries Service, Northwest Region, Seattle, Washington. |
| 9 10 11 | NMFS and U.S. Fish and Wildlife Service. 2003. Scoping report: National Environmental Policy Act Review Process on Endangered Species Act "Take" Coverage for the Washington Forest Practices Regulatory Program. |
| 12 | National Wetlands Inventory. 1999. United States Fish and Wildlife Service, Washington, D.C. Available at: http://wetlands.fws.gov . |
| 14 15 16 | NatureServe. 2003. NatureServe Explorer: an online encyclopedia of life. Version 1.8. NatureServe, Arlington, Virginia. Available at: http://www.natureserve.org/explorer . |
| 17 18 | Nauman, R.S., D.H. Olson, L.L. Ellenburg, and B.P. Hansen. 1999. <i>Plethodon dunni</i> reproduction. Herpetological Review 30(2):89-90. |
| 19 20 21 | Neary, D.G. and J.L. Michael. 1996. Herbicides - protecting long-term sustainability and water quality in forest ecosystems. New Zealand Journal of Forestry Science 26:288-297 |
| 22 23 24 | Nehlsen, W., J.E. Williams, and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. Fisheries 16:4-21. |
| 25 26 27 | Nelson, C.M. 1990. Prehistory of the Puget Sound Region. Pages 481-484 <i>in</i> W. Suttles, editor. Handbook of North American Indians. Volume Seven, Northwest Coast. Smithsonian Institution Press, Washington, D.C. |
| 28 29 30 31 32 | Nelson, S.K. and T.E. Hamer. 1995. Nest success and the effects of predation on marbled murrelets. Pages 89-97 <i>in</i> C.J. Ralph, G.L. Hunt, Jr., M.G. Raphael, and J.F. Piatt, editors. Ecology and conservation of the marbled murrelet. PSW-GTR-152. Pacific Southwest Research Station, USDA Forest Service, Albany, California. |
| 33 34 | Newcombe, C.P. and D.D. MacDonald. 1991. Effects of suspended sediments on aquatic ecosystems. North American Journal of Fisheries Management 11:72-82. |
| 35 36 37 | Nielson, M., K. Lohman, and J. Sullivan. 2001. Phylogeography of the tailed frog (<i>Ascaphus truei</i>): implications for the biogeography of the Pacific Northwest. Evolution 55:147-160. |



| Chapter 6 | 6 |
|-----------|---|
|-----------|---|

| 1 2 | Noble, G.K. 1925. An outline of the relation of ontogeny to phylogeny within the amphibia. American Museum Novitiates 166:1-10. |
|----------------------------|---|
| 3 4 5 6 | Nordstrom, N. 1997. Cascade torrent salamander and Columbia torrent salamander. Pages 1-1 to 1-13 <i>in</i> E.M. Larsen, editor. Management recommendations for Washington's priority species. Volume Three: amphibians and reptiles. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 7 8 9 10 | Nordstrom, N. and R. Milner. 1997. Dunn's salamander and Van Dyke's salamander. Pages 2-1 to 2-14 <i>in</i> E.M. Larsen, editor. Management recommendations for Washington's priority species. Volume Three: amphibians and reptiles. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 11 12 13 14 | Norris, L.A., H.W. Lorz, and S.V. Gregory. 1991. Forest chemicals. Pages 207-296 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 15 16 17 | Nussbaum, R.A. and C.K. Tait. 1977. Aspects of the life history and ecology of the Olympic salamander, <i>Rhyacotriton olympicus</i> (Gaige). The American Midland Naturalist 98:176-199. |
| 18 19 | Nussbaum, R.A., E.D. Brodie, and R.M. Storm. 1983. Amphibians and reptiles of the Pacific Northwest. University of Idaho Press, Moscow, Idaho. |
| 20 21 | Nuttall, P.M. and G.H. Bielby. 1973. The effect of china-clay waste on stream invertebrates. Environmental Pollution 5:77-86. |
| 22 23 | O'Brien, A.L. 1988. Evaluating the cumulative effects of alteration on New England wetlands. Environmental Management 12(5):627-636. |
| 24 25 26 | O'Connell, M.A., J.G. Hallett, and S.D. West. 1993. Wildlife use of riparian habitats: a literature review. TFW-WL1-93-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 27 28 | O'Loughlin, C.L. 1974. A study of tree root strength deterioration following clearfelling. Canadian Journal of Forest Resources 4(1):107-113. |
| 29 30 31 | O'Neil, E.E. 2003. Impacts of the forest and fisheries rules on small forest landowners in eastern Washington: some key consequences form riparian zone case studies. Thesis, University of Washington, Seattle, Washington. |
| 32 33 34 35 36 | Oakley, A.L., J.A. Collins, L.B. Everson, D.A. Heller, J.C. Hoverton, and R.E. Vincent. 1985. Riparian zones and freshwater wetlands. Pages 57-80 <i>in</i> E. R. Brown editor. Management of wildlife and fish habitats in forests of western Oregon and Washington. USDA Forest Service Pacific Northwest Region, Portland, Oregon. |
| 37 38 | Oliver, C.D., L.L. Irwin, and W.H. Knapp. 1994. Eastside forest management practices: historical overview, extent of their applications, and their effects on sustainability |

Final EIS 6-43 References



| 2 | of ecosystems. General Technical Report PNW-GTR-324. USDA Forest Service. Pacific Northwest Research Station, Portland, Oregon. |
|------------------------------|---|
| 3 4 | Omernik, J. 1987. Ecoregions of the coterminous United States. Annals of the Association of American Geographers 77:118-125. |
| 5 6 7 | Oregon Department of Environmental Quality. 1995. Temperature, Final issue paper. 1992-1994. Water quality standards review. Oregon Department of Environmental Quality, Portland, Oregon. |
| 8 9 10 | Oregon Department of Fish and Wildlife. 1999. Conservation status of Oregon Basin redband trout. Public Review Draft 4-12-99. Oregon Department of Fish and Wildlife, Salem, Oregon. |
| 11 12 13 14 15 | Oregon Department of Forestry. 1999a. Forest practices advisory committee on salmon and watershed. Draft: Forest Roads. Issue: What are the effects of forest roads in the sediment regime and on aquatic habitat? Are these effects preventing the recovery of salmon and what might be done to reduce possible adverse effects? Oregon Department of Forestry, Salem, Oregon. |
| 16 17 | Oregon Department of Forestry. 1999b. White pine weevil. Forest Health Note, August 1999. Oregon Department of Forestry, Salem, Oregon. |
| 18 19 20 21 22 | Oregon Department of Forestry and Oregon Department of Fish and Wildlife. 1995. A guide to placing large wood in streams. Oregon Department of Forestry, Salem, Oregon. Oregon Forest Practices Advisory Committee on Salmon and Watershed. 2000. Draft Report. Oregon Department of Forestry, Salem, Oregon. Available at: http://www.odf.state.or.us/FP/FPAC/TOC.html . |
| 23 24 | Page, L.M. and B.M Burr. 1991. A field guide to freshwater fishes: North America north of Mexico. Houghton Mifflin, Boston, Massachusetts. |
| 25 26 27 28 | Palmisano, J.F. R.H. Ellis, and V.W. Kacynski. 1993. The impact of environmental and management factors on Washington's wild anadromous salmon and trout. Prepared for the Washington Forest Protection Association and the Washington Department of Natural Resources, Olympia, Washington. |
| 29 30 31 | Palmquist, R. 2003. Type N Demarcation Study – Phase 1: Pilot Study. Cooperative Monitoring, Research, and Evaluation committee. Washington Department of Natural Resources, Olympia, Washington. |
| 32 33 | Paton, P.W.C. 1994. The effect of edge on avian nesting success: how strong is the evidence? Conservation Biology 8:17-26. |
| 34 35 | Pearce, A.J. and A. Watson. 1983. Medium-term effects of two landsliding episodes on channel storage of sediment. Earth Surface Processes and Landforms 8:29-39. |
| 36 37 38 | Pearson, R. and K. Livezey. 2003. Distribution, numbers, and site characteristics of spotted owls and barred owls in the Cascade Mountains of Washington. Journal of Raptor Research, 37(4):265-276. |

References 6-44 Final EIS



| 1 2 3 4 5 | Pentec. 1991. Methods for testing effectiveness of Washington Forest Practices Rules and Regulations with regard to sediment production and transport to streams. TFW-WQ8-91-008, prepared for TFW CMER Water Quality Steering Committee and Washington Department of Natural Resources. Olympia, Washington. |
|---------------------------|---|
| 6 7 8 9 | Perez-Garcia, J., J. Edelson, and K. Zobrist. 2001. Small business economic impact statement for proposed forest practice rules to implement the Forest and Fish Agreement. Prepared for Washington State Department of Natural Resources by the College of Forest Resources, University of Washington, Seattle, Washington. |
| 0 1 2 3 4 | Peterson, N.P. and L.M. Reid. 1984. Wall-base channels: their evolution, distribution, and use by juvenile coho salmon in the Clearwater River, Washington. Pages 215-225 <i>in</i> J.M. Walton and D.B. Houston, editors. Proceedings of the Olympic wild fish conference, 23-25 March, 1983, Port Angeles, Washington. Olympic National Park and Fisheries Technology Program, Peninsula College, Port Angeles, Washington. |
| .6 .7 .8 | Peterson, J.L., P.C. Jepson, J.J. Jenkins. 2001a. A test system to evaluate the susceptibility of Oregon, USA, native stream intertebrates to triclopyr and carbaryl. Environmental Toxicology and Chemistry 20:2205-2214(2001). |
| 9 20 21 22 23 | Peterson, J.L., P.C. Jepson, and J.J. Jenkins. 2001b. Effect of varying pesticide exposure duration and concentration on the toxicity of carbaryl to two field-collected stream invertebrates, Calineuria californica (Plecoptera: Perlidae) and Cinygma sp. (Ephemeroptera: Heptageniidae). Environmental Toxicology and Chemistry 20:2215-2223(2001). |
| 24 25 26 27 | Peterson, N.P., A. Hendry, and T.P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. TFW-F3-92-001. Final Report to Washington Department of Natural Resources by the Center for Streamside Studies, University of Washington, Seattle, Washington. |
| 28 29 | Petranka, J.W. 1998. Salamanders of the United States and Canada. Smithsonian Institution Press, Washington, DC. |
| 30 31 32 | Phillips, R.W., L. Lantz, E.W. Claire, and J.R. Moring. 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry. Transactions of the American Fisheries Society 104:461-466. |
| 33 34 35 36 | Piccolo, J.J. and M.S. Wipfli. 2002. Does red alder (<i>Alnus rubra</i>) in upland riparian forests elevate macroinvertebrate and detritus export from headwater streams to downstream habitats in southeastern Alaska? Canadian Journal of Fisheries and Aquatic Science 59:503-513. |
| 57 88 | Pierce, J.D., Buchanan, J.B., Cosentino, B., Snyder, S. 2005. An Assessment of the |



| 2 | Department of Fish and Wildlife, Olympia, Washington. August 2005. 40 p. |
|----------------------------|--|
| 3 4 5 6 | Platts, W.S. 1991. Livestock grazing. Pages 389-424 <i>in</i> W.R. Meehan, editor. Influences on forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 7 8 9 | Pleus, A. and P. Goodman. 2003. Type N Stream Demarcation Study: 2002 Tribal Perennial Stream Survey Data Collection Using CMER Methods. Northwest Indian Fisheries Commission, Olympia, Washington. |
| 10 11 | Plum Creek Timber Company. 1996. Draft multi-species habitat conservation plan. Plum Creek, Seattle, Washington. |
| 12 13 | Plum Creek Timber Company. 1999. Report on visual and recreation management practices. Plum Creek Timber, Seattle, Washington. |
| 14 15 16 | Pollock, M.M. and P.M. Kennard. 1998. A low-risk strategy for preserving riparian buffers needed to protect and restore salmonid habitat in forested watersheds of Washington. 10,000 Years Institute, Bainbridge Island, Washington. |
| 17 18 19 | Pollock, M.M. and G.R. Pess. 1998. The current and historical influence of beaver (Castor Canadensis) on coho (Oncorhynchus kisutch) smolt production in the Stillaguamish River Basin. 10,000 Years Institute, Seattle, Washington. |
| 20 21 22 23 24 | Pollock, M., G. Pess, and D.R. Montgomery. 2001. Relationships between beaver and coho salmon in the Pacific Northwest: implications for the recovery of a threatened species. Presentation at the Watershed Program Open House, Northwest Fisheries Science Center, National Marine Fisheries Service, Seattle, Washington. |
| 25 26 27 | Potter, A., J. Fleckenstein, S. Richardson, and D. Hays. 1999. Washington state status report for the mardon skipper. Washington Department of Fish and Wildlife, Wildlife Management Program, Olympia, Washington. |
| 28 29 | Potts, D.F., and B.K.M. Anderson. 1990. Organic debris and the management of small stream channels. Western Journal of Applied Forestery 5:25-28. |
| 30 31 32 | Powell, J.V. 1990. Quileute. Pages 431-437 in W. Suttles, editor. Handbook of North American Indians. Volume 7, Northwest Coast. Smithsonian Institution, Washington, D.C. |
| 33 34 | Power, T. 1996. Lost landscapes and failed economies: the search for a value of place. Island Press, Washington, D.C. |
| 35 36 37 38 | Powers, P. and J. Orsborn. 1985. Analysis of barriers to upstream fish migration: an investigation of the physical and biological conditions affecting fish passage success at culverts and waterfalls. Project 82-14 Final Report. U.S. Department of Energy, Bonneville Power Administration, Division of Fish and Wildlife, |

References 6-46 Final EIS



| 1 2 | Portland, Oregon. <u>Available at http://www.efw.bpa.gov/publications/U36523-1.pdf.</u> |
|----------------------------|---|
| 3 4 5 | Pratt, K.L. 1984. Habitat use and species interactions of juvenile cutthroat (<i>Salmo clarki lewisi</i>) and bull trout (<i>Salvelinus confluentus</i>), in the upper Flathead River basin. Thesis, University of Idaho, Moscow, Idaho. |
| 6 7 8 | Pratt, K.L. 1992. A review of bull trout life history. Pages 5-9 <i>in</i> P.J. Howell and D.V. Buchanan, editors. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvalis, Oregon. |
| 9 10 | Preston, B.L. 2002. Indirect effects in aquatic ecotoxicology: Implications for ecological risk assessment. Environmental Management 29:311-323(2002). |
| 11 12 13 14 15 | Pritchard, D., J. Anderson, C. Correll, J. Fogg, K, Geghardt, R. Krapf, S. Leonard, B. Mitchell, and J. Staats. 1998. Riparian area management: a user guide to assessing proper functioning condition and the supporting science for lotic areas. Technical Reference 1737-15. USDI, Bureau of Land Management, National Applied Resource Sciences Center, Denver, Colorado. |
| 16 17 18 19 | Pulkkinen, L. 2003. Feds set meetings to review forest rules. The (Aberdeen) Daily World, March 13, 2003. The Aberdeen Daily World, Aberdeen, Washington. Available at: http://www.thedailyworld.com/archive/2003/03/13/news/news6.html . |
| 20 21 22 23 | Raedeke, K.J. 1988. Introduction. Pages xiii-xvi <i>in</i> K.J. Raedeke, editor. Streamside management: riparian wildlife and forestry interactions. Institute of Forest Resources Contribution Number 59. College of Forest Resources, University of Washington, Seattle, Washington. |
| 24 25 26 | Ralph, S.C., G.C. Poole, L.L. Conquest, and R.J. Naiman. 1994. Stream channel morphology and woody debris in logged and unlogged basins of western Washington. Canadian Journal of Fisheries and Aquatic Sciences 51:37-51. |
| 27 28 | Rand, G.M. and S.R. Petrocelli, editors. 1985. Fundamentals of aquatic toxicology; methods and applications. Hemisphere Publishing, Washington, D.C. |
| 29 30 31 | Raphael, M.G. 1980. Utilization of standing dead trees by breeding birds at Sagehen Creek, California. Final Report. USDA Forest Service, Pacific Southwest Region, Vallejo, California. |
| 32 33 34 35 | Rashin, E. and C. Graber. 1992. Effectiveness of Washington's forest practice riparian management zone regulations for protection of stream temperature. Report Number TFW-WQ6-92-001. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 36 37 | Rashin, E., C. Clishe, A. Loch, and J. Bell. 1999. Effectiveness of forest road and timber harvest best management practices with respect to sediment-related water quality |



| 2 | Impacts. Washington Department of Ecology, Olympia, Washington. Publication No. 99-317. 118 p. |
|----------------------------|---|
| 3 4 | Rasker, R. 1993. Rural development, conservation and public policy in the Greater Yellowstone Ecosystem. Society and Natural Resources 6:109-126. |
| 5 | Ray, G.C. 1958. Vital limits and rates of desiccation in salamanders. Ecology 39:75-83. |
| 6 7 | Reid, L.M. and T. Dunne. 1984. Sediment production from forest road surfaces. Water Resources Research 20(11):1753-1761. |
| 8 9 | Reidy, C.A. 2004. Variability of hyporheic zones in Puget Sound lowland streams. Thesis, University of Washington, Seattle, Washington. |
| 10 11 12 | Renker, A.M. and E. Gunther. 1990. Makah. Pages 422-430 <i>in</i> Wayne Suttles, editor. Handbook of North American Indians. Volume 7. Smithsonian Institution, Washington, D. C. |
| 13 14 15 16 | Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson, and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. American Fisheries Society Symposium 17:334-349. |
| 17 18 19 | Reeves, G.H., K.M. Burnett, and E.V. McGarry. 2003. Sources of large wood in the main stem of a fourth-order watershed in coastal Oregon. Canadian Journal of Forest Research 33:1363-1370. |
| 20 21 22 | Retzer, J. L., H. M. Swope, J. 0. Remington, and W. H. Rutherford. 1956. Suitability of physical factors for beaver management in the Rocky Mountains of Colorado. Colo. Dept. Game, Fish and Parks, Tech. Bull. 2:1-32. |
| 23 24 25 | Richardson, J.S. 1992. Coarse particulate detritus dynamics in small, montane streams of southwestern British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 49:337-346. |
| 26 27 28 | Rieman, B.E. and J.D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. General Technical Report INT-302. USDA Forest Service. Intermountain Research Station, Ogden, Utah. |
| 29 30 31 32 33 | Riesenbichler, R.R. 1984. Outplanting: potential for harmful genetic change in naturally spawning salmonids. Pages 33-44 in J.M. Walton and D.B. Houston, editors. Proceedings of the Olympic Wild Fish Conference, 23-25 March, 1983, Port Angeles, Washington. Olympic National Park and Fisheries Technology Program, Peninsula College, Port Angeles, Washington. |
| 34 35 36 | Ringler, N.H. and J.D. Hall. 1975. Effects of logging on water temperature and dissolved oxygen in spawning beds. Transactions of the American Fisheries Society 104:111-121. |



| 1 2 3 | Ripley, T.R., G. Scrimgeour, and M.S. Boyce. 2005. Bull Trout (Salvelinus confluentus) Occurrence and Abundance Influenced by Cumulative Industrial Developments in a Canadian Boreal Forest Watershed. Canadian Journal of Fisheries and |
|----------------------------|---|
| 4 5 6 7 8 9 | Aquatic Sciences. 62:2431-2442. Roberts, M., B. Zalewsky, T. Swanson, L. Sullivan, K. Sinclair, and M. LeMoine. 2004. Deschutes River, Capitol Lake, and Budd Inlet temperature, fecal, coliform bacteria, dissolved oxygen, pH, and fine sediment total maximum daily load study-quality assurance project plan. Washington Department of Ecology Publication No. 04-03-103. |
| 10 11 12 | Robison, E.G., K. Mills, J.T. Paul, L. Dent, and A. Skaugset. 1999. Oregon department of forestry 1996 storm impacts monitoring project: final report. Forest Practices Technical Report # 4. Oregon Department of Forestry, Salem, Oregon. |
| 13 14 15 16 | Robison, G.E., J. Runyon, and C. Andrus. 1999. Oregon Department of Forestry cooperative stream temperature monitoring: project completion report for 1994-1995. Forest Practices Technical Report 2, Oregon Department of Forestry, Forest Practices, Salem, OR. 47 p. |
| 17 18 19 | Roering, J.J., K.M. Schmidt, J.D. Stock, W.E. Dietrich, and D.R. Montgomery. 2003. Riparian ecology and management in the Pacific coastal rain forest. BioScience 50(11): 996-1011. |
| 20 21 22 23 | Rogers, L. 2003. Small forest landowner database: the assessment of non-industrial private forestlands by water resource inventory area. College of Forest Resources Rural Technology Initiative, University of Washington, Seattle, Washington. |
| 24 25 26 27 | Rogers, L. 2004. Small forest landowner database: the assessment of non-industrial private forestlands by water resource inventory area. Unpublished reported prepared by the Rural Technology Initiative, College of Forest Resources, University of Washington, Seattle, WA. 145 p. |
| 28 29 | Rollerson, T.P., and R.J. Fannin. 1993. Debris flows: some physical characteristics and behaviour. Canadian Geotechnical Journal 30:71-81. |
| 30 31 32 33 34 | Rollerson, T.P., Thomson, B., and Millard, T.H. 1997. Identification of coastal British Columbia terrain susceptible to debris flows. Pages 484-495 in C. Chen, editor. Proceedings of the first annual international conference on debris-flow hazards mitigation: mechanics, prediction, and assessment. American Society of Civil Engineers, Reston, Virginia. |
| 35 36 37 | Roper, B.B., J.L. Kershner, E. Archer, R. Henderson, and N. Bouwes. 2002. An evaluation of physical stream habitat attributes used to monitor streams. Journal of the American Water Resources Association 38:1637-1646. |



| 1 2 3 | Ross, J. 1998. Spokane. Pages 271-282 <i>in</i> D.E. Walker, editor. Handbook of the North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington, D.C. |
|----------------------------------|--|
| 4 5 | Roth, E., R. Olsen, P. Snow, and R. Sumner. 1993. Oregon freshwater wetlands assessment methodology. Oregon Division of State Lands, Salem, Oregon. |
| 6 7 | Rothacher, J. 1970. Increases in water yield following clear-cut logging in the Pacific Northwest. Water Resources Research 6:653-658. |
| 8 9 10 11 | Royal British Columbia Museum (RBCM). 1995. Endangered species in endangered spaces: Umatilla dace. Internet Exhibit and Digital Collection. Royal British Columbia Museum, Victoria, British Columbia, Canada. Available at www.royalbcmuseum.bc.ca/end_species/index_es.html . |
| 12 13 14 15 16 17 | Rudzitis, G. and R. Johnson. 2000. The impact of wilderness and other wildlands on local economies and regional development trends. Pages 14-26 in S.F. McCool, D. N. Cole, W.T. Borrie, and J. O'Loughlin, compilers. Wilderness science in a time of change conference, Volume 2: Wilderness within the context of larger systems, 23-27 May, 1999, Missoula, Montana. Proceedings RMRS-P-15-Vol-2. USDA Forest Service, Rocky Mountain Research Station, Ogden, Utah. |
| 18 19 20 21 22 | Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Nancy, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, F. Wahl, N. Warren, D. Wenger, and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, U.S. Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service, Missoula, Montana. |
| 23 24 25 26 27 | Ruggiero, L.F., K.B. Aubry, S.W. Buskirk, L.J. Lyon, and W.J. Zielinski. 1994. The scientific basis for conserving forest carnivores - american marten, fisher, lynx, and wolverine in the western United States. General Technical Report RM-254. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. |
| 28 29 30 | Russell, K.R., T.J. Mabee, and M.B. Cole. 2004. Distribution and habitat of Columbia torrent salamanders at multiple scales in managed forests of northwestern Oregon. Journal of Wildlife Management 68:403-415. |
| 31 32 33 | Ryan, R.B. 1997. Before and after evaluation of biological control of the larch casebearer (Lepidoptera: Coleophoridae) in the Blue Mountains of Oregon and Washington, 1972-1995. Evironmental Entomology. 26(3):703-715. |
| 34 35 36 | Salmon Information Center. 2003. Tri-county salmon recovery. King County Department of Natural Resources, Seattle, Washington. Available from the Salmon Information Center Web site: http://www.salmoninfo.org/ . |
| 37 38 39 | Salo, E.O. 1991. Life history of chum salmon, <i>Oncorhynchus keta</i>. Pages 231-309 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, British Columbia, Canada. |

References 6-50 Final EIS



| 1 2 3 | Sandahl, J.F. and J.J. Jenkins. 2005. Pacific steelhead (<i>Oncorhynchus mykiss</i>) exposed to chlorpyrifos: benchmark concentration estimates for acetylcholinesterase inhibition. Environmental Toxicology and Chemistry 21:2452-2458(2002). |
|----------------------------------|---|
| 4 5 6 | Sandercock, F.K. 1991. Life history of coho salmon (<i>Oncorhynchus kisutch</i>). Pages 397 – 445 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, Canada. |
| 7 8 9 | Sanders, T.A. and W.D. Edge. 1998. Breeding bird community composition in relation to riparian vegetation structure in the western United States. Journal of Wildlife Management 62(2):461-473. |
| 10 11 12 | Savino, J.R. and R.A. Stein. 1989. Behavior of fish predators and their prey: habitat choice between open water and dense vegetation. Environmental Biology of Fishes 24:287-293. |
| 13 14 15 16 | Schaller, H.A., C.E. Petrosky, and O.P. Langness. 1999. Contrasting patterns of productivity and survival rates for stream-type Chinook salmon (<i>Oncorhynchus tshawytscha</i>) populations of the Snake and Columbia Rivers. Canadian Journal of Aquatic Sciences 56:1031-1045. |
| 17 18 | Schueler, T.R. 1994. The Importance of Imperviousness. Watershed Protection Techniques 1(3):100-111. |
| 19 20 21 | Schuster, H.H. 1998. Yakima and neighboring groups. Pages 327-331 <i>in</i> D. E. Walker, Jr., editor. Handbook of North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington, D.C. |
| 22 23 24 | Schmidt, K.M., J.D. Stock, W.E. Dietrich, D.R. Montgomery, and T. Schaub. 2001. Root cohesion variability and shallow landslide susceptibility in the Oregon coast range. Canadian Geotechnical Journal 38:995-1024. |
| 25 26 27 | Schmitt, C.L., J.R. Parmeter and J.T. Kliejunas. 2000. Annosus root disease of western conifers. Forest Insect and Disease Leaflet Number 172. USDA Forest Service, Pacific Northwest Research Station, LaGrande, Oregon. |
| 28 29 | Schowalter, T.D. and J. Withgott. 2001. Rethinking insects. What would an ecosystem approach look like? Conservation Biology In Practice 2(4):11-16. |
| 30 31 32 33 34 35 | Schuett-Hames, D., R. Conrad, and A. Roorbach. 2005. Validation of the Western Washington Riparian Desired Future Condition (DFC) Performance Targets in the Washington State Forest Practices Rules with Data from Mature, Unmanaged, Conifer-Dominated Riparian Stands. Prepared for the Riparian Scientific Advisory Group of the Cooperative Monitoring, Evaluation and Research Committee. March 2005. |
| 36 37 | Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Research Board of Canada Bulletin 184. |



| 1 2 3 4 | Scrivener, J.C. 1982 Logging impacts on the concentration patterns of dissolved ions in Carnation Creek, British Columbia. Pages 64-80 in G.G. Hartman, editor. Proceedings of the Carnation creek workshop: a ten-year review. Pacific Biological Station, Nanaimo, British Columbia, Canada. |
|----------------------------|---|
| 5 6 7 8 9 | Scrivener, J.C. and B.C. Andersen. 1982. Logging impacts and some mechanisms which determine the size of spring and summer populations of coho salmon fry in Carnation Creek. Pages 257-272 <i>in</i> G. F. Hartman, editor. Proceedings of the Carnation Creek Workshop: a ten year review. Pacific Biological Station, Nanaimo, British Columbia, Canada. |
| 10 11 12 13 | Sedell, J.R. and K.J. Luchessa. 1982. Using the historical record as an aid to salmonid enhancement. Pages 210-233 <i>in</i> N.B. Armantrout, editor. Acquisition and utilization of aquatic habitat inventory information. Proceedings of Conference, 28-30 October, 1981. American Fisheries Society, Portland, Oregon. |
| 14 15 16 17 18 | Sedell, J.R., P.A. Bison, F.J. Swanson, and S.V. Gregory. 1988. What we know about large trees that fall into streams and rivers. Pages 47-81 <i>in</i> C. Maser, editor. From the forest to the sea: a story of fallen trees. General Technical Report PNW-GTR-229. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 19 20 | Sedell, J.R, F.N. Leone, and W.S. Duval. 1991. Water transportation and storage of logs. American Fisheries Society Special Publication 19:325-368. |
| 21 22 | Semlitsch, R.D. 1998. Biological determination of terrestrial buffer zones for pond-breeding salamanders. Conservation Biology 12:1113-1119. |
| 23 24 25 26 | Setter, A. and E. Brannon. 1992. A summary of stock identification research on white sturgeon of the Columbia River (1985-1990). Final Report to Bonneville Power Administration DOE/BP-97298-1. University of Idaho Aquaculture Institute, Moscow, Idaho. |
| 27 28 | Shared Strategy for Puget Sound. 2005. Draft Recovery Plan for Puget Sound. June 2005. |
| 29 30 | Shepard, J.P. 1994. Effects of forest management on surface water quality in wetland forests. Wetlands 14:18-26. |
| 31 32 | Sheppard, S.R.J. 1989. Visual simulation: a user's guide for architects, engineers, and planners. Van Nostrand Reinhold, New York, New York. |
| 33 34 35 | Sidle, R.C., A.J. Pearce, and C.L. O'Loughlin. 1985. Hillslope stability and land use. Water Resources Monograph 11. American Geophysical Union, Washington, D.C. |
| 36 37 38 | Silverstein, M. 1990. Chinookans of the lower Columbia. Pages 533-546 <i>in</i> W. Suttles, editor. Handbook of North American Indians. Volume Seven, Northwest Coast. Smithsonian Institution Press, Washington, D.C. |

References 6-52 Final EIS



| 1 2 3 | Simenstad, C.A. 1983. The ecology of estuarine channels of the Pacific Northwest coast: a community profile. FWS/OBS-83/05. U.S. Fish and Wildlife Service, Olympia, Washington. |
|----------------------------|---|
| 4 5 6 7 | Simenstad, C., A. Miller, C. Nyblade, K. Thornburg and L. Bledoe. 1979. Food web relationships of northern Puget Sound and the Strait of Juan de Fuca. Prepared for the MESA Puget Sound Project by EPA Interagency Energy/Environment Program, Seattle, Washington. |
| 8 9 10 11 | Simenstad, C.A., K.L. Fresh, and E.O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function. Pages 343-363 <i>in</i> V.S. Kennedy, editor. Estuarine comparisons. Academic, New York, New York. |
| 12 13 14 | Simenstad, C., A. Wick, S. Van de Wetering, and D.L. Bottom. 2003. Dynamics and ecological functions of wood in estuarine and coastal marine ecosystems. American Fisheries Society Symposium 37:265-277. |
| 15 16 17 | Smith, C. 1999. Salmon and steelhead habitat limiting factors in the western Strait of Juan de Fuca, WRIA 19. Washington State Conservation Commission, Olympia, Washington. |
| 18 19 20 21 | Snake River Salmon Recovery Board. 2001. Snake River salmon recovery board strategy. Snake River Salmon Recovery Board, Dayton, Washington. Available at http://www.iac.wa.gov/documents/srfb/lead_entities/Snake/Recovery_Strategy.pdf . |
| 22 23 24 25 | Southwest Oregon Forest Insect and Disease Service Center. 2004. Swiss needle cast. USDA Forest Service, Southwest Oregon Forest Insect and Disease Service Center, Central Point, Oregon. Available at http://www.fs.fed.us/r6/rogue/swofidsc/swiss/swissneedle.html . |
| 26 27 28 29 30 | Spence, B.C., G.A. Lomnicky, R.M. Hughes, and R.P. Novitizki. 1996. An ecosystem approach to salmonid conservation. Report prepared by Management Technology. Sponsored by the National Marine Fisheries Service, U.S. Environmental Protection Agency, and the U.S. Fish and Wildlife Service, Washington, D.C. |
| 31 32 | Spray Drift Task Force. 1997. A summary of aerial application studies. Spray Drift Task Force, Stewart Agricultural Research Services, Macon, Missouri. |
| 33 34 35 | Sridhar, V., A.L. Sansone, J. LaMarche, T. Dubin, and D.P. Lettenmaier. 2004. Prediction of stream temperature in forested watersheds. Journal of the American Water Source Association 40:197-213. |
| 36 37 38 | St-Hilaire, A., G. Morin, N. El Jabi, and D. Caissie. 2000. Water temperature modelling in a small forested stream: implication of forest canopy and soil temperature. Canadian Journal of Civil Engineering 27(6):1095-1108. |



| 2 | Steinblums, 1.J. 1978. Streamside buffer strips: survival, effectiveness, and design. Oregon State University, Corvallis, Oregon. |
|----------------------------|--|
| 3 4 | Steinblums, I.J., H.A. Froehlich, and J.K. Lyons. 1984. Designing stable buffers strips for stream protection. Journal of Forestry 82:49-52. |
| 5 6 7 | Stern, T. 1998. Cayuse, Umatilla, and Walla Walla. Pages 395-419 <i>in</i> D.E. Walker, editor. Handbook of the North American Indians. Volume 12, Plateau. Smithsonian Institution, Washington, D.C. |
| 8 9 10 | Stoeckeler, J.H. 1967. Wetland road crossings: drainage problems and timber damage, Forest Service Research Note NC-27. USDA Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota. |
| 11 12 13 14 15 | Sullivan, K., T.E. Lisle, C.A. Dolloff, G.E. Grant, and L.M. Reid. 1987. Stream channels: the link between forests and fishes. Pages 39-97 <i>in</i> E.O. Salo and T.W. Cundy, editors. Streamside mangement: forestry and fishery Interactions. Institute of Forest Resources Contribution Number 57. University of Washington, College of Forest Resources, Seattle, Washington. |
| 16 17 18 19 | Sullivan, K., J. Tooley, K. Doughty, J.E. Caldwell, and P. Knudsen. 1990. Evaluation of prediction models and characterization of stream temperature regimes in Washington. TFW-WQ-90-006. The Department of Natural Resources, Olympia, Washington. |
| 20 21 22 | Suttles, W. 1990. Central Coast Salish. Pages 453-475 in W. Suttles, editor. Handbook of the North American Indians. Volume 7, Northwest Coast. Smithsonian Institution, Washington, D.C. |
| 23 24 25 | Suttles, W. and B. Lane. 1990. Southern Coast Salish. Pages 485-502 <i>in</i> W. Suttles, editor. Handbook of North American Indians. Volume 7, Northwest Coast. Smithsonian Institution, Washington D. C. |
| 26 27 28 | Swanson, F.J. and C.T. Dyrness. 1975. Impact of clearcutting and road construction on soil erosion by landslides in the western Cascades Range, Oregon. Geology 3(7):393-396. |
| 29 30 31 32 | Swanson, F.J. and G. W. Lienkaemper. 1978. Physical consequences of large organic debris in Pacific Northwest streams. General Technical Report PNW-69. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 33 34 35 | Swanson, F.J., G.W. Lienkaemper, and J.R. Sedell. 1976. History, physical effects, and management implications of large organic debris in western Oregon streams. General Technical Report PNW-56. USDA Forest Service, Portland, Oregon. |



| 1 2 3 4 5 6 | Swanson, F.J., L.E. Benda, S.H. Duncan, G.E. Grant, W.F. Magahan, L.M. Reid, and R.R. Ziemer. 1987. Mass failures and other processes of sediment production in Pacific Northwest forest landscapes. Pages 9-38 <i>in</i> E.O. Salo and T.W. Cundy editors. Streamside management: forestry and fishery Interactions. Institute of Forest Resources Contribution Number 57. University of Washington, College of Forest Resources, Seattle, Washington. |
|----------------------------|---|
| 7 8 | Swanston, D.N. 1970. Mechanics of debris avalanching in shallow till soils of southwest Alaska. USDA Forest Service, Portland, Oregon. |
| 9 10 11 12 | Swanston, D.N. 1974. Slope stability problems associated with timber harvesting in mountainous regions of the western United States. USDA Forest Service, General Technical Report PNW-21. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 13 14 15 16 | Swanston, D.N. 1991. Natural processes. Pages 139-179 <i>in</i> W.R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19. American Fisheries Society, Bethesda, Maryland. |
| 17 18 19 20 | Swanston, D.N. and F.J. Swanson. 1976. Timber harvesting, mass erosion, and steepland forest geomorphology in the Pacific Northwest. Pages 199-221 <i>in</i> D.R. Coates, editor. Geomorphology and engineering. Dowden, Hutchinson, and Ross, Inc. Stroudsburg, Pennsylvania. |
| 21 22 23 | Talayco, N., editor. 2002. Okanogan/Similkameen subbasin summary. Prepared by Golder and Associates for the Northwest Power Planning Council, Portland, Oregon. |
| 24 25 26 | Theis, W.G., and R.N. Sturrock. 1995. Laminated root rot in western North America. General Technical Reptort PNW-GTR-349. USDA Forest Service Pacific Northwest Research Station, Portland, Oregon. |
| 27 28 29 | Thomas, J.W., editor. 1979. Wildlife habitats in managed forests-the Blue Mountains of Oregon and Washington. USDA Forest Service, Agricultural Handbook Number 553. USDA Forest Service, Portland, Oregon. |
| 30 31 32 33 34 | Thomas, J.W., E.D. Forsman, J.B. Lint, E.C. Meslow, B.R. Noon, and J. Verner. 1990. A conservation strategy for the northern spotted owl: a report to the Interagency Scientific Committee to address the conservation of the northern spotted owl. U.S. Forest Service, U.S. Fish and Wildlife Service, and National Park Service, Washington, D.C. |
| 35 36 37 38 | Thomas, J.W., M.G. Raphael, and R.G. Anthony. 1993. Viability assessments and management considerations for species associated with late-successional and old-growth forests of the Pacific Northwest. The Report of the Scientific Analysis Team, USDA Forest Service, Portland, Oregon. |



| 1 2 3 | Thomas, R.B. and W.F. Megahan. 1998. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon: a second opinion. Water Resources Research 34(12):3393-3403. |
|----------------------|---|
| 4 5 | Thomson, J.L., C. Weller, and B. Severtsen. 2003. Cascade crest forest: forest loss, habitat fragmentation, and wildness. The Wilderness Society, Washington D. C. |
| 6 7 8 | Thorne, R.E. and J.J. Ames. 1987. A note on variability of marine survival of sockeye salmon (<i>Oncorynchus nerka</i>) and effects of flooding on spawning success. Canadian Journal of Fisheries and Aquatic Sciences 44:1791-1795. |
| 9 10 | Thurston County; City of Olympia. 1998. Green Cove Creek Comprehensive Drainage Basin Plan. Thurston County and City of Olympia, Olympia Washington. |
| 11 12 13 | Timber, Fish, and Wildlife Cultural Resources Committee. 2003. Cultural resource protection and management plan. Washington Department of Natural Resources, Olympia, Washington. |
| 14 15 16 | Torgensen, T.R. and E.L. Bull. 1995. Down logs as habitat for forest-dwelling ants—the primary prey of pileated woodpeckers in northeastern Oregon. Northwest Science 69:294-303. |
| 17 18 19 | Toth, S. 1991. A road damage inventory for the upper Deschutes River Basin. Timber Fish and Wildlife Report TFW-SH14-91-007. Washington Department of Natural Resources, Olympia, Washington. |
| 20 21 | Trimble, S.W. and F.H. Weirich. 1987. Reforestation reduces streamflow in the southeastern United States. Journal of Soil and Water Conservation 42:274-276. |
| 22 23 24 | Troendle, C.A. 1983. The potential for water yield augmentation from forest management in the Rocky Mountain region. Water Resources Research 21(12):1915-1922. |
| 25 26 27 28 | Troendle, C.A. and C.F. Leaf. 1981. Effects of timber harvest on the snow zone on volume and timing of water yield. Pages 231-244 <i>in</i> D.M. Baumgartner, editor. Interior west watershed management symposium, Spokane Washington. Washington State University Cooperative Extension, Pullman, Washington. |
| 29 30 31 32 | Troffe, P.M. 1999. Freshwater fishes of the Columbia Basin in British Columbia. Royal British Columbia Museum Living Landscapes project. Royal British Columbia Museum, Victoria, British Columbia, Canada. Accessed 21 May 2003. Available at: http://livinglandscapes.bc.ca/cbasin/peter_myles/pdf/fish1e.pdf . |
| 33 34 35 | Tuchmann, E., K.P. Connaughton, L.E. Freedman, and C.B. Moriwaki. 1996. The northwest forest plan: a report to the president and congress. USDA Office of Forestry and Economic Assistance, Washington, D.C. |
| 36 37 | Turner, N.J. 1978. Food plants of British Columbia Indians Part II – Interior Peoples. British Columbia Provincial Museum Handbook #36. Victoria, Canada. 259 pp. |



| 1 2 3 4 5 | U.S. Bureau of Economic Analysis. 2004a. Detailed county annual tables of employment by SIC industry, 1969-2000 (CA25). Regional Economic Information System (REIS). U.S. Department of Commerce, Bureau of Economic Analysis, Washington, D.C. Available at: http://www.bea.doc.gov/bea/regional/reis/ . |
|----------------------------|---|
| 6 7 8 9 | U.S. Bureau of Economic Analysis. 2004b. Table CA34, average wage per job. Regional Economic Information System (REIS). U.S. Department of Commerce, Bureau of Economic Analysis, Washington, D.C. Available at: http://www.bea.gov/bea/regional/reis/drill.cfm . |
| 10 11 12 13 | U.S. Bureau of Economic Analysis. 2004c. Bureau of Economic Analysis' regional fact sheets. U.S. Department of Commerce, Bureau of Economic Analysis, Regional Economic Accounts, Washington, D.C. Available at: http://www.bea.doc.gov/bea/regional/bearfacts/ . |
| 14 15 16 | U.S. Census Bureau. 2000. State and county Quick Facts. U.S. Census Bureau, Washington, D.C. Available at: http://quickfacts.census.gov/qfd/states/53000.html . |
| 17 18 19 | USDA Economic Research Service. 2004. County-level poverty rates for Washington. USDA Economic Research Service, Washington, D.C. Available at: http://www.ers.usda.gov/Data/PovertyRates/PovListpct.asp?ST=WA&SF=4A . |
| 20 21 22 | USDA Forest Service. 1984. Forester's field handbook. USDA Forest Service Pacific Northwest Region in Cooperation with the State Foresters of Oregon and Washington, Portland, Oregon. |
| 23 24 25 | USDA Forest Service. 2001. Forest roads: a synthesis of scientific information. General Technical Report PNW-GTR-509. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 26 27 28 29 30 | USDA Forest Service and USDI Bureau of Land Management. 1994. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern sported owl; standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. |
| 31 32 33 | U.S. Department of the Interior (USDI). 1992. Endangered and threatened wildlife and plants; determination of critical habitat for the Northern Spotted Owl: final rule. Federal Register 57:1796-1838. June 15:1992. |
| 34 35 | <u>U.S. Department of the Interior (USDI).</u> 1992a. Recovery plan for the Northern Spotted <u>Owl – final draft. USDI, Portland, OR. 428 p.</u> |
| 36 37 38 | USDI. 1992b. Endangered and threatened wildlife and plants; determination of critical habitat for the Northern Spotted Owl: final rule. Federal Register 57:1796-1838. June 15, 1992. |



| 1 2 3 | USDI. 2000. Endangered and threatened animals and plants; determination of threatened status for the contiguous United States distinct population segment of the Canada lynx and related rule. Federal Register 65(58):16051-16086. March 24 2000. |
|----------------------|--|
| 4 5 6 | USDI. 2001. Endangered and threatened wildlife and plants: review of plant and animal taxa that are candidates for listing as endangered or threatened species; proposed rule. Federal Register 66(05):1300. |
| 7 8 9 | U.S. Environmental Protection Agency (EPA). 1986. Pesticides in groundwater: background document. U.S. Environmental Protection Agency, Office of Groundwater Protection, Washington, D.C. |
| 10 11 12 | U.S. EPA. 1999. National water quality inventory: 1996 report to congress. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. Available at: http://www.epa.gov/OW/resources/9698/chap6.html . |
| 13 14 15 | U.S. EPA. 2003. EPA Region 10 Guidance for Pacific Northwest State and Tribal Temperature Water Quality Standards. EPA 910-B-03-002. U.S. Environmental Protection Agency, Region 10, Office of Water, Seattle, Washington. |
| 16 17 18 | U.S. Fish and Wildlife Service (USFWS). 1992a. Recovery plan for the northern spotted owl <u>final</u> draft. Prepared by the U.S. Department of Interior Northern Spotted Owl Recovery Team, Portland, Oregon. |
| 19 20 21 | USFWS. 1992b. Recovery plan for the northern spotted owl final draft. Volume 2 Prepared by the U.S. Department of Interior Northern Spotted Owl Recovery Team, Portland, Oregon. |
| 22 23 | USFWS. 1993. Grizzly bear recovery plan. U.S. Fish and Wildlife Service, Missoula, Montana. |
| 24 25 | USFWS. 1994. Recovery plan for woodland caribou in the Selkirk mountains. U.S. Fish and Wildlife Service, Region 1, Portland, Oregon. |
| 26 27 28 | USFWS. 1997. Recovery plan for the marbled murrelet (Washington, Oregon, and California populations). U.S. Fish and Wildlife Service, Region 1, Portland, Oregon. |
| 29 30 31 32 | USFWS. 1998. Potential benefits to selected fish and amphibian species of the National Marine Fisheries Service's proposal to improve Oregon Forest Practices. February 16, 1998 (26 pages with cover letter from Pacific Regional Director, Michael Spear). |
| 33 34 35 36 | USFWS. 1998a. A framework to assist in making Endangered Species Act determinations of effect for individual or grouped actions at the bull trout subpopulation watershed scale. U.S. Fish and Wildlife Service, Washington, D.C. |



| 1 2 3 | USFWS. 1998b. Feasibility study on the reintroduction of gray wolves to the Olympic peninsula. U.S. Fish and Wildlife Service, Western Washington Office, Olympia, Washington. |
|----------------------------|--|
| 4 5 | USFWS. 1999. National wetlands inventory (NWI). USFWS Division of Habitat and Resources Conservation, Branch of Habitat Assessment, Arlington, Virginia. |
| 6 7 | USFWS. 2001. Oregon silverspot butterfly (<i>Speyeriazerene hippolyta</i>). Revised Recovery Plan. U.S. Fish and Wildlife Service, Region 1, Portland, Oregon. |
| 8 9 | USFWS. 2003a. Bull trout, <i>Salvelinus confluentus</i> . Informational Brochure. U.S. Fish and Wildlife Service, Washington, D.C. |
| 10 11 12 13 | USFWS. 2003b. Habitat conservation plans. Database retrieved September 29, 2003 from Environmental Conservation Online System (ECOS). U.S. Fish and Wildlife Service, Environmental Conservation Online System, Washington, D.C. Available at: http://ecos.fws.gov/conserv_plans/public.jsp . |
| 14 15 | USFWS. 2004a. Habitat conservation plan all status report. Unpublished. U.S. Fish and Wildlife Service, Lacey, WA. |
| 16 17 18 19 | USFWS. 2004b. Draft recovery plan for the coastal Puget Sound district population segment of bull trout (<i>Salvelinus confluentus</i>). Volume 11. U.S. Fish and Wildlife Service, Olympic Peninsula Management Unit, Portland, Oregon. http://www.fws.gov/pacific/bulltrout/jcs/vol_I.html . |
| 20 21 22 23 24 | USFWS and U.S. Census Bureau. 2003. 2001 national and state economic impacts of wildlife watching: addendum to the 2001 national survey of fishing, hunting, and wildlife-associated recreation. Report 2001-2. U.S. Fish and Wildlife Service, Division of Federal Assistance, Arlington, Virginia. Available at: http://fa.r9.fws.gov/surveys/surveys.html#survey_background . |
| 25 26 27 | U. S. General Accounting Office. 2001. Restoring fish passage through culverts on Forest Service and BLM lands in Oregon and Washington could take decades. GAO-02-136. U.S. General Accounting Office, Washington, D.C. |
| 28 29 30 31 | U.S. Geological Survey (USGS). 1994. Groundwater atlas of the United States – Idaho, Oregon, Washington. Report HA 730-H. U.S. Geological Survey, Office of Ground Water, Reston, Virginia. Available at: http://capp.water.usgs.gov/gwa/ch_h/index.html . |
| 32 33 34 35 | USGS. 1996a. Pesticides and volatile organic compounds in ground and surface water of the Palouse subunit, Washington and Idaho. USGS Fact Sheet 204-96. National Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |
| 36 37 38 | USGS. 1996b. Pesticides in public supply wells of Washington State. USGS Fact Sheet 122-96. U.S. Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |



| 1 2 3 4 | USGS. | 1996c. Nutrients, suspended sediment, and pesticides in streams and irrigation systems in the central Columbia plateau in Washington and Idaho 1951-1991. Water Resources Investigation 94-4215. National Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |
|----------------------|--------|--|
| 5 6 7 | USGS. | 1997a. Ground-water system and ground-water quality in western Snohomish county, Washington. Water Resources Investigation 96-4312. National Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |
| 8 9 10 | USGS. | 1997b. Pesticides in selected small stream in the Puget Sound Basin, 1987-1995 USGS Fact Sheet 067-97. National Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |
| 11 12 13 | USGS. | 2000. Ground-water quality in regional, agricultural, and urban settings in the Puget Sound basin, Washington and British Columbia, 1996-1998. National Water-Quality Assessment Program, U.S. Geological Survey, Reston, Virginia. |
| 14 15 16 17 | USGS. | 2003. Amphibian research and monitoring initiative (ARMI) national atlas for amphibian distributions. U.S. Geological Survey, Patuxent Wildlife Research Center, Laurel, Maryland. Available at: http://www.mp2-pwrc.usgs.gov/armiatlas/ . |
| 18 19 | USGS. | 2004. Land use/land cover and WRIA GIS layers. USDI U.S. Geological Survey, Reston, Virginia. |
| 20 21 22 | Van de | Wetering, S. 2001. Juvenile salmonid densities across variable habitats within the Siletz river estuary. Technical Report 2001E3. Confederated Tribes of the Siletz Indians, Siletz, Oregon. |
| 23 24 | Van Si | ckle, J. and S.V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. Canadian Journal of Forest Research 20:1593-1601. |
| 25 26 27 28 | Verry, | E.S. 1997. Hydrological processes of natural, northern forested wetlands. Pages 163-188 <i>in</i> C.C. Trettin, M.F. Jurgensen, D.F. Grigal, M.R. Gale, and J.K. Jeglum, editors. Northern Forested wetlands: ecology and management. CRC Lewis, Boca Raton, Florida. |
| 29 30 31 | Vesely | D.G. and W.C. McComb. 2002. Salamander abundance and amphibian species richness in riparian buffer strips in the Oregon coast range. Forest Science 48(2):291-297. |
| 32 33 34 35 | Waldo, | T. and K. Wyman. 2005. An assessment of the 'small forest landowner' exemption impacts on anadromous streams in the North Puget Sound. Unpublished report prepared for the Northwest Indian Fisheries Commission, Olympia, WA and the Skagit River Cooperative, LaConner, WA. 9 p. |
| 36 | Walker | , D.W., editor. 1998. Handbook of the North American Indians. Volume 12, |



| 1 2 | Waples, R.S. 1991. Pacific salmon, <i>Oncorhynchus</i> spp., and the definition of "species" under the Endangered Species Act. Marine Review 53:11-22. |
|----------------------|---|
| 3 4 5 | Waples, R.S. and O.W. Johnson. 1991. Status review for Snake River sockeye salmon. NOAA technical memorandum NMFS-F/NWC 195. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington. |
| 6 7 8 | Warren, D. 2003. Production, prices, employment, and trade in northwest forest industries, all quarters, 2001. PNW-RB-239. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 9 10 11 | Washington Department of Agriculture. 2002. Washington pesticide laws and other related regulations. Publication 079. Department of Agriculture, Olympia, Washington. |
| 12 13 14 15 | Washington Department of Ecology. 1993a. Effectiveness of best management practices for aerial application of forest pesticides. Publication Number 93-81. Department of Ecology, Environmental Assessment Program, Olympia, Washington. Available at http://www.ecy.wa.gov/biblio/9381.html. |
| 16 17 18 | Washington Department of Ecology. 1993b. How ecology regulates wetlands. Department of Ecology, Shorelands and Environmental Assistance Program, Olympia, Washington. Available at http://www.ecy.wa.gov/biblio/97112.html . |
| 19 20 21 22 | Washington Department of Ecology. 1999a. Revision to the Washington Visibility State Implementation Plan. Publication number 99-211. Department of Ecology, Air Quality Program, Olympia, Washington. Available at: http://www.ecy.wa.gov/pubs/99211.pdf . |
| 23 24 25 26 | Washington Department of Ecology. 1999b. Introduction to Washington's shoreline management act (RCW 90.58). Publication Number. 99-113. Department of Ecology, Shorelands and Environmental Assistance Program, Olympia, Washington. |
| 27 28 29 | Washington Department of Ecology. 2001. Air lines-May 2001. Publication Number 01-02-002. Washington State Department of Ecology, Air Quality Program, Olympia, Washington. |
| 30 31 32 33 | Washington Department of Ecology. 2002a. Evaluating standards for protecting aquatic life in Washington's surface water quality standards: temperature criteria. Washington Department of Ecology, Water Quality Program, Watershed Management Section, Olympia, Washington. |
| 34 35 36 | Washington Department of Ecology. 2002b. Status of active groundwater monitoring programs in Washington State – 2002. Washington Department of Ecology, Groundwater Assessment Program, Olympia, Washington. |
| 37 38 | Washington Department of Ecology. 2002c. Evaluating criteria for the protection of freshwater aquatic life in Washington's surface water quality standards: |



| 1 2 | dissolved oxygen draft discussion paper and literature summary. Washington Department of Ecology. Publication number 00-10-071. |
|----------------------|--|
| 3 4 5 | Washington Department of Ecology. 2002d. Assessment of water quality for the Section 303(d) list. Washington Department of Ecology, Water Quality Program Policy, 1-11. Revised September 2002. |
| 6 7 8 | Washington Department of Ecology. 2003. 2000-2002 Air quality trends report. Washington Department of Ecology, Air Quality Program, Olympia, Washington. Available at: http://www.ecy.wa.gov/pubs/0302008.pdf . |
| 9 10 11 12 | Washington Department of Ecology. 2004. Washington State's water quality assessment [303(d)] list for 2002/2004. Draft. Department of Ecology, Water Quality Program, Olympia, Washington. Available at: http://www.ecy.wa.gov/programs/wq/303d/2002/2002-index.html . |
| 13 14 | Washington Department of Fish and Wildlife. 1997. Wild salmonid policy. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 15 16 17 18 | Washington Department of Fish and Wildlife. 1999a. Fish passage design at road culverts: a design manual for fish passage at road crossings. Washington Department of Fish and Wildlife, Habitat and Lands Program, Environmental Engineering Division, Olympia, Washington. |
| 19 20 | Washington Department of Fish and Wildlife. 1999a. Wolves in Washington. WDFW Fact Sheet. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 21 22 | Washington Department of Fish and Wildlife. 2001a. Lynx recovery plan. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 23 24 25 | Washington Department of Fish and Wildlife. 2001b. Washington State status report for the bald eagle. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 26 27 28 29 | Washington Department of Fish and Wildlife. 2001c. 1999-01-Biennial report. Washington Department of Fish and Wildlife, Olympia, Washington. Available at: http://www.wdfw.wa.gov/pubaffrs/biennialrpt/99-01/1999-01biennialreport.pdf . |
| 30 31 32 | Washington Department of Fish and Wildlife 2003. General species and habitat list by WRIA. GIS databases November 2003. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 33 34 35 36 | Washington Department of Fish and Wildlife and Point No Point Treaty Tribes. 2000. Summer chum salmon conservation initiative. Washington Department of Fish and Wildlife, Olympia, Washington. Available at http://wdfw.wa.gov/fish/chum/sumchum.pdf . |
| 37 38 | Washington Department of Fisheries. 1991. Management recommendations for mountain sucker. Olympia, Washington. |

References 6-62 Final EIS



| 1 2 3 | Washington Department of Natural Resources (Washington DNR). 1975-2004. Washington DNR Hydro Layer 1975-2004. Washington Department of Natural Resources, Olympia, Washington. |
|----------------------|--|
| 4 5 | Washington DNR. 1992a. Forest Resource Plan. Washington State Department of Natural Resources, Division of Forest Land Management. |
| 6 7 8 | Washington DNR. 1992. Final environmental impact statement for the forest resource plan. Washington State Department of Natural Resources, Forest Land Management Division, Olympia, Washington. |
| 9 10 | Washington DNR. 1993. Tolt watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 11 12 | Washington DNR. 1994a. Stillman watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 13 14 15 | Washington DNR. 1994b. Willapa headwaters watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 16 17 | Washington DNR. 1995a. Hansen watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 18 19 20 | Washington DNR. 1995b. North Elochoman watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 21 22 | Washington DNR. 1995c. Huckleberry watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 23 24 25 26 | Washington DNR. 1996. Draft environmental impact statement for the habitat conservation plan. Prepared for the Washington Department of Natural Resources, Resource Planning and Asset Management Division, Olympia, Washington. |
| 27 28 29 | Washington DNR. 1996. Rate of Timber Harvest in Washington State: 1988-1991, Report 1. Department of Natural Resources, Olympia, Washington. August 1996. |
| 30 31 32 | Washington DNR. 1997. Rate of Timber Harvest in Washington State: 1991-1993, Report 2. Department of Natural Resources, Olympia, Washington. August 1997. |
| 33 34 | Washington DNR. 1997a. Hansen watershed analysis. Washington Department of Natural Resources, Forest Practices Division Olympia, Washington. |
| 35 36 | Washington DNR. 1997b. Lake Whatcom watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |



| 2 3 | Washington DNR. 199/c. Thompson Creek watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
|----------------------|---|
| 4 5 | Washington DNR. 1997d. Final Habitat Conservation Plan [for State Trust Lands]. Washington Department of Natural Resources, Olympia, Washington. |
| 6 7 8 | Washington DNR. 1997e. Rate of Timber Harvest in Washington State: 1991-1993, Report 2. Department of Natural Resources, Olympia, Washington. August 1997. |
| 9 10 | Washington DNR. 1998a. Lake Whatcom watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 11 12 | Washington DNR. 1998b. Hazel watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 13 14 15 | Washington DNR. 1998c. North Fork Mineral watershed analysis. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 16 17 18 | Washington DNR. 1998d. South Fork Touchet, Robinette, and Wolf Fork watershed analyses. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 19 20 21 | Washington DNR. 1998e. Cowiche, Darland Mountain, and Foundation Creek watershed analyses. Washington Department of Natural Resources, Forest Practices Division, Olympia, Washington. |
| 22 23 | Washington DNR. 1998f. Lester watershed analysis. Plum Creek Timber Company, Seattle, Washington. |
| 24 25 26 | Washington DNR. 1998g. Central Region Mineral and North Fork Mineral Creek watershed analysis. Murray-Pacific Timber/West Fork Timber Company, Lakewood, Washington. |
| 27 28 | Washington DNR. 1998h. Our changing nature. Department of Natural Resources, Olympia, Washington. |
| 29 30 | Washington DNR. 1998i. Smoke management plan. August 1998. Department of Natural Resources, Olympia, Washington. |
| 31 32 33 | Washington DNR. 1999. Forests and fish report. Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/forestpractices/rules/forestsandfish.pdf . |
| 34 35 36 37 | Washington DNR 2000. Field guide to selected rare vascular plants of Washington. Washington Department of Natural Resources, Natural Heritage Program, Olympia, WA. Available at: http://www.dnr.wa.gov/nhp/refdesk/fguide/htm/fgmain.htm . |



| 1 2 | Washington DNR. 2001. Washington timber harvest 2000. Department of Natural Resources, Olympia, Washington. |
|--|---|
| 3 4 5 | Washington DNR. 2003. Draft environmental impact statement on alternatives for sustainable forest management of State trust lands in western Washington. November 2003, Department of Natural Resources, Olympia, Washington. |
| 6 7 | Washington DNR. 2004a. Commissioner's Order, April 26, 2004. Olympia, Washington. |
| 8 9 10 | Washington DNR. 2004b. Washington timber harvest 2002. Washington State Department of Natural Resources publication by Larsen, D. N., and Q. Nguyen. Available at: http://www.dnr.wa.gov/htdocs/obe/timberharvest/TH2002.pdf . |
| 11 12 13 | Washington DNR. 2004c. Final environmental impact statement on alternatives for sustainable forest management of state trust lands in western Washington. Department of Natural Resources, Olympia, Washington. |
| 14 15 | Washington DNR. 2004d. Timber Harvest Summary – All Ownerships, 1965 to 2001. Washington Department of Natural Resources. Olympia, Washington. |
| 16 17 18 | Washington DNR and Simpson Timber Company. 1997c. South Fork Skokomish watershed analysis. Washington Department of Natural Resources, Olympia, Washington. |
| 19 20 | Washington Department of Wildlife. 1992. Buffer needs of wetlands wildlife. Department of Wildlife, Olympia, Washington. |
| 21 22 23 | Washington Department of Wildlife. 1993. The status of marbled murrelet (Brachyramphus marmoratus) in Washington. Department of Wildlife, Olympia, Washington. |
| 24 25 26 27 28 | Washington Employment Security Department. 2003. Three year average unemployment rates used to determine distressed areas. Washington Employment Security Department, Labor Market and Economic Analysis Branch, Olympia, Washington. Available at: http://www.wa.gov/esd/lmea/pubs/affirm/distco03.htm . |
| 29 30 31 32 33 | Washington Employment Security Department. 2004. Covered employment and wage data. Washington Employment Security Department, Labor Market and Economic Analysis Branch, Olympia, Washington. Available at: http://www.workforceexplorer.com/cgi/dataanalysis/?PAGEID=94&SUBID=117 - |
| 343536 | Washington Forest Practices Board. 1987. The timber/fish/wildlife agreement: introduction. Washington Department of Natural Resources, Olympia, Washington. |
| 37 38 | Washington Forest Practices Board. 1994. Standard methodology for conducting watershed analysis (November 1994). Washington Department of Natural |

Final EIS 6-65 References



| 1 2 | Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/ . |
|----------------------------|---|
| 3 4 5 | Washington Forest Practices Board. 1995. Standard methodology in watershed analysis version 3.0. Washington Department of Natural Resources, Olympia, Washington. |
| 6 7 | Washington Forest Practices Board. 1998. Washington forest practices board manual. Washington Department of Natural Resources, Olympia, Washington. |
| 8 9 10 | Washington Forest Practices Board. 1999. Salmon recovery strategy (RCW 75.46). Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/sflo/publications/hb2091.pdf . |
| 11 12 13 | Washington Forest Practices Board. 2001a. Final environmental impact statement on alternatives for forest practices rules for: aquatic and riparian resources. Washington Department of Natural Resources, Olympia, Washington. |
| 14 15 16 | Washington Forest Practices Board. 2001b. Washington forest practices board manual. Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.drn.wa.gov/forestpractices/board/manual . |
| 17 18 | Washington Forest Practices Board. 2001c. Washington forest practices rules. Washington Department of Natural Resources, Olympia, Washington. |
| 19 20 | Washington Forest Practices Board. 2002. Washington forest practices rules. Washington Department of Natural Resources, Olympia, Washington. |
| 21 22 23 | Washington Natural Heritage Program. n.d. Data Sets. Washington Department of Natural Resources, Olympia, Washington. Available at: http://www.dnr.wa.gov/nhp/refdesk/plants.html . |
| 24 25 26 27 28 | Washington Office of Financial Management. 2002a. Washington State county growth management population projections: 2000 to 2025. 2002 Projections developed for Growth Management Act (Developed January 2002). Washington Office of Financial Management, Population Division, Olympia, Washington. Available at: http://www.ofm.wa.gov/pop/gma/index.htm . |
| 29 30 31 32 | Washington Office of Financial Management. 2002b. Population by race and Hispanic origin. Census 2000 Public Law 94-171 Redistricting Data, Washington State Local Government Areas. Washington Office of Financial Management, Olympia, Washington. Available at: http://www.ofm.wa.gov . |
| 33 34 35 | Washington Office of Financial Management. 2004. Population density and land area by county. Washington Office of Financial Management, Population Division, Olympia, Washington. Available at: http://www.ofm.wa.gov/popden/index.htm . |
| 36 37 | Washington State Community, Trade, and Economic Development. 1996. The office of archaeology and historic preservation. Informational Brochure. Office of |



| 1 2 | Archaeology and Historic Preservation, Washington State Community, Trade, and Economic Development, Olympia, Washington. |
|----------------------------|---|
| 3 4 5 6 | Washington State Conservation Commission. 2003. Bull trout habitat limiting factors: Water Resource Inventory Area (WRIA) 62, Pend Oreille county, northeast Washington State. Prepared by C. Andonaegui for the Washingotn State Conservation Commission, Olympia, Washington. |
| 7 8 9 | Washington State Conservation Commission. 2000. Salmonid habitat limiting factors: Water Resource Inventory Area 15 (East) – Final Report. Prepared by D. Haring for the Washington State Conservation Commission, Olympia, Washington. |
| 10 11 12 | Washington State Conservation Commission. 1999a. Salmon habitat limiting factors: Water Resource Inventory Area 5, Stillaguamish watershed. Final Report. Washington State Conservation Commission, Olympia, Washington. |
| 13 14 15 | Washington State Conservation Commission. 1999b. Salmon and steelhead habitat limiting factors report for the Puyallup River Basin. Prepared by J. Kerwin for the Washington State Conservation Commission, Olympia, Washington. |
| 16 17 18 | Washington State Conservation Commission. 1999c. Salmon and steelhead habitat limiting factors: WRIA 29. Washington State Conservation Commission, Olympia, Washington. |
| 19 20 21 22 23 | Washington State Conservation Commission (Olympia) and King County Department of Natural Resources (Seattle). 2000a. Habitat limiting factors and reconnaissance report: Green/Duwamish and Central Puget Sound watersheds (WRIA 9 and Vashon Island). Prepared by J. Kerwin and T.S. Nelson for the Washington State Conservation Commission, Olympia, Washington. |
| 24 25 26 | Washington State Conservation Commission. 2000b. Salmon and steelhead habitat limiting factors: water resource inventory area 27. Prepared by G. Wade for the Washington State Conservation Commission, Olympia, Washington. |
| 27 28 29 | Washington State Conservation Commission. 2000c. Salmon and steelhead habitat limiting factors: water resource inventory area 26. Prepared by G. Wade for the Washington State Conservation Commission. |
| 30 31 32 | Washington State Conservation Commission. 2001a. Salmonid habitat limiting factors analysis: water resource inventory area 32 Walla Walla watershed. Prepared by M. Kuttel for the Washington State Conservation Commission. |
| 33 34 35 36 | Washington State Conservation Commission. 2001b. Salmon and steelhead habitat limiting factors report for the Cedar-Sammamish Basin, water resource inventory area 8. Prepared by J. Kerwin for the Washington State Conservation Commission, Olympia, Washington. |
| 37 | Washington State Conservation Commission. 2002. Salmon habitat limiting factors, |



| 1 2 | Prepared by D. Haring for the Washington State Conservation Commission, Olympia, Washington. |
|----------------------------|---|
| 3 4 5 6 | Washington State Conservation Commission. 2003. Salmon and steelhead limiting factors analysis in WRIA 3 and 4, the Skagit and Samish Basins. Prepared by C.J. Smith for the Washington State Conservation Commission, Olympia, Washington. |
| 7 8 9 | Washington State Department of Agriculture. 2002. Washington pesticide laws and other related regulations. Publication 079. Department of Agriculture, Olympia, Washington. |
| 10 11 12 13 14 | Washington State Employment Security Department. 2003. Three year average unemployment rates used to determine distressed areas. Washington Employment Security Department, Labor Market and Economic Analysis Branch, Olympia, Washington. Available at: http://www.wa.gov/esd/lmea/pubs/affirm/distco03.htm . |
| 15 16 17 18 19 | Washington State Employment Security Department. 2004. Covered employment and wage data. Washington Employment Security Department, Labor Market and Economic Analysis Branch, Olympia, Washington. Available at: http://www.workforceexplorer.com/cgi/dataanalysis/?PAGEID=94&SUBID=117 - |
| 20 21 22 | Washington State Noxious Weed Control Board. 2003. An overview of Washington's weed list. The Washington State Noxious Weed Control Board, Washington State Department of Agriculture, Olympia, Washington. |
| 23 24 25 26 | Washington State Noxious Weed Control Board. 2004. Tansy ragwort (<i>Senecio jacobaea</i> L.). Written Findings of the State Noxious Weed Control Board. Washington State Department of Agriculture, Olympia, Washington. http://www.nwcb.wa.gov/weed_info/tragwort.html . |
| 27 28 29 | Watson, J.W. and D.J. Pierce. 1998. Migration, diets, and home ranges of breeding bald eagles along Hood Canal and at Indian Island, Washington. Final Report. Washington Department of Fish and Wildlife, Olympia, Washington. |
| 30 31 | Watts, F.J. 1974. Design of culvert fishways. Water Resource Research Institute, University of Idaho, Moscow, Idaho. |
| 32 33 34 35 36 | Wedge, G.J. and R.O. Anderson. 1979. Influence of artificial structures on largemouth bass and bluegills in small ponds. Pages 59-69 <i>in</i> D.L. Johnson and R.A. Stein, editors. Response of fish to habitat structure in standing water. American Fisheries Society Special Publication 6. North Central Division of the American Fisheries Society, Bethesda, Maryland. |
| 37 38 | Welsh, E.B. and T. Lindell. 1980. Ecological effects of wastewater. Cambridge University Press, New York, New York. |



| 1 2 | Welsh, H.H., Jr. 1990. Relictual amphibians and old-growth forests. Conservation Biology 4:309-319. |
|------------------------|--|
| 3 4 5 | Welsh, H.H., Jr. 1993. A hierarchical analysis of the niche relationships of four amphibians of forested habitats of northwestern California. Dissertation. University of California, Berkeley, California. |
| 6 7 8 9 10 | Welsh, H.H., Jr. and A.J. Lind. 1991. The structure of the herpetofaunal assemblage in the douglas-fir/hardwood forests of northwestern California and southwestern Oregon. Pages 394-413 <i>in</i> L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.H. Huff, editors. Wildlife and vegetation of unmanaged douglas-fir forests. General Technical Report PNW-GTR-285. UDSA, Forest Service, Portland, Oregon. |
| 11 12 13 | Welsh, H.H., Jr. and A.J. Lind. 1996. Habitat correlates of the southern torrent salamander, <i>Rhyacotriton variegatus</i> (Caudata: Rhyacotritonidae), in northwestern California. Journal of Herpetology 30(3):385-398. |
| 14 15 16 | Welsh, H.H., Jr. and A.J. Lind. 2002. Multiscale habitat relationships of stream amphibians in the Klamath-Siskiyou region of California and Oregon. Journal of Wildlife Management 66(3):581-602. |
| 17 18 19 | Welsh, H.H., Jr. and L.M. Ollivier. 1992. Effects of sediments on the amphibians of Prairie Creek Redwoods State Park and Redwood National Park. Report to California Department of Transportation, Sacramento, California. |
| 20 21 22 | Welsh, H.H., Jr. and L.M. Ollivier. 1998. Stream amphibians as indicators of ecosystem stress: a case study from California's redwoods. Ecological Applications 8(4):1118-1132. |
| 23 24 25 26 | Welsh, H.H., Jr., A.J. Lind, L.M. Olivier, and D.L. Waters. 1993. A hierarchical analysis of the habitat associations of the tailed frog (<i>Ascaphus truei</i>) in the mixed coniferous/hardwood forests of northwestern California. Prepared for California Department of Forestry and Fire Protection, Sacramento, California. |
| 27 28 29 30 | Welsh, H.H., Jr., T.D. Roelofs, and C.A. Frissell. 2000. Aquatic ecosystems of the redwood region. Pages 165-200 <i>in</i> R.F. Noss, editor. The redwood forest history, ecology, and conservation of the coast redwoods. Island Press, Covelo, California. |
| 31 32 33 34 | Welty, J.J., T. Beechie, K. Sullivan, D.M. Hyink, R.E. Bilby, C. Andrus, and G. Press. 2002. Riparian aquatic interaction simulators (RAIS): a model of riparian forest dynamics for the generation of large woody debris and shade. Forest Ecology and Management 162:299318. |
| 35 36 37 | Wemple, B.C., J.A. Jones, and G.E. Grant. 1996. Channel network extension by logging roads in two basins, Western Cascades, Oregon. Water Resources Bulletin 32:1-13. |



| 1 2 3 | Wessen, G. 1990. Prehistory of the ocean coast of Washington. Pages 412-421 <i>in</i> W. Suttles, editor. Handbook of North American Indians. Volume 7, Northwest Coast. Smithsonian Institution Press, Washington, DC. |
|----------------------|--|
| 4 5 6 7 | Wessen. G., and M. L. Stilson 1986. A Resource Protection Planning Process (RP3) Southern Puget Sound study unit. Washington Department of Community, Trade, and Economic Development, Office of Archaeology and Historic Preservation, Olympia, Washington. |
| 8 9 10 11 | West, S.D. and M.A. O'Connell. 1998. Management implications. Pages 31-34 <i>in</i> M.A. O'Connell, J.G. Hallett, S.D. West, K.A. Kelsey, D.A. Manuwal, and S.F. Pearson, preparers. Effectiveness of riparian management zones in providing habitat for wildlife. TFW Workshop, 14-15 October, 1998. TFW-WL3-98-001. Washington Department of Natural Resources, Olympia, Washington. |
| 13 14 15 16 | West Fork Timber [formerly: Murray Pacific Corporation]. 1995. Amendment to the habitat conservation plan and incidental take permit PRT-777837 for the northern spotted owl on timberlands owned by the Murray Pacific Corporation - Lewis County, Washington. Tacoma, WA. May 1995. |
| 17 | Wetzel, R.G. 1975. Limnology. W.B. Saunders Company, Philadelphia, Pennsylvania. |
| 18 19 20 | Whitman, R.P., T.P. Quinn, and E.L. Brannon. 1982. Influence of suspended volcanic ash on homing behavior of adult Chinook salmon. Transactions of the American Fisheries Society 111:63-69. |
| 21 22 23 | Wick, A.J. 2002. Ecological function and spatial dynamics of large woody debris in oligohaline-brackish estuarine sloughs for juvenile Pacific salmon. Thesis. University of Washington, Seattle, Washington. |
| 24 25 26 | Wilcove, D.S., C.H. McLellan, and A.P. Dobson. 1986. Habitat fragmentation in the temperate zone. Pages 237-256 in M. E. Soulé, editor. Conservation biology: the science of scarcity and diversity. Sinauer Associates, Sunderland, Massachusetts. |
| 27 28 29 | Wilkins, R.N. and N.P. Peterson. 2000. Factors related to amphibian occurrence and abundance in headwater streams draining second-growth douglas-fir forests in southwestern Washington. Forest Ecology and Management 139:79-91. |
| 30 31 32 33 | Williams, G.D. and R.M. Thom. 2001. Marine and Estuarine Shoreline Modification Issues, a white paper submitted to Washington Department of Fish and Wildlife, Washington Department of Ecology, and Washington Department of Transportation. April 2001. |
| 34 35 | Wilson, A. 1991. The culture of nature: North American landscape from Disney to the Exxon Valdez. Between the Lines (Publisher). Toronto, Ontario. |
| 36 37 38 | Wilson, A.G., Jr., J.H. Larsen, Jr., and K.R. McAllister. 1995. Distribution of Van Dyke's salamander (<i>Plethodon vandykei</i> Van Denburgh). American Midland Naturalist 134:388-393. |

References 6-70 Final EIS



| 1 2 | Winter, T.C. 1988. A conceptual framework for assessing cumulative impacts on the hydrology of nontidal wetlands. Environmental Management 12(5):605-620. |
|----------------------------------|--|
| 3 4 5 6 | Wipfli, M.S. 1997. Terrestrial invertebrates as salmonid prey and nitrogen sources in streams: contrasting old-growth and young-growth riparian forests in southeastern Alaska, USA. Canadian Journal of Fisheries and Aquatic Sciences 54:1259-1269. |
| 7 8 9 | Wipfli, M.S. and D.P. Gregovich. 2002. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid production. Freshwater Biology 47:957-967. |
| 10 11 12 13 | Wissmar, R.C., J.E. Smith, B.A. McIntosh, H.W. Li, G.H. Reeves, and J.R. Sedell. 1994 Ecological health of river basins in forested regions of eastern Washington and Oregon. General Technical Report GTR-PNW-326. USDA Forest Service, Pacific Northwest Research Station, Portland, Oregon. |
| 14 15 16 | Woods M., A. Kumar, and R. Correll. 2002. Acute toxicity of mixtures of chlorpyrifos, profenofos, and endosulfan to Ceriodaphnia dubia. Bulletin of Environmental Contamination and Toxicology 68:801-808(2002). |
| 17 18 | Wu, T.H. and W.P. McKinnell III. 1978. Strength of tree roots and landslides on Prince of Wales Island, Alaska. Canadian Geotechnical Journal 16:19-33. |
| 19 20 | Wu, W. and R. Sidle. 1995. A distributed slope stability model for steep forested basins. Water Resources Research 31(8): 2097-2110. |
| 21 22 | Wydoski, R.S. and R.R. Whitney. 1979. Inlands fishes of Washington. University of Washington Press, Seattle, Washington. |
| 23 24 | Wydoski, R.S. and R.R. Whitney. 2003. Inland fishes of Washington. Second Edition. University of Washington Press, Seattle, Washington. |
| 25 26 | Zalewski, M., M. Lapinska, and P. Bayley. 2003. Fish relationships with wood in large rivers. American Fisheries Society Symposium 37:195-211. |
| 27 28 29 30 31 32 | Ziemer, R.R. 1981. Roots and the stability of forested slopes. Pages 342-361 <i>in</i> T.R.H. Davies and A.J. Pearce, editors. Erosion and sediment transport in Pacific rim steeplands, proceedings of the Christchurch symposium, 25-31 January 1981, Christchurch, New Zealand. International Association of Hydrological Sciences Publication Number 132. International Association of Hydrological Sciences, Wallinford, Oxfordshire, United Kingdom. |
| 33 34 35 | Ziemer R.R. and D.N. Swanston 1977. Root strength changes after logging in southeast Alaska. PNW-306. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. |
| 36 37 | Ziemer, R.R. and T.E. Lisle. 1998. Chapter 3: Hydrology. Pages 43-68 <i>in</i> R.J. Naiman and R.E. Bilby, editors. River ecology and management: lessons from the Pacific coastal ecoregion. Springer-Verlag, New York, New York. |

Final EIS 6-71 References



| 1 2 3 | Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, editors. 1988. California's wildlife. Volume I. Amphibians and reptiles. State of California Department of Fish and Game, Sacramento, California. |
|-------------|---|
| | |
| 4 | Zobrist, K. 2003. Economic impacts of the forest and fish rules on small, NIPF |
| 5 | landowners. Rural Techniology Initiative, University of Washington, Seattle, |
| 6 | Washington. |
| 7 | Zwieniecki, M.A. and M. Newton. 1999. Influence of streamside cover and stream |
| 8 | features on temperature trends in forested streams of western Oregon. Western |
| 9 | Journal of Applied Forestry 14(2):106-113. |