



**TIMBER NOTICE OF SALE**

**SALE NAME:** *SUNNY SIDE*

**AGREEMENT NO:** 30-099065

**AUCTION:** September 22, 2020 starting at 10:00 a.m., **COUNTY:** Lewis  
South Puget Sound Region Office, Enumclaw, WA

**SALE LOCATION:** Sale located approximately 16 miles southeast of Elbe.

**PRODUCTS SOLD  
AND SALE AREA:**

All timber, except trees bounded out by yellow leave tree area tags, snags, and down timber existing more than 5 years from the day of sale, bounded by the following: white timber sale boundary tags, timber type change and the 2 Road in Unit #1; white timber sale boundary tags and the 2 Road in Unit #2;

All timber bounded by orange right of way tags in Units #3 and #4;

All forest products above located on part(s) of Sections 21, 22, 27 and 28 all in Township 14 North, Range 6 East, W.M., containing 119 acres, more or less.

**CERTIFICATION:** This sale is certified under the Sustainable Forestry Initiative® program Standard (cert no: PwC-SFIFM-513) and FSC 100% raw materials under the Forest Stewardship Council® Standard (cert no: BV-FM/COC-080501).

**ESTIMATED SALE VOLUMES AND QUALITY:**

Species	Avg DBH	Ring Count	Total MBF	MBF by Grade								
				1P	2P	3P	SM	1S	2S	3S	4S	UT
Douglas fir	13.9	6	2,675						537	1,537	587	14
Hemlock	11.8		622						55	339	203	25
Red cedar	11.3		82							27	55	
Red alder	10.3		82							7	50	25
Cottonwood	19		81					52	12		2	15
Noble fir	20.6		13						8	4	1	
Sale Total			3,555									

**MINIMUM BID:** \$556,000.00 **BID METHOD:** Sealed Bids

**PERFORMANCE SECURITY:** \$100,000.00 **SALE TYPE:** Lump Sum

**EXPIRATION DATE:** October 31, 2023 **ALLOCATION:** Export Restricted

**BID DEPOSIT:** \$55,600.00 or Bid Bond. Said deposit shall constitute an opening bid at the appraised price.

**HARVEST METHOD:** Harvest activities are estimated to be 30 percent ground based harvest and 70 percent cable. Cable and ground based equipment, with cable-tethered equipment limited to sustained slopes 70 percent or less, self-leveling equipment limited to sustained slopes 65 percent or less, and all other ground based equipment limited to sustained slopes 45 percent or less. Yarding may be restricted during wet weather if rutting becomes excessive, per clause H-017.



## TIMBER NOTICE OF SALE

---

**ROADS:** 96.70 stations of required construction. 26.11 stations of optional construction. 554.40 stations of required prehaul maintenance. Purchaser maintenance on the 24, 25, 25-1, 25-2, 241, and 241-1 roads. Designated maintenance on all roads used.

Rock for this proposal can be obtained from the existing State owned Iron Horse and new Sunny Side Pits at no cost to the Purchaser or any commercial rock source at the Purchaser's expense. Rock source development will be required per Section 6 in the Road Plan and as specified in the Rock Source Development Plan.

Operation of road construction equipment and rock haul will not be permitted from November 1 to May 15, nor on weekends or State recognized holidays, unless authority to do so is granted, in writing, by the Contract Administrator. If permission is granted to operate from November 1 to May 15, the Purchaser shall comply with a maintenance plan per Road Plan clause 1-26. The hauling of forest products will not be permitted from November 1 to May 15 unless authorized in writing by the Contract Administrator. If permission is granted to operate from November 1 to May 15, preventative measures may be required to protect water, soil, roads, and other forest assets.

### ACREAGE DETERMINATION

**CRUISE METHOD:** Unit acreage was determined by traversing boundaries by GPS. Right of way acreage was determined by multiplying length times width. GPS data files are available at DNR's website for timber sale auction packets. See cruise narrative for cruise method.

**FEES:** \$60,435.00 is due on day of sale. \$9.00 per MBF is due upon removal. These are in addition to the bid price.

**SPECIAL REMARKS:** A narrow band of cliffs that runs through Unit #1 has a leave tree clump surrounding it. These leave trees are tradeable to allow yarding corridors through and the cliff face is able to be yarded over, with the exception of the large cliff feature near the lower end of the cliff band off the 2 Road covered by a non-tradeable leave tree area.

There is potential for harvest operations associated with another timber sale to impact Sunny Side harvest operations. This sale is located approximately 700 feet to the west of Sunny Side Unit #2.

There is potential for other nearby harvest operations to impact Sunny Side operations. These operations could limit tailhold locations near the 3 Road southwest of Sunny Side Unit #1 as well as be using the 2 Road at the same time as Sunny Side.


Cut all vine maple within the harvest units, leaving a stump no more than 12 inches in height.

See map for gate locations. Gate keys may be obtained by contacting the South Puget Sound Region Office at 360-825-1631 or by contacting Mike Fowler at 360-819-3406.

# TIMBER SALE MAP

**SALE NAME:** SUNNY SIDE  
**AGREEMENT #:** 30-099065  
**TOWNSHIP(S):** T14R6E  
**TRUST(S):** Common School and Indemnity (3)

**REGION:** South Puget Sound Region  
**COUNTY(S):** Lewis  
**ELEVATION RGE:** 2,520 - 3,160



Net Acres	
Unit 1:	79
Unit 2:	38
Unit 3 R/W:	0.4
Unit 4 R/W:	1.5


All State Unless Otherwise Noted

Variable Retention Harvest	Non Tradeable Leave Tree Area	Survey Monument
Existing Roads	Leave Tree Area	Leave Tree Area <1/4-acre
Required Pre-Haul Maintenance	Riparian Mgt Zone	Non-Tradeable Leave Trees
Required Construction	Tailhold Restriction Area	Rock Pit
Optional Construction	Stream Type	Public Land Survey Sections
Sale Boundary Tags	Stream Type Break	
Right of Way Tags	streams	

# DRIVING MAP

**SALE NAME:** SUNNY SIDE  
**AGREEMENT#:** 30-099065  
**TOWNSHIP(S):** T14R6E  
**TRUST(S):** Common School and Indemnity (3)

**REGION:** South Puget Sound Region  
**COUNTY(S):** Lewis  
**ELEVATION RGE:** 2,520 - 3,160 ft.



- Distance Indicator
- Gate (Master 383)
- ⚡ Rock Pit
- Milepost Markers
- Haul Route
- Other Route
- Timber Sale Unit

**DRIVING DIRECTIONS:**

From Elbe, follow SR-706 east for 6.7 miles. Turn right onto the DNR 1 road and follow for 2.7 miles. Turn right onto the 2 road and follow for 2.4 miles. At the 3-way intersection, continue straight to stay on the 2 road and follow for 2.7 miles. Bear left to continue on the 2 road for 1.7 miles to reach Unit 1. To reach Unit 2, 3 and 4, turn left onto the 25 road and follow for 0.5 miles and walk in along the 25 road construction.

To reach Iron Horse Pit, turn right at the 3-way intersection onto the 24 road and follow for 0.2 miles. Turn right onto the 241 road and follow for 0.3 miles to the Iron Horse Pit.



**STATE OF WASHINGTON  
DEPARTMENT OF NATURAL RESOURCES**

**BILL OF SALE AND CONTRACT FOR  
FOREST PRODUCTS**

**Export Restricted Lump Sum AGREEMENT NO. 30-099065**

**SALE NAME: SUNNY SIDE**

**THE STATE OF WASHINGTON DEPARTMENT OF NATURAL  
RESOURCES, HEREINAFTER ACTING SOLELY, IN ITS PROPRIETARY  
CAPACITY, STATE, AND PURCHASER, AGREE AS FOLLOWS:**

Section G: General Terms

G-001 Definitions

The following definitions apply throughout this contract;

**Bill of Sale and Contract for Forest Products:** Contract between the Purchaser and the State, which sets forth the procedures and obligations of the Purchaser in exchange for the right to remove forest products from the sale area. The Bill of Sale and Contract for Forest Products may include a Road Plan for any road construction or reconstruction, where applicable.

**Contract Administrator:** Region Manager's designee responsible for assuring that the contractual obligations of the Purchaser are met.

**Forest Product:** Any material derived from the forest for commercial use.

**Purchaser:** The company or individual that has entered into a Bill of Sale and Contract for Forest Products with the State for the right to harvest and remove forest products from the timber sale area.

Road Construction: Includes building new and maintaining existing forest roads and associated work that may be optional or required as described in the Road Plan.

State: The Washington State Department of Natural Resources, landowner and seller of Forest Products from the timber sale area. The State is represented by the Region Manager as designated on the contract signature page. Contractual obligations to the State are enforced by the Region Manager or the designated Contract Administrator.

Subcontractor: Individual or company employed by the Purchaser to perform a portion or all of the services required by The Bill of Sale and Contract for Forest Products. The Purchaser is responsible for independently negotiating, procuring and paying for all subcontracted services rendered.

G-011 Right to Remove Forest Products and Contract Area

Purchaser was the successful bidder on September 22, 2020 and the sale was confirmed on \_\_\_\_\_. The State, as owner, agrees to sell to Purchaser, and Purchaser agrees to purchase as much of the following forest products as can be cut and removed during the term of this contract: All timber, except trees bounded out by yellow leave tree area tags, snags, and down timber existing more than 5 years from the day of sale, bounded by the following: white timber sale boundary tags, timber type change and the 2 Road in Unit #1; white timber sale boundary tags and the 2 Road in Unit #2;

All timber bounded by orange right of way tags in Units #3 and #4.

All forest products above located on approximately 119 acres on part(s) of Sections 21, 22, 27, and 28 all in Township 14 North, Range 6 East W.M. in Lewis County(s) as designated on the sale area and as shown on the attached timber sale map.

All forest products described above from the bole of the tree that meet or exceed 2 inches diameter inside bark on the small end are eligible for removal. Above ground components of a tree that remain as by-products after the manufacture of logs, including but not limited to tree tops, branches, limbs, needles, leaves, stumps, are not eligible for removal under the terms of this contract.

Forest products purchased under a contract that is designated as export restricted shall not be exported until processed. Forest products purchased under a contract that is designated as exportable may be exported prior to processing.

G-020 Inspection By Purchaser

Purchaser hereby warrants to the State that they have had an opportunity to fully inspect the sale area and the forest products being sold. Purchaser further warrants to the State that they enter this contract based solely upon their own judgment of the value of the forest products, formed after their own examination and inspection of both the timber sale area and the forest products being sold. Purchaser also warrants to the State that they enter this contract without any reliance upon the volume estimates, acreage

estimates, appraisals, pre-bid documentation, or any other representations by the State Department of Natural Resources.

G-031 Contract Term

Purchaser shall complete all work required by this contract prior to October 31, 2023.

G-040 Contract Term Adjustment - No Payment

Purchaser may request an adjustment in the contract term. A claim must be submitted in writing and received by the State within 30 days after the start of interruption or delay. The claim must also indicate the actual or anticipated length of interruption or delay. The State may grant an adjustment without charge only if the cause for contract term adjustment is beyond Purchaser's control. The cause must be one of the following and the adjustment may be granted only if operations or planned operations under this contract are actually interrupted or delayed:

- a. Road and bridge failures which deny access.
- b. Access road closures imposed by road owner.
- c. Excessive suspensions as provided in clause G-220.
- d. Regulatory actions not arising from Purchaser's failure to comply with this contract which will prevent timber harvest for a period less than 6 months.

G-051 Contract Term Extension - Payment

Extensions of this contract term may be granted only if, in the judgment of the State, Purchaser is acting in good faith and is endeavoring to remove the forest products conveyed. The term of this contract may be extended for a reasonable time by the State if all of the following conditions are satisfied:

- a. A written request for extension of the contract term must be received prior to the expiration date of the contract.
- b. Completion of all required roads and compliance with all contract and regulatory requirements.
- c. For the first extension, not to exceed 1 year, payment of at least 25 percent of the total contract price.

For the second extension, not to exceed 1 year, payment of at least 90 percent of the total contract price.

The payments shall not include the initial deposit which shall be held according to the provisions of RCW 79.15.100.

- d. Payment of an amount based on 12 percent interest per annum on the unpaid portion of the total contract price.

All payments, except the initial deposit, will be deducted from the total contract price to determine the unpaid portion of the contract.

- e. Payment of \$762.00 per acre per annum for the acres on which an operating release has not been issued within the harvest area.
- f. In no event will the extension charge be less than \$200.00.
- g. Extension payments are non-refundable.

G-053 Surveys - Sensitive, Threatened, Endangered Species

Whenever the State determines that a survey for sensitive, threatened, or endangered species is prudent, or when Purchaser determines a survey is prudent and the State agrees, Purchaser shall perform such surveys at Purchaser's expense and to the standards required by the State. The survey information shall be supplied to the State.

G-060 Exclusion of Warranties

The PARTIES AGREE that the IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE and ALL OTHER WARRANTIES EXPRESSED OR IMPLIED ARE EXCLUDED from this transaction and shall not apply to the goods sold. For example, THE FOLLOWING SPECIFIC MATTERS ARE NOT WARRANTED, and are EXCLUDED from this transaction:

- a. The MERCHANTABILITY of the forest products. The use of the term "merchantable" in any document is not intended to vary the foregoing.
- b. The CONDITION of the forest products. The forest products will be conveyed "AS IS."
- c. The ACREAGE contained within any sale area. Any acreage descriptions appearing in the timber notice of sale, timber sale contract, or other documents are estimates only, provided solely for administrative and identification purposes.
- d. The VOLUME, QUALITY, OR GRADE of the forest products. The State neither warrants nor limits the amount of timber to be harvested. The descriptions of the forest products to be conveyed are estimates only, made solely for administrative and identification purposes.
- e. The CORRECTNESS OF ANY SOIL OR SURFACE CONDITIONS, PRE-SALE CONSTRUCTION APPRAISALS, INVESTIGATIONS, AND ALL OTHER PRE-BID DOCUMENTS PREPARED BY OR FOR THE STATE. These documents have been prepared for the State's appraisal purposes only.
- f. THAT THE SALE AREA IS FREE FROM THREATENED OR ENDANGERED SPECIES or their habitat. The State is not responsible for

any interference with forestry operations that result from the presence of any threatened or endangered species, or the presence of their habitat, within the sale area.

- g. THAT THE FORESTRY OPERATIONS to be performed under this contract WILL BE FREE FROM REGULATORY ACTIONS by governmental agencies. The State is not responsible for actions to enforce regulatory laws, such as the Washington Forest Practices Act (chapter 76.09 RCW), taken by the Department of Natural Resources or any other agency that may affect the operability of this timber sale.

- h. Items contained in any other documents prepared for or by the State.

#### G-062 Habitat Conservation Plan

The State has entered into a Habitat Conservation Plan (HCP) with the U.S. Fish and Wildlife Service and the National Marine Fisheries Service (the Services) to address state trust land management issues relating to compliance with the Federal Endangered Species Act. The activities to be carried out under this contract are located within the State's HCP area and are subject to the terms and conditions of the HCP, and the Services' Incidental Take Permit Nos. TE812521-1 and 1168 (collectively referred to as ITP), or as amended hereafter by the Services. The ITP authorizes the incidental take of certain federally listed threatened and endangered species, as specified in the ITP conditions. All HCP materials, including the ITP, are available for review at the State's Regional Offices and the administrative headquarters in Olympia, Washington.

By signing this contract, Purchaser agrees to comply with the terms and conditions of the ITP, and the HCP, which shall become terms of this contract. The State agrees to authorize the lawful activities of the Purchaser carried out pursuant to this contract, PROVIDED the Purchaser remains in compliance with the terms and conditions of both the HCP and ITP. The requirements set forth in this contract are intended to comply with the terms and conditions of the HCP and ITP. Accordingly, non-compliance with the terms and conditions of the HCP and ITP will render the authorization provided in this paragraph void, be deemed a breach of the contract and may subject Purchaser to liability for violation of the Endangered Species Act.

Any modifications to the contract shall be proposed in writing by Purchaser, shall continue to meet the terms and conditions of the HCP and ITP, and shall require the prior written approval of the Region Manager before taking effect.

#### G-063 Incidental Take Permit Notification Requirements

- a. Purchaser shall immediately notify the Contract Administrator of new locations of permit species covered by the Incidental Take Permits (ITP) that are discovered within the area covered by the State's Habitat Conservation Plan (HCP), including, but not limited to: locations of occupied murrelet habitat; spotted owl nest sites; wolves; grizzly bears; nests, communal roosts, or feeding concentrations of bald eagles; peregrine falcon nests; Columbian white-tailed deer; Aleutian Canada geese; Oregon silverspot butterflies; and

additional stream reaches found to contain bull trout. Purchaser is required to notify the Contract Administrator upon discovery of any fish species found in streams or bodies of water classified as non-fish bearing. In all circumstances, notification must occur within a 24 hour time period.

- b. Upon locating any live, dead, injured, or sick specimens of any permit species covered by the ITP, Purchaser shall immediately notify the Contract Administrator. Purchaser shall notify the Contract Administrator if there is any doubt as to the identification of a discovered permit species. Purchaser may be required to take certain actions to help the Contract Administrator safeguard the well-being of any live, injured or sick specimens of any permit species discovered, until the proper disposition of such specimens can be determined by the Contract Administrator. Any such requirements will be explained to Purchaser by the Contract Administrator during the Pre-Work Conference. In all circumstances, notification must occur within a 24 hour time period.
- c. Purchaser shall refer to a specific ITP number, ITP TE812521-1 or ITP 1168 (copies which are located in the region office) in all correspondence and reports concerning permit activities.
- d. Provisions and requirements of the ITP shall be clearly presented and explained to Purchaser by Contract Administrator during the Pre-Work Conference as per contract clause G-330. All applicable provisions of the ITP and this schedule must be presented and clearly explained by Purchaser to all authorized officers, employees, contractors, or agents of Purchaser conducting authorized activities in the timber sale area. Any questions Purchaser may have about the ITP should be directed to the Contract Administrator.

#### G-064 Permits

Purchaser is responsible for obtaining any permits not already obtained by the State that relate to Purchaser's operation. Forest Practice Application / Hydraulic Project Approval permits obtained by the State shall be transferred to Purchaser. Purchaser is responsible for all permits, amendments and renewals.

#### G-065 Regulatory Disclaimer

The State disclaims any responsibility for, or liability relating to, regulatory actions by any government agency, including actions pursuant to the Forest Practices Act, Ch. 76.09 RCW that may affect the operability of the timber sale.

#### G-066 Governmental Regulatory Actions

##### a. Risk

Purchaser shall be responsible for any increased operational costs arising from any applicable foreign or domestic governmental regulation or order that does not cause contract performance to become commercially impracticable or that does not substantially frustrate the purpose of the contract. If impracticability

or frustration results from Purchaser's failure to comply with this contract, Purchaser shall remain responsible for payment of the total contract price notwithstanding the impracticability or frustration.

b. Sale Area

When portions of the sale area become subject to a foreign or domestic governmental regulation or order that will likely prevent timber harvest for a period that will exceed the expiration date of this contract, and Purchaser has complied with this contract, the following shall apply:

- i. RCW 79.15.140 shall govern all adjustments to the contract area.

c. Adjustment of Price

The State shall adjust the total contract price by subtracting from the total contract price an amount determined in the following manner: The State shall cause the timber sale area subject to governmental regulation or order to be measured. The State shall calculate the percentage of the total sale area subject to the governmental regulation or order. The State shall reduce the total contract price by that calculated percentage. However, variations in species, value, costs, or other items pertaining to the affected sale area will be analyzed and included in the adjustment if deemed appropriate by the State. The State will further reduce the total contract price by the reasonable cost of unamortized roads Purchaser constructed but was unable to fully use for removing timber. A reduction in total contract price terminates all of the Purchaser's rights to purchase and remove the timber and all other interest in the affected sale area.

G-070 Limitation on Damage

In the event of a breach of any provision of this contract by the State, the exclusive remedy available to Purchaser will be limited to a return of the initial deposit, unapplied payments, and credit for unamortized improvements made by Purchaser. The State shall not be liable for any damages, whether direct, incidental or consequential.

G-080 Scope of State Advice

No advice by any agent, employee, or representative of the State regarding the method or manner of performing shall constitute a representation or warranty that said method, manner or result thereof will conform to the contract or be suitable for Purchaser's purposes under the contract. Purchaser's reliance on any State advice regarding the method or manner of performance shall not relieve Purchaser of any risk or obligation under the contract. Purchaser retains the final responsibility for its operations under this contract and State shall not be liable for any injuries resulting from Purchaser's reliance on any State advice regarding the method or manner of performance.

**G-091 Sale Area Adjustment**

The Parties may agree to adjustments in the sale area boundary. The cumulative changes to the sale area during the term of the contract shall not exceed more than four percent of the original sale area. If the sale area is increased, the added forest products become a part of this contract. The State shall determine the volume added and shall calculate the increase to the total contract price using the rates set forth in clause G-101, G-102, or G-103. If the sale area is reduced, the State shall determine the volume to be reduced. The State shall calculate the reduction to the total contract price using the rates set forth in clause G-101, G-102, or G-103.

**G-101 Forest Products Not Designated**

Any forest products not designated for removal, which must be removed in the course of operations authorized by the State, shall be approved and designated by the Contract Administrator. Added forest products become a part of this contract and the Scribner log scale volume, as defined by the Northwest Log Rules Advisory Group, shall be determined by the Contract Administrator. Added forest products shall be paid for at the following contract payment rates per Mbf Scribner log scale.

The pricing schedule has not been set for the sale.

**G-111 Title and Risk of Loss**

Title to the forest products under this contract passes to the Purchaser after they are removed from the sale area, if adequate advance payment or payment security has been provided to the State under this contract. Purchaser bears all risk of loss of, or damage to, and has an insurable interest in, the forest products described in this contract from the time the sale is confirmed under RCW 79.15.120. Breach of this contract shall have no effect on this provision.

**G-115 Forest Stewardship Council® (FSC®) Certification**

Forest products purchased under this contract are FSC 100% certified as being in conformance with the Forest Stewardship Council Standard under certificate number: BV-FM/COC-080501.

**G-116 Sustainable Forestry Initiative® (SFI) Certification**

Forest products purchased under this contract are certified as being in conformance with the Sustainable Forestry Initiative program Standard under certificate number: PwC-SFIFM-513.

Purchaser shall have at least one person regularly on-site during active operations that have completed training according to the requirements outlined within the SFI® program Standard. Purchaser shall designate in writing the name(s) of the individual(s) who will be on-site and provide proof of their successful completion of an approved training program prior to active operations.

**G-120 Responsibility for Work**

All work, equipment, and materials necessary to perform this contract shall be the responsibility of Purchaser. Any damage to improvements, except as provided in clause G-121 or unless the State issues an operating release pursuant to clause G-280, shall be repaired promptly to the satisfaction of the State and at Purchaser's expense.

**G-121 Exceptions**

Exceptions to Purchaser's responsibility in clause G-120 shall be limited exclusively to the following. These exceptions shall not apply where road damage occurs due to Purchaser's failure to take reasonable precautions or to exercise sound forest engineering and construction practices.

The State will bear the cost to repair damages caused by a third party. In all other cases, the Purchaser shall bear responsibility for the costs as described below.

Road is defined as the road bed, including but not limited to its component parts, such as cut and fill slopes, subgrade, ditches, culverts, bridges, and cattle guards.

For the purposes of this clause, damage will be identified by the State and is defined as:

1. Failure of (a) required improvements or roads designated in clause C-050, or (b) required or optional construction completed to the point that authorization to haul has been issued;
2. Caused by a single event from forces beyond the control of Purchaser, its employees, agents, or invitees, including independent contractors; and
3. Includes, but is not limited to natural disasters such as earthquakes, volcanic eruptions, landslides, and floods.

The repair work identified by the State shall be promptly completed by Purchaser at an agreed price. The State may elect to accomplish repairs by means of State-provided resources.

For each event, Purchaser shall be solely responsible for the initial \$5,000 in repairs. For repairs in excess of \$5,000, the parties shall share equally the portion of costs between \$5,000 and \$15,000. The State shall be solely responsible for the portion of the cost of repairs that exceed \$15,000.

Nothing contained in clauses G-120 and G-121 shall be construed as relieving Purchaser of responsibility for, or damage resulting from, Purchaser's operations or negligence, nor shall Purchaser be relieved from full responsibility for making good any defective work or materials. Authorization to haul does not warrant that Purchaser built roads are free from material defect and the State may require additional work, at Purchasers expense regardless of cost, to remedy deficiencies at any time.

## G-140 Indemnity

To the fullest extent permitted by law, Purchaser shall indemnify, defend and hold harmless State, agencies of State and all officials, agents and employees of State, from and against all claims arising out of or resulting from the performance of the contract. "Claim" as used in this contract means any financial loss, claim, suit, action, damage, or expense, including but not limited to attorneys' fees, attributable for bodily injury, sickness, disease or death, or injury to or destruction of tangible property including loss of use resulting therefrom. Purchasers' obligations to indemnify, defend, and hold harmless includes any claim by Purchasers' agents, employees, representatives, or any subcontractor or its employees. Purchaser expressly agrees to indemnify, defend, and hold harmless State for any claim arising out of or incident to Purchasers' or any subcontractors' performance or failure to perform the contract. Purchasers' obligation to indemnify, defend, and hold harmless State shall not be eliminated or reduced by any actual or alleged concurrent negligence of State or its agents, agencies, employees and officials. Purchaser waives its immunity under Title 51 RCW to the extent it is required to indemnify, defend and hold harmless State and its agencies, officials, agents or employees.

## G-150 Insurance

Purchaser shall, at its cost and expense, buy and maintain insurance of the types and amounts listed below. Failure to buy and maintain the required insurance may result in a breach and/or termination of the contract at State's option. State may suspend Purchaser operations until required insurance has been secured.

All insurance and surety bonds should be issued by companies admitted to do business within the State of Washington and have a rating of A-, Class VII or better in the most recently published edition of Best's Reports. If an insurer is not admitted, all insurance policies and procedures for issuing the insurance policies must comply with Chapter 48.15 RCW and 284-15 WAC.

The State of Washington, Department of Natural Resources region office of sale origin shall be provided written notice before cancellation or non-renewal of any insurance referred to therein, in accord with the following specifications:

1. Insurers subject to Chapter 48.18 RCW (admitted and regulated by the Insurance Commissioner): The insurer shall give the State 45 days advance notice of cancellation or non-renewal. If cancellation is due to non-payment of premium, the State shall be given 10 days advance notice of cancellation.
2. Insurers subject to Chapter 48.15 RCW (surplus lines): The State shall be given 20 days advance notice of cancellation. If cancellation is due to non-payment of premium, the State shall be given 10 days advance notice of cancellation.

Before starting work, Purchaser shall furnish State of Washington, Department of Natural Resources with a certificate(s) of insurance, executed by a duly authorized

representative of each insurer, showing compliance with the insurance requirements specified in the contract. Insurance coverage shall be obtained by the Purchaser prior to operations commencing and continually maintained in full force until all contract obligations have been satisfied or an operating release has been signed by the State.

Purchaser shall include all subcontractors as insured under all required insurance policies, or shall furnish separate certificates of insurance and endorsements for each subcontractor. Subcontractor(s) must comply fully with all insurance requirements stated herein. Failure of subcontractor(s) to comply with insurance requirements does not limit Purchaser's liability or responsibility.

The State of Washington, Department of Natural Resources, its elected and appointed officials, agents and employees shall be named as an additional insured via endorsement on all general liability, excess, umbrella, and property insurance policies.

All insurance provided in compliance with this contract shall be primary as to any other insurance or self-insurance programs afforded to or maintained by State. Purchaser waives all rights against State for recovery of damages to the extent these damages are covered by general liability or umbrella insurance maintained pursuant to this contract.

By requiring insurance herein, State does not represent that coverage and limits will be adequate to protect Purchaser and such coverage and limits shall not limit Purchaser's liability under the indemnities and reimbursements granted to State in this contract.

The limits of insurance, which may be increased as deemed necessary by State of Washington, Department of Natural Resources, shall not be less than as follows:

Commercial General Liability (CGL) Insurance. Purchaser shall maintain general liability (CGL) insurance, and, if necessary, commercial umbrella insurance with a limit of not less than \$1,000,000.00 per each occurrence. If such CGL insurance contains aggregate limits, the General Aggregate limit shall be at least twice the "each occurrence" limit. CGL insurance shall have products-completed operations aggregate limit of at least two times the "each occurrence" limit. CGL coverage shall include a Logging and Lumbering Endorsement (i.e. Logger's Broad-Form) to cover the events that include, but are not limited to, fire suppression expenses, accidental timber trespasses, and wildfire property damage with limits of not less than \$2,000,000.00 each occurrence.

CGL insurance shall be written on Insurance Services Office (ISO) occurrence form CG 00 01 (or a substitute form providing equivalent coverage). All insurance shall cover liability arising out of premises, operations, independent contractors, products completed operations, personal injury and advertising injury, and liability assumed under an insured contract (including the tort liability of another party assumed in a business contract), and contain separation of insured (cross liability) condition.

Employer's Liability "Stop Gap" Insurance. Purchaser shall buy employers liability insurance, and, if necessary, commercial umbrella liability insurance with limits not less than \$1,000,000.00 each accident for bodily injury by accident or \$1,000,000.00 each employee for bodily injury by disease.

Workers' Compensation Coverage. Purchaser shall comply with all State of Washington workers' compensation statutes and regulations. Workers' compensation coverage shall be provided for all employees of Purchaser and employees of any subcontractor or sub-subcontractor. Coverage shall include bodily injury (including death) by accident or disease, which exists out of or in connection with the performance of this contract. Except as prohibited by law, Purchaser waives all rights of subrogation against State for recovery of damages to the extent they are covered by workers' compensation, employer's liability, commercial general liability, or commercial umbrella liability insurance.

If Purchaser, subcontractor or sub-subcontractor fails to comply with all State of Washington workers' compensation statutes and regulations and State incurs fines or is required by law to provide benefits to or obtain coverage for such employees, Purchaser shall indemnify State. Indemnity shall include all fines, payment of benefits to Purchaser or subcontractor employees, or their heirs or legal representatives, and the cost of effecting coverage on behalf of such employees.

Business Auto Policy (BAP). Purchaser shall maintain business auto liability and, if necessary, commercial umbrella liability insurance with a limit not less than \$1,000,000.00 per accident. Such insurance shall cover liability arising out of "Any Auto". Business auto coverage shall be written on ISO form CA 00 01, or substitute liability form providing equivalent coverage. If necessary the policy shall be endorsed to provide contractual liability coverage and cover a "covered pollution cost or expense" as provided in the 1990 or later editions of CA 00 01. Purchaser waives all rights against State for the recovery of damages to the extent they are covered by business auto liability or commercial umbrella liability insurance.

#### G-160 Agents

The State's rights and duties will be exercised by the Region Manager at Enumclaw, Washington. The Region Manager will notify Purchaser in writing who is responsible for administering the contract. The Region Manager has sole authority to waive, modify, or amend the terms of this contract in the manner prescribed in clause G-180. No agent, employee, or representative of the State has any authority to bind the State to any affirmation, representation, or warranty concerning the forest products conveyed beyond the terms of this contract.

Purchaser is required to have a person on site during all operations who is authorized to receive instructions and notices from the State. Purchaser shall inform the State in writing who is authorized to receive instructions and notices from the State, and any limits to this person's authority.

## G-170 Assignment and Delegation

No rights or interest in this contract shall be assigned by Purchaser without prior written permission of the State. Any attempted assignment shall be void and ineffective for all purposes unless made in conformity with this paragraph. Purchaser may perform any duty through a delegate, but Purchaser is not thereby relieved of any duty to perform or any liability. Any assignee or delegate shall be bound by the terms of the contract in the same manner as Purchaser.

## G-180 Modifications

Waivers, modifications, or amendments of the terms of this contract must be in writing signed by Purchaser and the State.

## G-190 Contract Complete

This contract is the final expression of the Parties' agreement. There are no understandings, agreements, or representations, expressed or implied, which are not specified in this contract.

## G-200 Notice

Notices required to be given under the following clauses shall be in writing and shall be delivered to Purchaser's authorized agent or sent by certified mail to Purchaser's address of record:

G-210 Violation of Contract

G-220 State Suspends Operations

All other notices required to be given under this contract shall be in writing and delivered to the authorized agent or mailed to the Party's post office address. Purchaser agrees to notify the State of any change of address.

## G-210 Violation of Contract

- a. If Purchaser violates any provision of this contract, the Contract Administrator, by written notice, may suspend those operations in violation. If the violation is capable of being remedied, Purchaser has 30 days after receipt of a suspension notice to remedy the violation. If the violation cannot be remedied (such as a violation of WAC 240-15-015) or Purchaser fails to remedy the violation within 30 days after receipt of a suspension notice, the State may terminate the rights of Purchaser under this contract and collect damages.
- b. If the contract expires pursuant to clause G-030 or G-031 without Purchaser having performed all its duties under this contract, Purchaser's right to operate is terminated and Purchaser shall not have the right to remedy the breach. This provision shall not relieve Purchaser of any payment obligations.
- c. The State has the right to remedy the breach in the absence of any indicated attempt by Purchaser or if Purchaser is unable, as determined by the State, to

remedy the breach. Any expense incurred by the State shall be charged to Purchaser and shall be paid within 30 days of receipt of billing.

- d. If Purchaser's violation is a result of a failure to make a payment when due, in addition to a. and b. above, interest shall accrue on the unpaid balance at 12 percent per annum, beginning the date payment was due.

#### G-220 State Suspends Operation

The Contract Administrator may suspend any operation of Purchaser under this contract when the State is suffering, or there is a reasonable expectation the State will suffer environmental, monetary, or other damage if the operation is allowed to continue.

Purchaser shall be in breach of this contract if the operation continues after the suspension notice or if the operation resumes without prior approval and notice from the Contract Administrator.

Purchaser may request a modification of a suspension within 30 days of the start of suspension through the dispute resolution process in clause G-240. If this process results in a finding that the suspension exceeded the time reasonably necessary to stop or prevent damage to the State, Purchaser is entitled to request a contract term adjustment under clause G-040.

If it reasonably appears that the damage that the State is suffering, or can reasonably be expected to suffer if the operation is allowed to continue, will prevent harvest for a period that will exceed 6 months, and Purchaser has complied with this contract, the provisions of clause G-066 shall govern just as if the harvest was prevented by an applicable foreign or domestic governmental regulation or order.

#### G-230 Unauthorized Activity

Any cutting, removal, or damage of forest products by Purchaser, its employees, agents, or invitees, including independent contractors, in a manner inconsistent with the terms of this contract or State law, is unauthorized. Such activity may subject Purchaser to liability for triple the value of said forest products under RCW 79.02.320 or RCW 79.02.300 and may result in prosecution under RCW 79.02.330 or other applicable statutes.

#### G-240 Dispute Resolution

The following procedures apply in the event of a dispute regarding interpretation or administration of this contract and the parties agree that these procedures must be followed before a lawsuit can be initiated.

- a. In the event of a dispute, Purchaser must make a written request to the Region Manager for resolution prior to seeking other relief.
- b. The Region Manager will issue a written decision on Purchaser's request within ten business days.

- c. Within ten business days of receipt of the Region Manager's decision, Purchaser may make a written request for resolution to the Deputy Supervisor - Uplands of the Department of Natural Resources.
- d. Unless otherwise agreed, a conference will be held by the Deputy Supervisor - Uplands within 30 calendar days of the receipt of Purchaser's request for review of the Region Manager's written decision. Purchaser and the Region Manager will have an opportunity to present their positions. The Deputy Supervisor - Uplands will issue a decision within a reasonable time of being presented with both Parties' positions.

G-250 Compliance with All Laws

Purchaser shall comply with all applicable statutes, regulations and laws, including, but not limited to; chapter 27.53 RCW, chapter 68.50 RCW, WAC 240-15 and WAC 296-54. Failure to comply may result in forfeiture of this contract.

G-260 Venue

This contract shall be governed by the laws of the State of Washington. In the event of a lawsuit involving this contract, venue shall be proper only in Thurston County Superior Court.

G-270 Equipment Left on State Land

All equipment owned or in the possession of Purchaser, its employees, agents, or invitees, including independent contractors, shall be removed from the sale area and other State land by the termination date of this contract. Equipment remaining unclaimed on State land 60 days after the expiration of the contract period is subject to disposition as provided by law. Purchaser shall pay to the State all costs of moving, storing, and disposing of such equipment. The State shall not be responsible for any damages to or loss of the equipment or damage caused by the moving, storing or disposal of the equipment.

G-280 Operating Release

An operating release is a written document, signed by the State and Purchaser, indicating that Purchaser has been relieved of certain rights or responsibilities with regard to the entire or a portion of the timber sales contract. Purchaser and State may agree to an operating release for this sale, or portion of this sale, prior to the contract expiration, when all contract requirements pertaining to the release area have been satisfactorily completed. Upon issuance of a release, Purchaser's right to cut and remove forest products on the released area will terminate.

G-310 Road Use Authorization

Purchaser is authorized to use the following State roads and roads for which the State has acquired easements and road use permits; on the 1, 2, 24, 241, 241-1, 25, 25-1, and 25-2 roads. The State may authorize in writing the use of other roads subject to fees, restrictions, and prior rights.

## G-330 Pre-work Conference

Purchaser shall arrange with the Contract Administrator to review this contract and to examine the sale area before beginning any operations. A plan of operations shall be developed and agreed upon by the Contract Administrator and Purchaser before beginning any operations. To the extent that the plan of operations is inconsistent with the contract, the terms of the contract shall prevail. State's acceptance and approval of Purchaser's plan of operations shall not be construed as any statement or warranty that the plan of operations is adequate for Purchaser's purposes or complies with applicable laws.

## G-340 Preservation of Markers

Any legal land subdivision survey corners and witness objects are to be preserved. If such are destroyed or disturbed, the Purchaser shall, at the Purchaser's own expense, re-establish them through a licensed land surveyor in accordance with U.S. General Land Office standards. Corners and/or witness objects that must be disturbed or destroyed in the process of road construction or logging shall be adequately referenced and/or replaced in accordance with RCW 58.24.040(8). Such references must be approved by the Contract Administrator prior to removal of said corners and/or witness objects.

## G-360 Road Use Reservation

The State shall have the right to use, without charge, all existing roads and any road constructed or reconstructed on State lands by Purchaser under this contract. The State may extend such rights to others. If the State grants such rights to others, the State shall require performance or payment, as directed by the State, for their proportionate share of maintenance based on their use.

## G-370 Blocking Roads

Purchaser shall not block the 1 Road, unless authority is granted in writing by the Contract Administrator.

## G-396 Public Hauling Permit

The hauling of forest products, rock or equipment may require a state, county, or city hauling permit. Purchaser is responsible for obtaining any necessary permit and any costs associated with extra maintenance or repair levied by the permitting agency. Purchaser must provide the Contract Administrator with a copy of the executed permit.

## G-430 Open Fires

Purchaser shall not set, or allow to be set by Purchaser's employees, agents, invitees and independent contractors, any open fire at any time of the year without first obtaining permission, in writing, from the Contract Administrator.

## G-450 Encumbrances

This contract and Purchaser's activities are subject to the following:

To be determined approximately one month prior to the day of sale.

## Section P: Payments and Securities

## P-011 Initial Deposit

Purchaser paid DATA MISSING initial deposit, which will be maintained pursuant to RCW 79.15.100(3). If the operating authority on this contract expires without Purchaser's payment of the full amount specified in Clause P-020, the initial deposit will be immediately forfeited to the State, and will be offset against Purchaser's remaining balance due. Any excess initial deposit funds not needed to ensure full payment of the contract price, or not needed to complete any remaining obligations of the Purchaser existing after contract expiration, will be refunded to the Purchaser.

## P-020 Payment for Forest Products

Purchaser agrees to pay the total, lump sum contract price of \$92,430.00. The total contract price consists of a \$0.00 contract bid price plus \$92,430.00 in fees. Fees collected shall be retained by the state unless the contract is adjusted via the G-066 clause. Purchaser shall be liable for the entire purchase price, and will not be entitled to any refunds or offsets unless expressly stated in this contract.

THE PURCHASE PRICE SHALL NOT BE AFFECTED BY ANY FACTORS, INCLUDING: the amount of forest products actually present within the contract area, the actual acreage covered by the contract area, the amount or volume of forest products actually cut or removed by purchaser, whether it becomes physically impossible or uneconomic to remove the forest products, and whether the subject forest products have been lost or damaged by fire or any other cause. The only situations Purchaser may not be liable for the full purchase price are governed by clause G-066, concerning governmental regulatory actions taken during the term of the contract.

## P-045 Guarantee of Payment

Purchaser will pay for forest products prior to cutting or will guarantee payment by posting an approved payment security. The amount of cash or payment security shall be determined by the State and shall equal or exceed the value of the cutting proposed by Purchaser.

## P-050 Billing Procedure

The State will compute and forward to Purchaser statements of charges provided for in the contract. Purchaser shall deliver payment to the State on or before the date shown on the billing statement.

## P-080 Payment Account Refund

Advance payments made under P-045 or P-045.2 remaining on account above the value for the charges shall be returned to Purchaser within 30 days following the final report of charges. Refunds not made within the 30 day period will accrue interest at the interest rate, as established by WAC 332-100-030, computed on a daily basis until paid.

## P-090 Performance Security

Purchaser agrees to furnish, within 30 days of the confirmation date, security acceptable to the State in the amount of \$100,000.00. The Security provided shall

guarantee performance of all provisions of this contract and payment of any damages caused by operations under this contract or resulting from Purchaser's noncompliance with any rule or law. Acceptable performance security may be in the form of a performance bond, irrevocable letter of credit, cash, savings or certificate of deposit account assignments, and must name the State as the obligee or beneficiary. A letter of credit must comply with Title 62A RCW, Article 5. Performance security must remain in full force over the duration of the contract length. Surety bonds issued shall conform to the issuance and rating requirements in clause G-150. The State shall retain the performance security pursuant to RCW 79.15.100. Purchaser shall not operate unless the performance security has been accepted by the State. If at any time the State decides that the security document or amount has become unsatisfactory, Purchaser agrees to suspend operations and, within 30 days of notification, to replace the security with one acceptable to the State or to supplement the amount of the existing security.

P-100 Performance Security Reduction

The State may reduce the performance security after an operating release has been issued if the State determines that adequate security exists for any remaining obligations of Purchaser.

Section H: Harvesting Operations

H-013 Reserve Tree Damage Definition

Reserve trees are trees required and designated for retention within the sale boundary. Purchaser shall protect reserve trees from being cut, damaged, or removed during operations.

Reserve tree damage exists when one or more of the following criteria occur as a result of Purchaser's operation, as determined by the Contract Administrator:

- a. A reserve tree has one or more scars on its trunk exposing the cambium layer, which in total exceeds 144 square inches.
- b. A reserve tree top is broken or the live crown ratio is reduced below 30 percent.
- c. A reserve tree has more than 1/3 of the circumference of its root system injured such that the cambium layer is exposed.

If the Contract Administrator determines that a reserve tree has been cut or damaged, the Purchaser shall provide a replacement reserve tree of like condition, size, and species within the sale unit containing the damaged leave tree, as approved by the Contract Administrator. Purchaser may be required to pay liquidated damages for Excessive Reserve Tree Damage as detailed in clause D-041.

Removal of designated reserve trees from the sale area is unauthorized, and may invoke the use of the G-230 'Trespass and Unauthorized Activity' clause. Purchaser is required to leave all cut or damaged reserve trees on site.

## H-014 Cable Yarding Corridor Requirements

Cable yarding corridors are subject to the following requirements:

- a. Location of cable yarding corridors must be marked by Purchaser and approved by the Contract Administrator prior to use.
- b. Cable corridor shall not exceed 20 feet in width, including rub trees.
- c. Cable yarding corridors shall be a minimum of 150 feet apart as measured from the center of the corridors.
- d. Excessive soil damage is not permitted within corridors. Excessive soil damage is described in clause H-017.
- e. Avoid cable yarding in, across, adjacent, or parallel to stream channels where possible. When it is necessary to yard across stream channels, crossings need to be as close to perpendicular as possible and cribbing shall be in place when full suspension is not possible.
- f. Corridors shall be located in a manner to minimize the damage to or removal of leave and/or reserve trees. Leave tree damage is described in clause H-012. Reserve tree damage is described in clause H-013.
- g. Timber in cable yarding corridors shall be felled and yarded prior to the falling of adjacent timber.
- h. Corridors shall be water barred at the time of completion of yarding, if required by the Contract Administrator.
- i. Once a cable yarding corridor is closed, Purchaser may not reopen that cable yarding corridor unless approved in writing by the Contract Administrator.

Purchaser shall not deviate from the requirements set forth in this clause without prior written approval from the Contract Administrator

## H-017 Preventing Excessive Soil Disturbance

Operations may be suspended when soil rutting exceeds 12 inches as measured from the natural ground line. To reduce soil damage, the Contract Administrator may require water bars to be constructed, grass seed to be placed on exposed soils, or other mitigation measures. Suspended operations shall not resume unless approval to do so has been given, in writing, by the Contract Administrator.

## H-035 Fall Trees Into Sale Area

Trees shall be felled into the sale area unless otherwise approved by the Contract Administrator.

## H-040 Purchaser Harvest Plan

Purchaser shall, as part of the plan of operations, prepare an acceptable harvest plan for Units #1 and #2. The plan shall address the harvest requirements related to falling, yarding and tailhold restriction areas, which are part(s) of this contract. The harvest plan shall be approved by the Contract Administrator prior to beginning the harvest operation. Purchaser shall not deviate from the harvest plan without prior written approval by the Contract Administrator.

## H-051 Branding and Painting

Purchaser shall provide a State of Washington registered log brand, acceptable to the State, unless the State agrees to furnish the brand. All purchased timber shall be branded in a manner that meets the requirements of WAC 240-15-030(2)(a)(i). All timber purchased under a contract designated as export restricted shall also be painted in a manner that meets the requirements of WAC 240-15-030(2)(a)(ii).

For pulp loads purchased under a contract designated as export restricted, Purchaser shall brand at least 3 logs with legible brands at one end. Also, 10 logs shall be painted at one end with durable red paint.

## H-080 Snags Not to be Felled

Snags not required to be felled for safety reasons may be left standing. Snags felled for safety reasons shall not be removed and must remain where felled.

## H-120 Harvesting Equipment

Forest products sold under this contract shall be harvested and removed using cable and ground based equipment, with cable-tethered equipment limited to sustained slopes 70 percent or less, self-leveling equipment limited to sustained slopes 65 percent or less, and all other ground based equipment limited to sustained slopes 45 percent or less. Authority to use other equipment or to operate outside the equipment specifications detailed above must be approved in writing by the State.

## H-125 Log Suspension Requirements

Lead-end suspension is required for all yarding activities.

## H-126 Tailholds on State Land

If Purchaser tailholds on State land, methods to minimize damage to live trees outside the sale area shall be employed and must be approved in writing by the Contract Administrator.

## H-130 Hauling Schedule

The hauling of forest products will not be permitted from November 1 to May 15 unless authorized in writing by the Contract Administrator.

## H-140 Special Harvest Requirements

Purchaser shall accomplish the following during the harvest operations:

- a. Modification of leave tree locations must be approved by the Contract Administrator prior to cutting tradeable leave trees.
- b. Existing downed trees or logs dead for more than 5 years yarded to the landing will be returned to their original locations.
- c. Equipment limitation zones are required within 30 feet of Type 5 streams.
- d. Any and all operations associated with this sale may be temporarily suspended when, in the opinion of the Contract Administrator, there is the potential for delivery to typed water.
- e. Cut all vine maple within the harvest units, leaving a stump no more than 12 inches in height.
- f. Notify all employees and contractors working on this sale that any danger tree marked or unmarked may be felled. Any marked danger tree will be replaced with a suitable tree of similar size and species as approved by the Contract Administrator.
- g. Within shovel logging areas, and when yarding and loading operations are occurring simultaneously, an additional shovel will be required for loading to avoid extra trips to the landing. No more than one round trip per shovel road is allowed.
- h. Take measures throughout operations to control soil erosion, water channelization, and prevent sediment delivery to streams or wetlands. Methods may include construction of water bars, "sweeping" with logs, silt traps, or other measures on skid trails, yarding corridors and haul roads.
- i. Skid trail closure shall occur immediately upon completion of yarding all tributary timber. Closure shall consist of creating plantable spots at approximately 11.5 foot by 11.5 foot spacing to facilitate reforestation and creating water bars or other methods as directed by the Contract Administrator to prevent water accumulation and sediment movement.
- j. In the event operations become inactive for long periods of time, skid trails shall be water barred prior to completion of yarding tributary timber to prevent water accumulation and sediment movement, if required by the Contract Administrator.
- k. Once a skid trail is closed, the Purchaser shall not reopen a skid trail unless approved in writing by the Contract Administrator.

Permission to do otherwise must be granted in writing by the Contract Administrator.

H-141 Additional Harvest Requirements

Purchaser shall accomplish the following during the harvest operations:

- a. Leave 2 down logs per acre. A log is defined as having a minimum diameter of 12 inches on the small end of the log and a minimum length of 20 feet or at least 100 board feet.
- b. Areas restricting operations due to protection of potentially unstable slopes are located within and outside the sale boundary.
  - Locations inside the sale boundary are identified as Non-Tradeable Leave Trees marked with yellow Leave Tree Area tags as shown on the Timber Sale and Logging Plan Maps inside which, nor logs yarded through or over.
  - Locations outside the sale boundary are identified as Tailhold Restriction Areas on the Logging Plan and Timber Sales Maps. Trees within these areas shall not be used as tailholds.

Permission to do otherwise must be granted in writing by the State.

H-190 Completion of Settings

Operations begun on any setting of the sale area shall be completed before any operation begins on subsequent settings unless authorized in writing by the Contract Administrator.

H-220 Protection of Residual or Adjacent Trees

Unless otherwise specified by this contract, the Contract Administrator shall identify damaged adjacent or leave trees that shall be paid for according to clause G-230.

H-230 Tops and Limbs Outside the Sale Boundary

Tops and limbs outside the sale boundary as a result of Purchaser's operation shall be removed concurrently with the yarding operation unless otherwise directed by the Contract Administrator.

Section C: Construction and Maintenance

C-040 Road Plan

Road construction and associated work provisions of the Road Plan for this sale, dated 1/21/2020 are hereby made a part of this contract.

C-050 Purchaser Road Maintenance and Repair

Purchaser shall perform work at their own expense on the 24, 25, 25-1, 25-2, 241, and 241-1 roads. All work shall be completed to the specifications detailed in the Road Plan.

**C-060 Designated Road Maintainer**

If required by the State, Purchaser shall perform maintenance and replacement work as directed by the Contract Administrator on all other roads used not covered in clause C-050. Purchaser shall furnish a statement in a form satisfactory to the State showing the costs incurred while performing this work. Costs shall be based on the rates set forth in the equipment rate schedule on file at the Region office or Engineering Division in Olympia. The State shall reimburse Purchaser for said costs within 30 days of receipt and approval of the statement.

**C-080 Landing Locations Approved Prior to Construction**

Landings shall be marked by Purchaser and approved by the Contract Administrator prior to construction.

**C-140 Water Bars**

Purchaser shall, as directed by the Contract Administrator, construct water bars across haul roads, skid trails and fire trails as necessary to control soil erosion and water pollution.

**Section S: Site Preparation and Protection**

**S-001 Emergency Response Plan**

An Emergency Response Plan (ERP) shall be provided to the Contract Administrator containing but not limited to, valid contact numbers and procedures for medical emergencies, fire, hazardous spills, forest practice violations and any unauthorized or unlawful activity on or in the vicinity of the sale area. The Contract Administrator and the State shall be promptly notified whenever an incident occurs requiring an emergency response.

The ERP must be presented for inspection at the prework meeting and kept readily available to all personnel, including subcontractors, on site during active operations.

**S-010 Fire Hazardous Conditions**

Purchaser acknowledges that operations under this Contract may increase the risk of fire. Purchaser shall conduct all operations under this agreement following the requirements of WAC 332-24-005 and WAC 332-24-405 and further agrees to use the highest degree of care to prevent uncontrolled fires from starting.

In the event of an uncontrolled fire, Purchaser agrees to provide equipment and personnel working at the site to safely and effectively engage in first response fire suppression activity.

Purchaser's failure to effectively engage in fire-safe operations is considered a breach and may result in suspension of operations.

**S-030 Landing Debris Clean Up**

Landing debris shall be disposed of in a manner approved in writing by the Contract Administrator.

**S-050 Cessation of Operations for Low Humidity**

When the humidity is 30 percent or lower on the sale area, all operations must cease unless authority to continue is granted by the State in writing.

**S-060 Pump Truck or Pump Trailer**

Purchaser shall provide a fully functional pump truck or pump trailer equipped to meet the specifications of WAC 332-24-005 and WAC 332-24-405 during the "closed season" or as extended by the State and shall provide trained personnel to operate this equipment on the sale area during all operating periods.

**S-100 Stream Cleanout**

Slash or debris which enters Type 5 streams as a result of operations under this contract and which is identified by the Contract Administrator shall be removed and deposited in a stable position. Removal of slash or debris shall be accomplished in a manner that avoids damage to the natural stream bed and bank vegetation.

**S-110 Resource Protection**

No yarding equipment may operate within Riparian Management Zones unless authority is granted in writing by the Contract Administrator.

**S-120 Stream Protection**

No timber shall be felled into, across, or yarded through any stream except Type 5 stream crossings as allowed per clause H-140.

**S-130 Hazardous Materials**

**a. Hazardous Materials and Waste - Regulatory Compliance**

Purchaser is responsible for understanding and complying with all applicable local, state, and federal hazardous material/waste laws and regulations for operations conducted under this contract. Such regulations pertain to, but may not be limited to, hazardous material storage, handling and transport, personnel protection, release notification and emergency response, cleanup, and waste disposal.

Purchaser shall be responsible for restoring the site in the event of a spill or other releases of hazardous material/waste during operations conducted under this contract.

**b. Hazardous Materials Spill Prevention**

All operations shall be conducted in a manner that avoids the release of hazardous materials, including petroleum products, into the environment (water, air or land).

**c. Hazardous Materials Spill Containment, Control and Cleanup**

If safe to do so, Purchaser shall take immediate action to contain and control all hazardous material spills. Purchaser shall ensure that enough quick response spill kits capable of absorbing 10 gallons of oil, coolant, solvent or contaminated water are available on site to quickly address potential spills from any piece of equipment at all times throughout active operations. If large quantities of bulk fuel/other hazardous materials are stored on site, Purchaser must be able to effectively control a container leak and contain & recover a hazmat spill equal to the largest single on site storage container volume. (HAZWOPER reg. 29CFR 1910.120 (j) (1) (vii)).

d. Hazardous Material Release Reporting

Releases of oil or hazardous materials to the environment must be reported according to the State Department of Ecology (DOE). It is the responsibility of the Purchaser to have all emergency contact information readily available and a means of remote communication for purposes of quick notification. In the event of a spill covered in part a., the Purchaser is responsible for immediately notifying all the following:

- Department of Emergency Management (contact information below).
- National Response Center (contact information below).
- Appropriate Department of Ecology (DOE) regional office (contact information below).
- DNR Contract Administrator

DOE - Northwest Region: 1-425-649-7000  
(Island, King, Kitsap, San Juan, Skagit, Snohomish, and Whatcom counties)

DOE - Southwest Region: 1-360-407-6300  
(Clallam, Clark, Cowlitz, Grays Harbor, Jefferson, Mason, Lewis, Pacific, Pierce, Skamania, Thurston, and Wahkiakum counties)

DOE - Central Region: 1-509-575-2490  
(Benton, Chelan, Douglas, Kittitas, Klickitat, Okanogan, and Yakima counties)

DOE - Eastern Region: 1-509-329-3400  
(Adams, Asotin, Columbia, Ferry, Franklin, Garfield, Grant, Lincoln, Pend Oreille, Spokane, Stevens, Walla Walla, and Whitman counties)

Department of Emergency Management 24-hour Number: 1-800-258-5990

National Response Center: 1-800-424-8802

S-131 Refuse Disposal

As required by RCW 70.93, All Purchaser generated refuse shall be removed from state lands for proper disposal prior to termination of this contract. No refuse shall be

burned, buried or abandoned on state forest lands. All refuse shall be transported in a manner such that it is in compliance with RCW 70.93 and all loads or loose materials shall be covered/secured such that these waste materials are properly contained during transport.

Section D: Damages

D-013 Liquidated Damages or Failure to Perform

The following clauses provide for payments by Purchaser to the State for breaches of the terms of this contract other than failure to perform. These payments are agreed to as liquidated damages and not as penalties. They are reasonable estimates of anticipated harm to the State, which will be caused by Purchaser's breach. These liquidated damages provisions are agreed to by the State and Purchaser with the understanding of the difficulty of proving loss and the inconvenience or infeasibility of obtaining an adequate remedy. These liquidated damages provisions provide greater certainty for the Purchaser by allowing the Purchaser to better assess its responsibilities under the contract.

Clause P-020 governs Purchaser's liability in the event Purchaser fails to perform any of the contract requirements other than the below liquidated damage clauses without written approval by the State. Purchaser's failure to pay for all or part of the forest products sold in this contract prior to expiration of the contract term results in substantial injury to the State. Therefore, Purchaser agrees to pay the State the full lump sum contract price in P-020 in the event of failure to perform.

D-041 Reserve Tree Excessive Damage

When Purchaser's operations exceed the damage limits set forth in clause H-013, Reserve Tree Damage Definition, and when the Contract Administrator determines that a suitable replacement for a damaged reserve tree is not possible, the damaged trees result in substantial injury to the State. The value of the damaged reserve trees at the time of the breach is not readily ascertainable. Therefore, the Purchaser agrees to pay the State as liquidated damages at the rate of \$1,000.00 per tree for all damaged reserve trees that are not replaced in all units.

**SIGNATURES**

This agreement may be executed in any number of counterparts (including by electronic mail in portable document format (.pdf), or by facsimile) each of which shall be deemed an original but all of which, when taken together, shall constitute one and the same Agreement binding on all parties.

IN WITNESS WHEREOF, the Parties hereto have entered into this contract.

STATE OF WASHINGTON  
DEPARTMENT OF NATURAL RESOURCES

\_\_\_\_\_  
Purchaser

\_\_\_\_\_  
Scott Sargent

\_\_\_\_\_  
Print Name

South Puget Sound Region Manager

Date: \_\_\_\_\_

Date: \_\_\_\_\_

Address: \_\_\_\_\_

CORPORATE ACKNOWLEDGEMENT  
(Required for both LLC and Inc. Entities)

STATE OF \_\_\_\_\_ )

COUNTY OF \_\_\_\_\_ )

On this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, before me personally appeared \_\_\_\_\_

\_\_\_\_\_ to me known to be the \_\_\_\_\_ of the corporation that executed the within and foregoing instrument and acknowledged said instrument to be the free and voluntary act and deed of the corporation, for the uses and purposes therein mentioned, and on oath stated that (he/she was) (they were) authorized to execute said instrument.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year first above written.

\_\_\_\_\_  
Notary Public in and for the State of

\_\_\_\_\_

My appointment expires \_\_\_\_\_



## WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES

### FOREST EXCISE TAX ROAD SUMMARY SHEET

**Region:**

**Timber Sale Name:**

**Application Number:**

#### EXCISE TAX APPLICABLE ACTIVITIES

**Construction:** linear feet  
*Road to be constructed (optional and required) but not abandoned*

**Reconstruction:** linear feet  
*Road to be reconstructed (optional and required) but not abandoned*

**Abandonment:** linear feet  
*Abandonment of existing roads not reconstructed under the contract*

**Decommission:** linear feet  
*Road to be made undriveable but not officially abandoned.*

**Pre-Haul Maintenance:** linear feet  
*Existing road to receive maintenance work (optional and required) prior to haul*

#### EXCISE TAX EXEMPT ACTIVITIES

**Temporary Construction:** linear feet  
*Roads to be constructed (optional and required) and then abandoned*

**Temporary Reconstruction:** linear feet  
*Roads to be reconstructed (optional and required) and then abandoned*

All parties must make their own assessment of the taxable or non-taxable status of any work performed under the timber sale contract. The Department of Revenue bears responsibility for determining forest road excise taxes. The Department of Natural Resources developed this form to help estimate the impact of forest excise taxes. However, the information provided may not precisely calculate the actual amount of taxes due. The Department of Revenue is available for consultation by calling 1.800.548.8829.

(Revised 9/18)

## Timber Sale Cruise Report Sunny Side

**Sale Name:** SUNNY SIDE

**Sale Type:** LUMP SUM

**Region:** SO PUGET

**District:** RAINIER

**Lead Cruiser:** Alex Chaney

**Other Cruisers:** Kalvin Bailey

**Cruise Narrative:** This sale consist of 2 units and 2 right of ways which you can access from hwy 706.

This sale is a 55 year old stand with the dominant species being Douglas fir and the minor species being Western hemlock, Red alder, Red cedar, Silver fir, Noble fir and cottonwood. The average DBH for Douglas fir is 14" with a bole length of 66'. A few acres in the southeast corner of unit 1 is 30 year old timber with open pockets.

This sale has a good mix of domestic and high quality logs in it. Some of the damages I observed throughout the sale were sweep, forks, crooks, storm damage and frost check. I did not observe any bear damage or conks. This sale is 30% ground based harvest and 70% uphill cable harvest. The road on the south side of the sale is drivable but will need some Pre-Haul maintenance done and the road heading north through unit 1 requires construction. You will need the CJ-18 key to access this sale.

### Timber Sale Notice Volume (MBF)

Sp	QMD	Rings/In	Age	MBF Volume by Grade					
				All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	13.9	6.0	55	2,674.6		537.3	1,536.1	587.3	13.6
WH	11.8			622.2		54.6	339.3	202.9	25.3
RA	10.3			82.3			7.5	49.5	25.4
RC	11.3			81.5			27.2	54.3	
BC	19.0			81.0	51.7	12.0		2.2	15.0
NF	20.6			13.3		7.8	4.6	1.0	
ALL	13.1	6.0	55	3,554.7	51.7	611.7	1,914.8	897.3	79.2

**Timber Sale Notice Weight (tons)**

Sp	Tons by Grade					
	All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	22,004.8		4,160.3	12,936.3	4,829.8	78.5
WH	6,057.2		519.6	3,383.4	1,950.9	203.4
RA	698.9			66.3	469.3	163.2
RC	696.7			237.1	459.6	
BC	624.2	400.8	94.0		18.2	111.2
NF	115.5		73.2	34.0	8.2	
ALL	30,197.3	400.8	4,847.1	16,657.1	7,736.0	556.3

**Timber Sale Overall Cruise Statistics (Cut + Leave Trees)**

BA (sq ft/acre)	BA SE (%)	V-BAR (bf/sq ft)	V-BAR SE (%)	Net Vol (bf/acre)	Vol SE (%)
257.6	3.3	116.4	1.8	29,924	3.7

**Timber Sale Unit Cruise Design**

Unit	Design	Cruise Acres	FMA Acres	N Plots	N Cruise Plots	N Void Plots
SUNNY SIDE RW 3	ST: Strip/Percent Sample (1 tree expansion)	0.3	0.6	1	1	0
SUNNY SIDE RW 4	B1: VR, 1 BAF (33.61) Measure All, Sighting Ht = 16 ft	1.6	2.0	3	3	0
SUNNY SIDE U1	B2C: VR, 2 BAF (33.61, 27.78 for some species) Measure/Count Plots, Sighting Ht = 16 ft	79.4	87.0	79	28	0
SUNNY SIDE U2	B2C: VR, 2 BAF (33.61, 27.78 for some species) Measure/Count Plots, Sighting Ht = 16 ft	37.5	38.8	37	12	0
All		118.8	128.3	120	44	0

**Timber Sale Log Grade x Diameter Bin Summary**

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	4 SAW	5.0	31.0	19	0.0	18.2	2.2
BC	5 - 8	LIVE	UTILITY	6.4	26.0	67	0.0	60.4	8.0
BC	5 - 8	LIVE	2 SAW	7.0	35.0	18	3.2	20.9	2.1
BC	5 - 8	LIVE	CULL	8.1	6.0	0	100.0	0.0	0.0
BC	9 - 11	LIVE	2 SAW	9.1	40.0	84	5.2	73.1	10.0
BC	9 - 11	LIVE	UTILITY	9.4	33.0	59	0.0	50.9	7.0

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	9 - 11	LIVE	1 SAW	10.4	40.0	83	7.8	70.5	9.9
BC	12 - 14	LIVE	1 SAW	13.6	40.0	265	7.1	245.5	31.5
BC	15 - 19	LIVE	1 SAW	17.4	40.0	87	12.6	84.8	10.3
DF	5 - 8	LIVE	UTILITY	5.2	17.0	115	0.0	78.5	13.6
DF	5 - 8	LIVE	4 SAW	5.3	29.0	4,945	0.6	4,829.7	587.4
DF	5 - 8	LIVE	CULL	5.6	2.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	3 SAW	7.5	38.0	4,700	1.3	5,015.5	558.4
DF	9 - 11	LIVE	CULL	9.6	2.0	0	100.0	0.0	0.0
DF	9 - 11	LIVE	3 SAW	10.0	39.0	8,231	1.8	7,920.8	977.8
DF	12 - 14	LIVE	2 SAW	13.2	39.0	3,550	2.2	3,387.6	421.8
DF	12 - 14	LIVE	CULL	14.1	2.0	0	100.0	0.0	0.0
DF	15 - 19	LIVE	2 SAW	15.5	38.0	972	3.4	772.7	115.5
DF	15 - 19	LIVE	CULL	17.9	2.0	0	100.0	0.0	0.0
NF	5 - 8	LIVE	4 SAW	6.6	19.0	8	0.0	8.2	1.0
NF	9 - 11	LIVE	3 SAW	10.0	36.0	38	0.0	34.0	4.5
NF	12 - 14	LIVE	2 SAW	13.6	36.0	42	0.0	34.7	5.0
NF	15 - 19	LIVE	2 SAW	15.8	40.0	24	49.9	38.5	2.8
RA	5 - 8	LIVE	CULL	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	UTILITY	5.1	20.0	213	0.0	163.2	25.3
RA	5 - 8	LIVE	4 SAW	6.3	31.0	334	6.9	379.3	39.7
RA	9 - 11	LIVE	4 SAW	9.4	31.0	82	4.7	90.1	9.8
RA	9 - 11	LIVE	3 SAW	11.6	27.0	63	10.5	66.3	7.5
RA	12 - 14	LIVE	CULL	12.2	4.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	4 SAW	5.2	30.0	456	2.4	459.6	54.2
RC	5 - 8	LIVE	CULL	5.3	2.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	3 SAW	8.5	32.0	49	0.0	51.1	5.9
RC	9 - 11	LIVE	3 SAW	9.8	34.0	180	3.7	186.1	21.4
RC	15 - 19	LIVE	CULL	17.5	8.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	UTILITY	5.0	20.0	102	0.0	104.7	12.2
WH	5 - 8	LIVE	4 SAW	5.1	27.0	1,708	5.6	1,950.9	202.9
WH	5 - 8	LIVE	CULL	5.2	1.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	3 SAW	7.6	37.0	1,936	0.7	2,257.1	230.0
WH	9 - 11	LIVE	3 SAW	10.0	39.0	920	4.5	1,126.3	109.4
WH	9 - 11	LIVE	UTILITY	10.1	24.0	110	0.0	98.6	13.1
WH	9 - 11	LIVE	CULL	10.6	2.0	0	100.0	0.0	0.0
WH	12 - 14	LIVE	2 SAW	13.0	40.0	269	3.7	333.6	32.0
WH	15 - 19	LIVE	2 SAW	15.1	40.0	190	2.5	185.9	22.6

## Timber Sale Log Sort x Diameter Bin Summary

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	Domestic	5.7	32.0	36	1.6	39.1	4.3
BC	5 - 8	LIVE	Pulp	6.4	26.0	67	0.0	60.4	8.0
BC	5 - 8	LIVE	Cull	8.1	6.0	0	100.0	0.0	0.0
BC	9 - 11	LIVE	Pulp	9.4	33.0	59	0.0	50.9	7.0
BC	9 - 11	LIVE	Domestic	9.7	40.0	167	6.5	143.6	19.8
BC	12 - 14	LIVE	Domestic	13.6	40.0	265	7.1	245.5	31.5
BC	15 - 19	LIVE	Domestic	17.4	40.0	87	12.6	84.8	10.3
DF	5 - 8	LIVE	Pulp	5.2	17.0	115	0.0	78.5	13.6
DF	5 - 8	LIVE	Cull	5.6	2.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	Domestic	5.8	32.0	8,716	1.0	8,823.0	1,035.5
DF	5 - 8	LIVE	HQ-B	8.6	40.0	929	0.2	1,022.3	110.4
DF	9 - 11	LIVE	Cull	9.6	2.0	0	100.0	0.0	0.0
DF	9 - 11	LIVE	Domestic	9.9	37.0	2,946	3.7	2,796.2	350.0
DF	9 - 11	LIVE	HQ-B	10.1	40.0	5,284	0.7	5,124.6	627.8
DF	12 - 14	LIVE	HQ-B	13.1	39.0	2,677	1.4	2,506.0	318.0
DF	12 - 14	LIVE	Domestic	13.7	38.0	874	4.8	881.5	103.8
DF	12 - 14	LIVE	Cull	14.1	2.0	0	100.0	0.0	0.0
DF	15 - 19	LIVE	HQ-B	15.3	38.0	312	1.5	238.0	37.1
DF	15 - 19	LIVE	Domestic	15.6	38.0	660	4.2	534.6	78.4
DF	15 - 19	LIVE	Cull	17.9	2.0	0	100.0	0.0	0.0
NF	5 - 8	LIVE	Domestic	6.6	19.0	8	0.0	8.2	1.0
NF	9 - 11	LIVE	Domestic	10.0	36.0	38	0.0	34.0	4.5
NF	12 - 14	LIVE	Domestic	13.6	36.0	42	0.0	34.7	5.0
NF	15 - 19	LIVE	Domestic	15.8	40.0	24	49.9	38.5	2.8
RA	5 - 8	LIVE	Cull	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	Pulp	5.1	20.0	213	0.0	163.2	25.3
RA	5 - 8	LIVE	Domestic	6.3	31.0	334	6.9	379.3	39.7
RA	9 - 11	LIVE	Domestic	10.0	30.0	145	7.3	156.4	17.2
RA	12 - 14	LIVE	Cull	12.2	4.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	Cull	5.3	2.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	Domestic	5.4	30.0	506	2.1	510.6	60.1
RC	9 - 11	LIVE	Domestic	9.8	34.0	180	3.7	186.1	21.4
RC	15 - 19	LIVE	Cull	17.5	8.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	Pulp	5.0	20.0	102	0.0	104.7	12.2
WH	5 - 8	LIVE	Cull	5.2	1.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	Domestic	5.8	30.0	3,644	3.1	4,208.0	432.9
WH	9 - 11	LIVE	Domestic	10.0	39.0	920	4.5	1,126.3	109.4

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
WH	9 - 11	LIVE	Pulp	10.1	24.0	110	0.0	98.6	13.1
WH	9 - 11	LIVE	Cull	10.6	2.0	0	100.0	0.0	0.0
WH	12 - 14	LIVE	Domestic	13.0	40.0	269	3.7	333.6	32.0
WH	15 - 19	LIVE	Domestic	15.1	40.0	190	2.5	185.9	22.6

#### Timber Sale Distribution of Volume by County and Timber Trust by Sale Unit

Unit	Harvest Type	N Trusts	Timber Trust	County	Unit MBF	Sale MBF	Unit % of Sale	Trust % of Unit	Trust % of Sale
SUNNY SIDE RW 3	LAND_USE_CONV	1	3	Lewis	13.3	3,554.7	0.37	100.00	0.37
SUNNY SIDE RW 4	LAND_USE_CONV	1	3	Lewis	35.7	3,554.7	1.00	100.00	1.00
SUNNY SIDE U1	VRH	1	3	Lewis	2,300.6	3,554.7	64.72	100.00	64.72
SUNNY SIDE U2	VRH	1	3	Lewis	1,205.1	3,554.7	33.90	100.00	33.90

#### Timber Sale Distribution of Volume by County and Timber Trust for the Timber Sale

Timber Trust	County	Trust % of Sale
3	Lewis	99.99

## Cruise Unit Report SUNNY SIDE U1

### Unit Sale Notice Volume (MBF): SUNNY SIDE U1

Sp	QMD	Rings/In	Age	MBF Volume by Grade					
				All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	14.0	6.0	55	1,615.9		280.7	959.6	375.5	
WH	11.5			461.2		17.4	261.0	157.6	25.3
BC	18.9			76.6	48.3	12.0		2.2	14.0
RC	11.0			73.0			23.7	49.3	
RA	9.8			68.5			5.8	39.4	23.4
NF	23.0			5.4		2.8	2.2	0.4	
ALL	12.8	6.0	55	2,300.6	48.3	313.0	1,252.2	624.4	62.7

### Unit Sale Notice Weight (tons): SUNNY SIDE U1

Sp	Tons by Grade					
	All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	13,652.2		2,260.0	8,189.9	3,202.4	
WH	4,508.8		155.7	2,579.9	1,569.9	203.4
RC	619.9			211.2	408.7	
BC	587.3	372.4	94.0		18.2	102.7
RA	583.5			52.0	383.6	147.8
NF	58.5		38.5	16.3	3.6	
ALL	20,010.2	372.4	2,548.2	11,049.3	5,586.4	453.9

### Unit Cruise Design: SUNNY SIDE U1

Design	Cruise Acres	FMA Acres	N Plots	N Cruise Plots	N Void Plots
B2C: VR, 2 BAF (33.61, 27.78 for some species) Measure/Count Plots, Sighting Ht = 16 ft	79.4	87.0	79	28	0

### Unit Cruise Summary: SUNNY SIDE U1

Sp	Cruised Trees	All Trees	Trees/Plot	Ring-Count Trees
DF	82	282	3.6	1
WH	29	97	1.2	0
BC	6	14	0.2	0
RC	12	24	0.3	0

Sp	Cruised Trees	All Trees	Trees/Plot	Ring-Count Trees
RA	10	20	0.3	0
NF	1	1	0.0	0
ALL	140	438	5.5	1

### Unit Cruise Statistics (Cut + Leave Trees): SUNNY SIDE U1

Sp	BA (sq ft/acre)	BA CV (%)	BA SE (%)	V-BAR (bf/sq ft)	V-BAR CV (%)	V-BAR SE (%)	Net Vol (bf/acre)	Vol CV (%)	Vol SE (%)
DF	171.0	59.3	6.7	119.0	20.9	2.3	20,351	62.8	7.1
WH	59.2	113.6	12.8	98.1	33.9	6.3	5,809	118.6	14.3
BC	7.5	297.7	33.5	129.0	5.1	2.1	965	297.8	33.6
RC	13.5	243.1	27.4	67.9	20.3	5.9	919	244.0	28.0
RA	10.5	272.1	30.6	81.9	22.8	7.2	863	273.0	31.5
NF	0.6	888.8	100.0	118.5	0.0	0.0	68	888.8	100.0
ALL	262.4	36.8	4.1	110.4	27.5	2.3	28,977	45.9	4.7

### Unit Summary: SUNNY SIDE U1

Sp	Status	Rx	N	D	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	LIVE	CUT	6	ALL	18.9	81	101	965	6.6	3.8	7.5	1.7	587.3	76.6
DF	LIVE	CUT	82	ALL	14.0	68	85	20,351	2.0	160.0	171.0	45.7	13,652.2	1,615.9
NF	LIVE	CUT	1	ALL	23.0	96	123	68	34.1	0.2	0.6	0.1	58.5	5.4
RA	LIVE	CUT	10	ALL	9.8	41	49	863	6.6	20.1	10.5	3.4	583.5	68.5
RC	LIVE	CUT	12	ALL	11.0	44	54	919	3.2	20.5	13.5	4.1	619.9	73.0
WH	LIVE	CUT	29	ALL	11.5	56	68	5,809	3.9	82.1	59.2	17.5	4,508.8	461.3
ALL	LIVE	CUT	140	ALL	13.0	61	76	28,975	2.9	286.7	262.3	72.5	20,010.2	2,300.7
ALL	ALL	ALL	140	ALL	13.0	61	76	28,975	2.9	286.7	262.3	72.5	20,010.2	2,300.7

### Unit Stand Table: SUNNY SIDE U1

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	14	LIVE	CUT	1	14.0	82	102	168	3.9	1.1	1.2	0.3	95.2	13.3
BC	16	LIVE	CUT	1	16.0	73	90	148	6.5	0.9	1.2	0.3	86.1	11.8
BC	20	LIVE	CUT	1	20.0	86	107	169	5.8	0.6	1.3	0.3	102.3	13.4
BC	22	LIVE	CUT	2	21.7	81	101	301	6.2	1.0	2.4	0.5	191.2	23.9
BC	28	LIVE	CUT	1	28.0	89	111	180	10.8	0.3	1.4	0.3	112.4	14.3
DF	8	LIVE	CUT	2	8.0	42	51	325	3.7	12.5	4.3	1.5	169.5	25.8
DF	10	LIVE	CUT	8	9.5	51	62	1,342	2.1	34.9	17.0	5.5	924.0	106.5

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
DF	12	LIVE	CUT	6	11.3	63	78	1,344	1.6	18.0	12.6	3.7	831.0	106.7
DF	14	LIVE	CUT	11	13.8	76	96	2,822	1.5	22.2	23.0	6.2	1,882.9	224.0
DF	16	LIVE	CUT	24	15.4	75	94	5,974	1.9	38.7	49.8	12.7	4,073.1	474.3
DF	18	LIVE	CUT	13	17.5	82	104	3,537	2.1	16.1	26.9	6.4	2,382.6	280.8
DF	20	LIVE	CUT	10	19.4	86	110	2,774	1.7	10.1	20.8	4.7	1,903.6	220.2
DF	22	LIVE	CUT	7	21.4	87	110	2,029	3.8	5.8	14.5	3.1	1,333.5	161.1
DF	24	LIVE	CUT	1	24.0	67	84	205	2.5	0.6	2.0	0.4	151.9	16.3
NF	24	LIVE	CUT	1	23.0	96	123	68	34.1	0.2	0.6	0.1	58.5	5.4
RA	8	LIVE	CUT	3	7.3	27	31	224	0.0	11.2	3.2	1.2	100.3	17.8
RA	10	LIVE	CUT	1	10.0	59	72	81	12.5	1.9	1.0	0.3	67.4	6.4
RA	12	LIVE	CUT	3	11.6	56	68	269	5.3	4.2	3.1	0.9	195.2	21.4
RA	14	LIVE	CUT	1	13.0	66	82	94	16.2	1.1	1.0	0.3	77.3	7.5
RA	16	LIVE	CUT	1	15.0	70	87	112	3.7	0.8	1.0	0.3	82.4	8.9
RA	18	LIVE	CUT	1	18.0	50	60	82	11.8	0.6	1.0	0.2	60.9	6.5
RC	8	LIVE	CUT	1	8.0	27	31	61	5.3	3.4	1.2	0.4	25.3	4.9
RC	10	LIVE	CUT	4	9.2	43	52	310	0.0	9.4	4.4	1.4	173.3	24.6
RC	12	LIVE	CUT	3	11.7	51	63	188	8.1	4.6	3.4	1.0	172.5	14.9
RC	14	LIVE	CUT	1	14.0	56	70	92	2.2	1.1	1.1	0.3	60.9	7.3
RC	16	LIVE	CUT	1	15.0	50	62	82	0.0	0.9	1.1	0.3	54.8	6.5
RC	18	LIVE	CUT	1	18.0	69	87	111	4.4	0.6	1.1	0.3	74.9	8.8
RC	20	LIVE	CUT	1	20.0	48	59	75	5.6	0.6	1.2	0.3	58.3	6.0
WH	8	LIVE	CUT	2	8.0	37	43	305	2.0	12.1	4.2	1.5	170.2	24.2
WH	10	LIVE	CUT	7	9.8	53	66	1,306	2.0	27.3	14.4	4.6	980.0	103.7
WH	12	LIVE	CUT	7	11.4	62	76	1,363	11.0	20.0	14.2	4.2	1,104.3	108.2
WH	14	LIVE	CUT	8	13.5	63	78	1,716	0.7	16.3	16.2	4.4	1,344.4	136.2
WH	16	LIVE	CUT	3	15.3	65	80	633	3.2	4.9	6.2	1.6	529.4	50.2
WH	20	LIVE	CUT	2	19.5	71	88	486	1.1	1.9	4.0	0.9	380.6	38.6

### Unit Log Grade Summary: SUNNY SIDE U1

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	13.0	40.0	608	8.7	372.4	48.3
BC	LIVE	2 SAW	8.5	39.0	152	4.8	94.0	12.0
BC	LIVE	4 SAW	5.0	31.0	28	0.0	18.2	2.2
BC	LIVE	CULL	8.1	6.0	0	100.0	0.0	0.0
BC	LIVE	UTILITY	7.0	27.0	177	0.0	102.7	14.0
DF	LIVE	2 SAW	13.4	39.0	3,535	2.9	2,260.0	280.7
DF	LIVE	3 SAW	8.9	39.0	12,086	1.7	8,189.9	959.6

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	4 SAW	5.2	30.0	4,730	0.9	3,202.4	375.5
DF	LIVE	CULL	6.1	3.0	0	100.0	0.0	0.0
NF	LIVE	2 SAW	15.8	40.0	35	49.9	38.5	2.8
NF	LIVE	3 SAW	10.8	36.0	27	0.0	16.3	2.2
NF	LIVE	4 SAW	7.3	17.0	5	0.0	3.6	0.4
RA	LIVE	3 SAW	11.1	32.0	72	13.2	52.0	5.8
RA	LIVE	4 SAW	6.6	31.0	496	7.4	383.6	39.4
RA	LIVE	CULL	5.0	5.0	0	100.0	0.0	0.0
RA	LIVE	UTILITY	5.1	20.0	295	0.0	147.8	23.4
RC	LIVE	3 SAW	9.6	33.0	298	3.1	211.2	23.7
RC	LIVE	4 SAW	5.2	29.0	621	2.3	408.7	49.3
RC	LIVE	CULL	5.1	3.0	0	100.0	0.0	0.0
WH	LIVE	2 SAW	13.1	40.0	219	2.5	155.7	17.4
WH	LIVE	3 SAW	7.9	37.0	3,287	1.4	2,579.9	261.0
WH	LIVE	4 SAW	5.1	27.0	1,985	7.1	1,569.9	157.6
WH	LIVE	CULL	6.3	1.0	0	100.0	0.0	0.0
WH	LIVE	UTILITY	6.1	21.0	318	0.0	203.4	25.3

#### Unit Log Sort Summary: SUNNY SIDE U1

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	Cull	8.1	6.0	0	100.0	0.0	0.0
BC	LIVE	Domestic	10.3	38.0	788	7.7	484.6	62.6
BC	LIVE	Pulp	7.0	27.0	177	0.0	102.7	14.0
DF	LIVE	Cull	6.1	3.0	0	100.0	0.0	0.0
DF	LIVE	Domestic	6.2	33.0	11,065	2.2	7,639.9	878.5
DF	LIVE	HQ-B	10.5	40.0	9,286	1.2	6,012.3	737.3
NF	LIVE	Domestic	11.3	31.0	68	34.1	58.5	5.4
RA	LIVE	Cull	5.0	5.0	0	100.0	0.0	0.0
RA	LIVE	Domestic	6.8	31.0	568	8.2	435.7	45.1
RA	LIVE	Pulp	5.1	20.0	295	0.0	147.8	23.4
RC	LIVE	Cull	5.1	3.0	0	100.0	0.0	0.0
RC	LIVE	Domestic	5.8	29.0	919	2.6	619.9	73.0
WH	LIVE	Cull	6.3	1.0	0	100.0	0.0	0.0
WH	LIVE	Domestic	6.2	30.0	5,491	3.6	4,305.4	436.0
WH	LIVE	Pulp	6.1	21.0	318	0.0	203.4	25.3

**Unit Log Grade x Sort Summary: SUNNY SIDE U1**

Sp	Status	Grade	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	Domestic	13.0	40.0	608	8.7	372.4	48.3
BC	LIVE	2 SAW	Domestic	8.5	39.0	152	4.8	94.0	12.0
BC	LIVE	4 SAW	Domestic	5.0	31.0	28	0.0	18.2	2.2
BC	LIVE	CULL	Cull	8.1	6.0	0	100.0	0.0	0.0
BC	LIVE	UTILITY	Pulp	7.0	27.0	177	0.0	102.7	14.0
DF	LIVE	2 SAW	Domestic	13.9	38.0	955	5.5	671.2	75.8
DF	LIVE	2 SAW	HQ-B	13.2	39.0	2,580	2.0	1,588.7	204.9
DF	LIVE	3 SAW	Domestic	8.1	38.0	5,380	2.7	3,766.3	427.1
DF	LIVE	3 SAW	HQ-B	9.9	40.0	6,706	0.9	4,423.6	532.5
DF	LIVE	4 SAW	Domestic	5.2	30.0	4,730	0.9	3,202.4	375.5
DF	LIVE	CULL	Cull	6.1	3.0	0	100.0	0.0	0.0
NF	LIVE	2 SAW	Domestic	15.8	40.0	35	49.9	38.5	2.8
NF	LIVE	3 SAW	Domestic	10.8	36.0	27	0.0	16.3	2.2
NF	LIVE	4 SAW	Domestic	7.3	17.0	5	0.0	3.6	0.4
RA	LIVE	3 SAW	Domestic	11.1	32.0	72	13.2	52.0	5.8
RA	LIVE	4 SAW	Domestic	6.6	31.0	496	7.4	383.6	39.4
RA	LIVE	CULL	Cull	5.0	5.0	0	100.0	0.0	0.0
RA	LIVE	UTILITY	Pulp	5.1	20.0	295	0.0	147.8	23.4
RC	LIVE	3 SAW	Domestic	9.6	33.0	298	3.1	211.2	23.7
RC	LIVE	4 SAW	Domestic	5.2	29.0	621	2.3	408.7	49.3
RC	LIVE	CULL	Cull	5.1	3.0	0	100.0	0.0	0.0
WH	LIVE	2 SAW	Domestic	13.1	40.0	219	2.5	155.7	17.4
WH	LIVE	3 SAW	Domestic	7.9	37.0	3,287	1.4	2,579.9	261.0
WH	LIVE	4 SAW	Domestic	5.1	27.0	1,985	7.1	1,569.9	157.6
WH	LIVE	CULL	Cull	6.3	1.0	0	100.0	0.0	0.0
WH	LIVE	UTILITY	Pulp	6.1	21.0	318	0.0	203.4	25.3

**Unit Log Grade x Diameter Bin Summary: SUNNY SIDE U1**

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	4 SAW	5.0	31.0	28	0.0	18.2	2.2
BC	5 - 8	LIVE	UTILITY	6.3	25.0	90	0.0	52.9	7.2
BC	5 - 8	LIVE	2 SAW	7.0	35.0	26	3.2	20.9	2.1
BC	5 - 8	LIVE	CULL	8.1	6.0	0	100.0	0.0	0.0
BC	9 - 11	LIVE	2 SAW	9.1	40.0	125	5.2	73.1	10.0
BC	9 - 11	LIVE	UTILITY	9.4	34.0	87	0.0	49.8	6.9
BC	9 - 11	LIVE	1 SAW	10.1	40.0	120	7.8	67.9	9.5

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	12 - 14	LIVE	1 SAW	13.6	40.0	358	7.5	219.7	28.4
BC	15 - 19	LIVE	1 SAW	17.4	40.0	130	12.6	84.8	10.3
DF	5 - 8	LIVE	4 SAW	5.2	30.0	4,730	0.9	3,202.4	375.5
DF	5 - 8	LIVE	CULL	5.5	3.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	3 SAW	7.4	38.0	3,350	1.5	2,466.3	266.0
DF	9 - 11	LIVE	CULL	9.6	2.0	0	100.0	0.0	0.0
DF	9 - 11	LIVE	3 SAW	10.0	40.0	8,735	1.8	5,723.6	693.6
DF	12 - 14	LIVE	2 SAW	13.3	39.0	3,296	2.9	2,136.6	261.7
DF	15 - 19	LIVE	2 SAW	15.2	36.0	239	2.8	123.4	19.0
NF	5 - 8	LIVE	4 SAW	7.3	17.0	5	0.0	3.6	0.4
NF	9 - 11	LIVE	3 SAW	10.8	36.0	27	0.0	16.3	2.2
NF	15 - 19	LIVE	2 SAW	15.8	40.0	35	49.9	38.5	2.8
RA	5 - 8	LIVE	CULL	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	UTILITY	5.1	20.0	295	0.0	147.8	23.4
RA	5 - 8	LIVE	4 SAW	6.3	31.0	411	7.9	320.0	32.7
RA	9 - 11	LIVE	4 SAW	9.8	36.0	85	4.8	63.7	6.7
RA	9 - 11	LIVE	3 SAW	11.1	32.0	72	13.2	52.0	5.8
RC	5 - 8	LIVE	CULL	5.1	3.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	4 SAW	5.2	29.0	621	2.3	408.7	49.3
RC	5 - 8	LIVE	3 SAW	8.5	32.0	74	0.0	51.1	5.9
RC	9 - 11	LIVE	3 SAW	10.1	33.0	224	4.1	160.2	17.8
WH	5 - 8	LIVE	UTILITY	5.0	20.0	153	0.0	104.7	12.2
WH	5 - 8	LIVE	4 SAW	5.1	27.0	1,985	7.1	1,569.9	157.6
WH	5 - 8	LIVE	CULL	5.1	1.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	3 SAW	7.5	36.0	2,386	0.9	1,850.7	189.5
WH	9 - 11	LIVE	3 SAW	9.7	38.0	900	2.8	729.2	71.5
WH	9 - 11	LIVE	UTILITY	10.1	24.0	165	0.0	98.6	13.1
WH	9 - 11	LIVE	CULL	10.6	2.0	0	100.0	0.0	0.0
WH	12 - 14	LIVE	2 SAW	13.1	40.0	219	2.5	155.7	17.4

#### Unit Log Sort x Diameter Bin Summary: SUNNY SIDE U1

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	Domestic	5.7	32.0	54	1.6	39.1	4.3
BC	5 - 8	LIVE	Pulp	6.3	25.0	90	0.0	52.9	7.2
BC	5 - 8	LIVE	Cull	8.1	6.0	0	100.0	0.0	0.0
BC	9 - 11	LIVE	Pulp	9.4	34.0	87	0.0	49.8	6.9
BC	9 - 11	LIVE	Domestic	9.5	40.0	245	6.5	141.0	19.5

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	12 - 14	LIVE	Domestic	13.6	40.0	358	7.5	219.7	28.4
BC	15 - 19	LIVE	Domestic	17.4	40.0	130	12.6	84.8	10.3
DF	5 - 8	LIVE	Cull	5.5	3.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	Domestic	5.7	32.0	7,730	1.2	5,398.5	613.8
DF	5 - 8	LIVE	HQ-B	8.5	40.0	350	0.0	270.1	27.8
DF	9 - 11	LIVE	Cull	9.6	2.0	0	100.0	0.0	0.0
DF	9 - 11	LIVE	Domestic	10.0	39.0	2,379	4.0	1,570.1	188.9
DF	9 - 11	LIVE	HQ-B	10.0	40.0	6,356	0.9	4,153.5	504.7
DF	12 - 14	LIVE	HQ-B	13.1	39.0	2,341	1.9	1,465.3	185.9
DF	12 - 14	LIVE	Domestic	13.9	38.0	955	5.5	671.2	75.8
DF	15 - 19	LIVE	HQ-B	15.2	36.0	239	2.8	123.4	19.0
NF	5 - 8	LIVE	Domestic	7.3	17.0	5	0.0	3.6	0.4
NF	9 - 11	LIVE	Domestic	10.8	36.0	27	0.0	16.3	2.2
NF	15 - 19	LIVE	Domestic	15.8	40.0	35	49.9	38.5	2.8
RA	5 - 8	LIVE	Cull	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	Pulp	5.1	20.0	295	0.0	147.8	23.4
RA	5 - 8	LIVE	Domestic	6.3	31.0	411	7.9	320.0	32.7
RA	9 - 11	LIVE	Domestic	10.3	34.0	157	8.9	115.7	12.5
RC	5 - 8	LIVE	Cull	5.1	3.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	Domestic	5.4	29.0	695	2.0	459.7	55.1
RC	9 - 11	LIVE	Domestic	10.1	33.0	224	4.1	160.2	17.8
WH	5 - 8	LIVE	Pulp	5.0	20.0	153	0.0	104.7	12.2
WH	5 - 8	LIVE	Cull	5.1	1.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	Domestic	5.9	30.0	4,371	3.8	3,420.6	347.1
WH	9 - 11	LIVE	Domestic	9.7	38.0	900	2.8	729.2	71.5
WH	9 - 11	LIVE	Pulp	10.1	24.0	165	0.0	98.6	13.1
WH	9 - 11	LIVE	Cull	10.6	2.0	0	100.0	0.0	0.0
WH	12 - 14	LIVE	Domestic	13.1	40.0	219	2.5	155.7	17.4

## Cruise Unit Report SUNNY SIDE U2

### Unit Sale Notice Volume (MBF): SUNNY SIDE U2

Sp	QMD	Rings/In	Age	MBF Volume by Grade				Utility
				All	2 Saw	3 Saw	4 Saw	
DF	13.8	6.0	55	1,036.5	250.1	565.9	208.9	11.5
WH	12.9			149.7	37.2	71.1	41.3	
RC	14.2			8.4		3.5	4.9	
NF	19.0			7.9	5.0	2.4	0.6	
RA	13.0			2.7			2.7	
ALL	13.8	6.0	55	1,205.1	292.2	643.0	258.4	11.5

### Unit Sale Notice Weight (tons): SUNNY SIDE U2

Sp	Tons by Grade				
	All	2 Saw	3 Saw	4 Saw	Utility
DF	8,168.1	1,848.5	4,652.8	1,602.2	64.6
WH	1,448.1	363.9	739.4	344.8	
RC	76.1		25.9	50.2	
NF	57.0	34.7	17.7	4.6	
RA	24.4			24.4	
ALL	9,773.7	2,247.1	5,435.8	2,026.2	64.6

### Unit Cruise Design: SUNNY SIDE U2

Design	Cruise Acres	FMA Acres	N Plots	N Cruise Plots	N Void Plots
B2C: VR, 2 BAF (33.61, 27.78 for some species) Measure/Count Plots, Sighting Ht = 16 ft	37.5	38.8	37	12	0

### Unit Cruise Summary: SUNNY SIDE U2

Sp	Cruised Trees	All Trees	Trees/Plot	Ring-Count Trees
DF	57	166	4.5	1
WH	7	26	0.7	0
RC	3	3	0.1	0
NF	1	1	0.0	0
RA	1	1	0.0	0
ALL	69	197	5.3	1

**Unit Cruise Statistics (Cut + Leave Trees): SUNNY SIDE U2**

Sp	BA (sq ft/acre)	BA CV (%)	BA SE (%)	V-BAR (bf/sq ft)	V-BAR CV (%)	V-BAR SE (%)	Net Vol (bf/acre)	Vol CV (%)	Vol SE (%)
DF	209.3	39.9	6.6	132.1	18.6	2.5	27,639	44.1	7.0
WH	33.7	157.2	25.8	118.4	18.6	7.0	3,991	158.3	26.8
RC	3.6	446.9	73.5	63.1	56.7	32.7	224	450.4	80.4
NF	1.2	608.3	100.0	176.2	0.0	0.0	211	608.3	100.0
RA	1.0	608.3	100.0	68.4	0.0	0.0	71	608.3	100.0
ALL	248.8	35.1	5.8	129.2	22.9	2.8	32,137	41.9	6.4

**Unit Summary: SUNNY SIDE U2**

Sp	Status	Rx	N	D	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
DF	LIVE	CUT	57	ALL	13.8	72	92	27,639	1.7	201.5	209.3	56.3	8,168.1	1,036.5
NF	LIVE	CUT	1	ALL	19.0	95	122	211	0.0	0.6	1.2	0.3	57.0	7.9
RA	LIVE	CUT	1	ALL	13.0	55	67	71	28.4	1.1	1.0	0.3	24.4	2.7
RC	LIVE	CUT	3	ALL	14.2	52	64	224	19.0	3.2	3.6	0.9	76.1	8.4
WH	LIVE	CUT	7	ALL	12.9	67	83	3,991	3.0	37.1	33.7	9.4	1,448.1	149.7
ALL	LIVE	CUT	69	ALL	13.7	71	90	32,136	2.1	243.5	248.8	67.2	9,773.7	1,205.2
ALL	ALL	ALL	69	ALL	13.7	71	90	32,136	2.1	243.5	248.8	67.2	9,773.7	1,205.2

**Unit Stand Table: SUNNY SIDE U2**

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
DF	8	LIVE	CUT	1	8.0	42	51	313	0.0	11.5	4.0	1.4	74.2	11.7
DF	10	LIVE	CUT	4	9.7	57	82	1,635	0.0	29.1	15.0	4.8	461.9	61.3
DF	12	LIVE	CUT	12	11.5	69	87	5,271	1.4	61.4	44.4	13.1	1,530.1	197.7
DF	14	LIVE	CUT	12	13.7	76	96	5,412	1.4	42.8	43.7	11.8	1,696.4	202.9
DF	16	LIVE	CUT	8	15.5	80	101	3,904	2.8	22.3	29.2	7.4	1,178.2	146.4
DF	18	LIVE	CUT	5	17.6	87	110	2,640	0.2	10.8	18.1	4.3	792.2	99.0
DF	20	LIVE	CUT	6	19.5	89	112	3,193	1.9	10.7	22.1	5.0	959.5	119.7
DF	22	LIVE	CUT	6	21.6	92	117	3,554	2.7	8.6	21.9	4.7	997.4	133.3
DF	24	LIVE	CUT	3	23.3	88	111	1,718	2.0	3.7	10.9	2.3	478.1	64.4
NF	20	LIVE	CUT	1	19.0	95	122	211	0.0	0.6	1.2	0.3	57.0	7.9
RA	14	LIVE	CUT	1	13.0	55	67	71	28.4	1.1	1.0	0.3	24.4	2.7
RC	12	LIVE	CUT	1	11.0	48	59	76	2.4	1.8	1.2	0.4	27.6	2.9
RC	16	LIVE	CUT	1	15.0	58	73	113	1.6	0.9	1.1	0.3	30.8	4.2
RC	22	LIVE	CUT	1	21.0	53	65	35	59.6	0.5	1.3	0.3	17.8	1.3
WH	8	LIVE	CUT	1	8.0	56	69	504	0.0	14.4	5.0	1.8	138.2	18.9
WH	12	LIVE	CUT	1	11.0	76	95	672	0.0	6.9	4.6	1.4	207.7	25.2

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
WH	14	LIVE	CUT	1	13.0	73	91	589	0.0	5.1	4.7	1.3	213.1	22.1
WH	16	LIVE	CUT	1	15.0	72	89	549	2.0	3.8	4.7	1.2	205.8	20.6
WH	18	LIVE	CUT	1	17.0	72	90	493	12.4	3.0	4.8	1.2	215.1	18.5
WH	22	LIVE	CUT	1	21.0	68	84	456	4.4	2.1	5.0	1.1	215.6	17.1
WH	24	LIVE	CUT	1	23.0	85	106	728	2.8	1.7	5.0	1.0	252.8	27.3

### Unit Log Grade Summary: SUNNY SIDE U2

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	2 SAW	13.9	38.0	6,668	2.0	1,848.5	250.1
DF	LIVE	3 SAW	8.4	37.0	15,092	1.5	4,652.8	565.9
DF	LIVE	4 SAW	5.3	28.0	5,572	0.0	1,602.2	208.9
DF	LIVE	CULL	9.1	2.0	0	100.0	0.0	0.0
DF	LIVE	UTILITY	5.3	13.0	307	0.0	64.6	11.5
NF	LIVE	2 SAW	13.6	36.0	133	0.0	34.7	5.0
NF	LIVE	3 SAW	9.4	36.0	63	0.0	17.7	2.4
NF	LIVE	4 SAW	6.1	20.0	15	0.0	4.6	0.6
RA	LIVE	4 SAW	6.4	40.0	71	0.0	24.4	2.7
RA	LIVE	CULL	8.6	5.0	0	100.0	0.0	0.0
RC	LIVE	3 SAW	9.0	36.0	94	1.9	25.9	3.5
RC	LIVE	4 SAW	5.4	34.0	130	3.3	50.2	4.9
RC	LIVE	CULL	11.9	5.0	0	100.0	0.0	0.0
WH	LIVE	2 SAW	13.8	40.0	992	3.6	363.9	37.2
WH	LIVE	3 SAW	8.6	40.0	1,897	4.1	739.4	71.1
WH	LIVE	4 SAW	5.2	29.0	1,102	0.0	344.8	41.3
WH	LIVE	CULL	7.1	2.0	0	100.0	0.0	0.0

### Unit Log Sort Summary: SUNNY SIDE U2

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	Cull	9.1	2.0	0	100.0	0.0	0.0
DF	LIVE	Domestic	6.7	32.0	18,111	1.8	5,306.6	679.2
DF	LIVE	HQ-B	10.5	39.0	9,220	0.3	2,796.9	345.8
DF	LIVE	Pulp	5.3	13.0	307	0.0	64.6	11.5
NF	LIVE	Domestic	9.7	31.0	211	0.0	57.0	7.9
RA	LIVE	Cull	8.6	5.0	0	100.0	0.0	0.0
RA	LIVE	Domestic	6.4	40.0	71	0.0	24.4	2.7
RC	LIVE	Cull	11.9	5.0	0	100.0	0.0	0.0
RC	LIVE	Domestic	6.2	34.0	224	2.7	76.1	8.4

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
WH	LIVE	Cull	7.1	2.0	0	100.0	0.0	0.0
WH	LIVE	Domestic	6.9	33.0	3,991	2.9	1,448.1	149.7

### Unit Log Grade x Sort Summary: SUNNY SIDE U2

Sp	Status	Grade	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	2 SAW	Domestic	14.8	38.0	2,835	3.9	744.9	106.3
DF	LIVE	2 SAW	HQ-B	13.4	38.0	3,833	0.5	1,103.5	143.7
DF	LIVE	3 SAW	Domestic	8.1	37.0	9,704	2.2	2,959.5	363.9
DF	LIVE	3 SAW	HQ-B	9.4	39.0	5,388	0.1	1,693.3	202.0
DF	LIVE	4 SAW	Domestic	5.3	28.0	5,572	0.0	1,602.2	208.9
DF	LIVE	CULL	Cull	9.1	2.0	0	100.0	0.0	0.0
DF	LIVE	UTILITY	Pulp	5.3	13.0	307	0.0	64.6	11.5
NF	LIVE	2 SAW	Domestic	13.6	36.0	133	0.0	34.7	5.0
NF	LIVE	3 SAW	Domestic	9.4	36.0	63	0.0	17.7	2.4
NF	LIVE	4 SAW	Domestic	6.1	20.0	15	0.0	4.6	0.6
RA	LIVE	4 SAW	Domestic	6.4	40.0	71	0.0	24.4	2.7
RA	LIVE	CULL	Cull	8.6	5.0	0	100.0	0.0	0.0
RC	LIVE	3 SAW	Domestic	9.0	36.0	94	1.9	25.9	3.5
RC	LIVE	4 SAW	Domestic	5.4	34.0	130	3.3	50.2	4.9
RC	LIVE	CULL	Cull	11.9	5.0	0	100.0	0.0	0.0
WH	LIVE	2 SAW	Domestic	13.8	40.0	992	3.6	363.9	37.2
WH	LIVE	3 SAW	Domestic	8.6	40.0	1,897	4.1	739.4	71.1
WH	LIVE	4 SAW	Domestic	5.2	29.0	1,102	0.0	344.8	41.3
WH	LIVE	CULL	Cull	7.1	2.0	0	100.0	0.0	0.0

### Unit Log Grade x Diameter Bin Summary: SUNNY SIDE U2

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	5 - 8	LIVE	4 SAW	5.3	28.0	5,572	0.0	1,602.2	208.9
DF	5 - 8	LIVE	UTILITY	5.3	13.0	307	0.0	64.6	11.5
DF	5 - 8	LIVE	CULL	6.1	2.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	3 SAW	7.6	38.0	7,679	1.1	2,506.7	288.0
DF	9 - 11	LIVE	3 SAW	10.0	37.0	7,412	1.9	2,146.1	278.0
DF	12 - 14	LIVE	2 SAW	13.2	38.0	4,095	1.0	1,199.2	153.6
DF	12 - 14	LIVE	CULL	14.1	2.0	0	100.0	0.0	0.0
DF	15 - 19	LIVE	2 SAW	15.6	38.0	2,573	3.5	649.3	96.5
DF	15 - 19	LIVE	CULL	17.9	2.0	0	100.0	0.0	0.0
NF	5 - 8	LIVE	4 SAW	6.1	20.0	15	0.0	4.6	0.6

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
NF	9 - 11	LIVE	3 SAW	9.4	36.0	63	0.0	17.7	2.4
NF	12 - 14	LIVE	2 SAW	13.6	36.0	133	0.0	34.7	5.0
RA	5 - 8	LIVE	CULL	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	4 SAW	6.4	40.0	71	0.0	24.4	2.7
RA	12 - 14	LIVE	CULL	12.2	4.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	4 SAW	5.4	34.0	130	3.3	50.2	4.9
RC	5 - 8	LIVE	CULL	6.2	2.0	0	100.0	0.0	0.0
RC	9 - 11	LIVE	3 SAW	9.0	36.0	94	1.9	25.9	3.5
RC	15 - 19	LIVE	CULL	17.5	8.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	4 SAW	5.2	29.0	1,102	0.0	344.8	41.3
WH	5 - 8	LIVE	CULL	7.1	2.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	3 SAW	7.8	40.0	1,071	0.0	403.4	40.2
WH	9 - 11	LIVE	3 SAW	10.2	40.0	826	9.0	335.9	31.0
WH	12 - 14	LIVE	2 SAW	12.8	40.0	389	5.1	178.0	14.6
WH	15 - 19	LIVE	2 SAW	15.1	40.0	603	2.5	185.9	22.6

#### Unit Log Sort x Diameter Bin Summary: SUNNY SIDE U2

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	5 - 8	LIVE	Pulp	5.3	13.0	307	0.0	64.6	11.5
DF	5 - 8	LIVE	Domestic	5.9	31.0	11,050	0.7	3,356.7	414.4
DF	5 - 8	LIVE	Cull	6.1	2.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	HQ-B	8.6	39.0	2,201	0.3	752.1	82.6
DF	9 - 11	LIVE	Domestic	9.8	35.0	4,226	3.3	1,205.0	158.5
DF	9 - 11	LIVE	HQ-B	10.3	40.0	3,186	0.0	941.2	119.5
DF	12 - 14	LIVE	Domestic	13.2	38.0	745	2.9	210.3	27.9
DF	12 - 14	LIVE	HQ-B	13.2	38.0	3,350	0.6	988.9	125.6
DF	12 - 14	LIVE	Cull	14.1	2.0	0	100.0	0.0	0.0
DF	15 - 19	LIVE	HQ-B	15.4	40.0	482	0.0	114.6	18.1
DF	15 - 19	LIVE	Domestic	15.6	38.0	2,090	4.2	534.6	78.4
DF	15 - 19	LIVE	Cull	17.9	2.0	0	100.0	0.0	0.0
NF	5 - 8	LIVE	Domestic	6.1	20.0	15	0.0	4.6	0.6
NF	9 - 11	LIVE	Domestic	9.4	36.0	63	0.0	17.7	2.4
NF	12 - 14	LIVE	Domestic	13.6	36.0	133	0.0	34.7	5.0
RA	5 - 8	LIVE	Cull	5.0	5.0	0	100.0	0.0	0.0
RA	5 - 8	LIVE	Domestic	6.4	40.0	71	0.0	24.4	2.7
RA	12 - 14	LIVE	Cull	12.2	4.0	0	100.0	0.0	0.0
RC	5 - 8	LIVE	Domestic	5.4	34.0	130	3.3	50.2	4.9

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
RC	5 - 8	LIVE	Cull	6.2	2.0	0	100.0	0.0	0.0
RC	9 - 11	LIVE	Domestic	9.0	36.0	94	1.9	25.9	3.5
RC	15 - 19	LIVE	Cull	17.5	8.0	0	100.0	0.0	0.0
WH	5 - 8	LIVE	Domestic	5.9	32.0	2,173	0.0	748.3	81.5
WH	5 - 8	LIVE	Cull	7.1	2.0	0	100.0	0.0	0.0
WH	9 - 11	LIVE	Domestic	10.2	40.0	826	9.0	335.9	31.0
WH	12 - 14	LIVE	Domestic	12.8	40.0	389	5.1	178.0	14.6
WH	15 - 19	LIVE	Domestic	15.1	40.0	603	2.5	185.9	22.6

## Cruise Unit Report SUNNY SIDE RW 3

### Unit Sale Notice Volume (MBF): SUNNY SIDE RW 3

Sp	QMD	Rings/In	Age	MBF Volume by Grade					Utility
				All	1 Saw	2 Saw	3 Saw	4 Saw	
DF	14.7	6.0	55	6.7		1.3	4.0	1.4	
RA	11.9			3.3				3.2	0.1
WH	14.5			2.2			1.7	0.5	
BC	19.0			1.1	0.8				0.3
RC	9.4			0.1				0.1	
ALL	13.8	6.0	55	13.3	0.8	1.3	5.7	5.2	0.4

### Unit Sale Notice Weight (tons): SUNNY SIDE RW 3

Sp	Tons by Grade					Utility
	All	1 Saw	2 Saw	3 Saw	4 Saw	
DF	56.8		10.0	34.6	12.2	
RA	28.4				28.0	0.4
WH	21.0			16.0	5.0	
BC	8.2	6.0				2.2
RC	0.7				0.7	
ALL	115.1	6.0	10.0	50.6	45.9	2.6

### Unit Cruise Design: SUNNY SIDE RW 3

Design	Cruise Acres	FMA Acres	N Plots	N Cruise Plots	N Void Plots
ST: Strip/Percent Sample (1 tree expansion)	0.3	0.6	1	1	0

### Unit Cruise Summary: SUNNY SIDE RW 3

Sp	Cruised Trees	All Trees	Trees/Plot	Ring-Count Trees
DF	8	52	52.0	1
RA	6	44	44.0	0
WH	4	17	17.0	0
BC	2	4	4.0	0
RC	2	3	3.0	0
ALL	22	120	120.0	1

**Unit Cruise Statistics (Cut + Leave Trees): SUNNY SIDE RW 3**

Sp	BA (sq ft/acre)	BA CV (%)	BA SE (%)	V-BAR (bf/sq ft)	V-BAR CV (%)	V-BAR SE (%)	Net Vol (bf/acre)	Vol CV (%)	Vol SE (%)
DF	204.2	0.0	0.0	109.1	18.8	6.6	22,268	18.8	6.6
RA	113.4	0.0	0.0	97.5	5.4	2.2	11,053	5.4	2.2
WH	65.3	0.0	0.0	110.5	11.2	5.6	7,220	11.2	5.6
BC	26.3	0.0	0.0	137.3	9.1	6.5	3,615	9.1	6.5
RC	4.8	0.0	0.0	69.7	3.8	2.7	335	3.8	2.7
ALL	414.0	0.0	0.0	107.5	19.1	4.1	44,491	19.1	4.1

**Unit Summary: SUNNY SIDE RW 3**

Sp	Status	Rx	N	D	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	LIVE	CUT	2	ALL	19.0	87	108	3,615	4.7	13.4	26.3	6.0	8.2	1.1
DF	LIVE	CUT	8	ALL	14.7	70	88	22,268	1.9	173.3	204.2	53.3	56.8	6.7
RA	LIVE	CUT	6	ALL	11.9	62	76	11,053	6.7	146.8	113.4	32.9	28.4	3.3
RC	LIVE	CUT	2	ALL	9.4	44	53	335	0.0	10.0	4.8	1.6	0.7	0.1
WH	LIVE	CUT	4	ALL	14.5	70	86	7,220	1.2	57.0	65.3	17.2	21.0	2.2
ALL	LIVE	CUT	22	ALL	13.8	67	83	44,491	3.3	400.5	414.0	111.0	115.1	13.4
ALL	ALL	ALL	22	ALL	13.8	67	83	44,491	3.3	400.5	414.0	111.0	115.1	13.4

**Unit Stand Table: SUNNY SIDE RW 3**

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	18	LIVE	CUT	1	18.0	85	106	1,503	5.8	6.7	11.8	2.8	3.6	0.5
BC	20	LIVE	CUT	1	20.0	88	110	2,112	3.6	6.7	14.5	3.2	4.6	0.6
DF	8	LIVE	CUT	1	8.0	50	61	557	0.0	19.9	7.0	2.5	1.1	0.2
DF	10	LIVE	CUT	1	10.0	58	72	798	6.5	20.0	10.9	3.5	2.2	0.2
DF	12	LIVE	CUT	1	12.0	61	76	1,448	0.0	20.0	15.7	4.5	3.4	0.4
DF	14	LIVE	CUT	1	14.0	69	87	3,497	0.0	33.3	35.6	9.5	9.4	1.0
DF	16	LIVE	CUT	1	15.0	73	92	2,618	4.1	20.0	24.5	6.3	6.7	0.8
DF	18	LIVE	CUT	2	17.5	82	103	7,742	0.0	40.0	66.8	16.0	20.3	2.3
DF	20	LIVE	CUT	1	20.0	86	109	5,607	4.7	20.0	43.6	9.8	13.7	1.7
RA	8	LIVE	CUT	1	8.0	51	61	740	0.0	23.3	8.1	2.9	1.5	0.2
RA	10	LIVE	CUT	1	10.0	58	71	1,179	0.0	23.4	12.7	4.0	2.8	0.4
RA	12	LIVE	CUT	2	11.6	63	78	3,794	10.0	53.4	39.0	11.5	9.8	1.1
RA	14	LIVE	CUT	1	14.0	69	85	2,427	16.7	23.3	24.9	6.7	6.8	0.7
RA	16	LIVE	CUT	1	15.0	68	84	2,913	0.0	23.3	28.6	7.4	7.6	0.9
RC	8	LIVE	CUT	1	8.0	39	47	85	0.0	3.3	1.2	0.4	0.1	0.0
RC	10	LIVE	CUT	1	10.0	46	56	250	0.0	6.7	3.6	1.2	0.6	0.1

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
WH	8	LIVE	CUT	1	8.0	51	62	208	0.0	6.6	2.3	0.8	0.5	0.1
WH	12	LIVE	CUT	1	12.0	63	78	1,324	0.0	16.7	13.1	3.8	3.6	0.4
WH	16	LIVE	CUT	1	15.0	74	92	2,301	2.0	16.7	20.4	5.3	6.7	0.7
WH	18	LIVE	CUT	1	18.0	79	99	3,388	2.3	16.7	29.4	6.9	10.3	1.0

### Unit Log Grade Summary: SUNNY SIDE RW 3

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	12.5	40.0	2,622	6.2	6.0	0.8
BC	LIVE	UTILITY	7.2	22.0	993	0.0	2.2	0.3
DF	LIVE	2 SAW	13.1	40.0	4,270	5.0	10.0	1.3
DF	LIVE	3 SAW	9.1	39.0	13,362	0.8	34.6	4.0
DF	LIVE	4 SAW	5.2	30.0	4,636	0.0	12.2	1.4
DF	LIVE	CULL	5.6	3.0	0	100.0	0.0	0.0
RA	LIVE	4 SAW	6.6	29.0	10,729	7.8	28.0	3.2
RA	LIVE	UTILITY	5.0	13.0	324	0.0	0.4	0.1
RC	LIVE	4 SAW	5.0	31.0	335	0.0	0.7	0.1
WH	LIVE	3 SAW	9.7	39.0	5,562	2.2	16.0	1.7
WH	LIVE	4 SAW	5.2	29.0	1,658	0.0	5.0	0.5

### Unit Log Sort Summary: SUNNY SIDE RW 3

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	Domestic	12.5	40.0	2,622	6.2	6.0	0.8
BC	LIVE	Pulp	7.2	22.0	993	0.0	2.2	0.3
DF	LIVE	Cull	5.6	3.0	0	100.0	0.0	0.0
DF	LIVE	Domestic	6.7	34.0	14,656	0.8	38.9	4.4
DF	LIVE	HQ-B	12.4	40.0	7,612	2.8	17.9	2.3
RA	LIVE	Domestic	6.6	29.0	10,729	7.8	28.0	3.2
RA	LIVE	Pulp	5.0	13.0	324	0.0	0.4	0.1
RC	LIVE	Domestic	5.0	31.0	335	0.0	0.7	0.1
WH	LIVE	Domestic	7.3	34.0	7,220	1.7	21.0	2.2

### Unit Log Grade x Sort Summary: SUNNY SIDE RW 3

Sp	Status	Grade	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	Domestic	12.5	40.0	2,622	6.2	6.0	0.8
BC	LIVE	UTILITY	Pulp	7.2	22.0	993	0.0	2.2	0.3
DF	LIVE	2 SAW	HQ-B	13.1	40.0	4,270	5.0	10.0	1.3

Sp	Status	Grade	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	3 SAW	Domestic	8.6	39.0	10,020	1.1	26.7	3.0
DF	LIVE	3 SAW	HQ-B	11.7	40.0	3,342	0.0	8.0	1.0
DF	LIVE	4 SAW	Domestic	5.2	30.0	4,636	0.0	12.2	1.4
DF	LIVE	CULL	Cull	5.6	3.0	0	100.0	0.0	0.0
RA	LIVE	4 SAW	Domestic	6.6	29.0	10,729	7.8	28.0	3.2
RA	LIVE	UTILITY	Pulp	5.0	13.0	324	0.0	0.4	0.1
RC	LIVE	4 SAW	Domestic	5.0	31.0	335	0.0	0.7	0.1
WH	LIVE	3 SAW	Domestic	9.7	39.0	5,562	2.2	16.0	1.7
WH	LIVE	4 SAW	Domestic	5.2	29.0	1,658	0.0	5.0	0.5

### Unit Log Grade x Diameter Bin Summary: SUNNY SIDE RW 3

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	UTILITY	6.5	19.0	516	0.0	1.2	0.2
BC	9 - 11	LIVE	UTILITY	9.1	30.0	477	0.0	1.0	0.1
BC	9 - 11	LIVE	1 SAW	11.8	40.0	1,099	7.8	2.6	0.3
BC	12 - 14	LIVE	1 SAW	13.1	40.0	1,523	5.0	3.3	0.5
DF	5 - 8	LIVE	4 SAW	5.2	30.0	4,636	0.0	12.2	1.4
DF	5 - 8	LIVE	CULL	5.6	3.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	3 SAW	7.8	38.0	5,137	0.0	14.4	1.5
DF	9 - 11	LIVE	3 SAW	10.6	40.0	8,225	1.3	20.3	2.5
DF	12 - 14	LIVE	2 SAW	13.1	40.0	4,270	5.0	10.0	1.3
RA	5 - 8	LIVE	UTILITY	5.0	13.0	324	0.0	0.4	0.1
RA	5 - 8	LIVE	4 SAW	5.9	28.0	6,915	5.8	17.2	2.1
RA	9 - 11	LIVE	4 SAW	9.5	32.0	3,814	11.3	10.9	1.1
RC	5 - 8	LIVE	4 SAW	5.0	31.0	335	0.0	0.7	0.1
WH	5 - 8	LIVE	4 SAW	5.2	29.0	1,658	0.0	5.0	0.5
WH	5 - 8	LIVE	3 SAW	7.6	36.0	1,024	0.0	3.0	0.3
WH	9 - 11	LIVE	3 SAW	10.8	40.0	4,538	2.7	13.0	1.4

### Unit Log Sort x Diameter Bin Summary: SUNNY SIDE RW 3

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	Pulp	6.5	19.0	516	0.0	1.2	0.2
BC	9 - 11	LIVE	Pulp	9.1	30.0	477	0.0	1.0	0.1
BC	9 - 11	LIVE	Domestic	11.8	40.0	1,099	7.8	2.6	0.3
BC	12 - 14	LIVE	Domestic	13.1	40.0	1,523	5.0	3.3	0.5
DF	5 - 8	LIVE	Cull	5.6	3.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	Domestic	6.1	33.0	9,772	0.0	26.5	2.9

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	9 - 11	LIVE	Domestic	10.1	40.0	4,883	2.2	12.3	1.5
DF	9 - 11	LIVE	HQ-B	11.7	40.0	3,342	0.0	8.0	1.0
DF	12 - 14	LIVE	HQ-B	13.1	40.0	4,270	5.0	10.0	1.3
RA	5 - 8	LIVE	Pulp	5.0	13.0	324	0.0	0.4	0.1
RA	5 - 8	LIVE	Domestic	5.9	28.0	6,915	5.8	17.2	2.1
RA	9 - 11	LIVE	Domestic	9.5	32.0	3,814	11.3	10.9	1.1
RC	5 - 8	LIVE	Domestic	5.0	31.0	335	0.0	0.7	0.1
WH	5 - 8	LIVE	Domestic	5.8	31.0	2,682	0.0	8.0	0.8
WH	9 - 11	LIVE	Domestic	10.8	40.0	4,538	2.7	13.0	1.4

## Cruise Unit Report SUNNY SIDE RW 4

### Unit Sale Notice Volume (MBF): SUNNY SIDE RW 4

Sp	QMD	Rings/In	Age	MBF Volume by Grade					
				All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	12.8	6.0	55	15.5		5.2	6.6	1.5	2.1
WH	11.2			9.1			5.5	3.5	
RA	13.1			7.8			1.7	4.2	1.9
BC	22.0			3.3	2.6				0.7
ALL	12.8	6.0	55	35.7	2.6	5.2	13.9	9.3	4.6

### Unit Sale Notice Weight (tons): SUNNY SIDE RW 4

Sp	Tons by Grade					
	All	1 Saw	2 Saw	3 Saw	4 Saw	Utility
DF	127.7		41.8	59.0	13.0	13.9
WH	79.3			48.1	31.2	
RA	62.6			14.3	33.3	15.0
BC	28.7	22.4				6.3
ALL	298.3	22.4	41.8	121.4	77.5	35.2

### Unit Cruise Design: SUNNY SIDE RW 4

Design	Cruise Acres	FMA Acres	N Plots	N Cruise Plots	N Void Plots
B1: VR, 1 BAF (33.61) Measure All, Sighting Ht = 16 ft	1.6	2.0	3	3	0

### Unit Cruise Summary: SUNNY SIDE RW 4

Sp	Cruised Trees	All Trees	Trees/Plot	Ring-Count Trees
DF	5	5	1.7	1
WH	3	3	1.0	0
RA	3	3	1.0	0
BC	1	1	0.3	0
ALL	12	12	4.0	1

**Unit Cruise Statistics (Cut + Leave Trees): SUNNY SIDE RW 4**

Sp	BA (sq ft/acre)	BA CV (%)	BA SE (%)	V-BAR (bf/sq ft)	V-BAR CV (%)	V-BAR SE (%)	Net Vol (bf/acre)	Vol CV (%)	Vol SE (%)
DF	81.1	91.5	52.8	119.4	28.2	12.6	9,687	95.8	54.3
WH	48.0	173.2	100.0	117.9	23.5	13.6	5,666	174.8	100.9
RA	50.0	100.0	57.7	97.9	14.1	8.1	4,893	101.0	58.3
BC	18.4	173.2	100.0	112.1	0.0	0.0	2,065	173.2	100.0
ALL	197.6	21.9	12.6	112.9	23.0	6.6	22,311	31.8	14.3

**Unit Summary: SUNNY SIDE RW 4**

Sp	Status	Rx	N	D	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	LIVE	CUT	1	ALL	22.0	80	100	2,065	2.0	7.0	18.4	3.9	28.7	3.3
DF	LIVE	CUT	5	ALL	12.8	59	73	9,687	1.2	90.8	81.1	22.7	127.7	15.5
RA	LIVE	CUT	3	ALL	13.1	56	68	4,893	0.0	53.4	50.0	13.8	62.6	7.8
WH	LIVE	CUT	3	ALL	11.2	55	67	5,666	0.0	70.2	48.0	14.4	79.3	9.1
ALL	LIVE	CUT	12	ALL	12.8	58	71	22,311	0.7	221.4	197.5	54.8	298.3	35.7
ALL	ALL	ALL	12	ALL	12.8	58	71	22,311	0.7	221.4	197.5	54.8	298.3	35.7

**Unit Stand Table: SUNNY SIDE RW 4**

Sp	D	Status	Rx	N	QMD	BL	THT	BF Net	Defect %	TPA	BA	RD	Tons	MBF Net
BC	22	LIVE	CUT	1	22.0	80	100	2,065	2.0	7.0	18.4	3.9	28.7	3.3
DF	8	LIVE	CUT	1	8.0	42	51	1,320	0.0	50.1	17.5	6.2	13.9	2.1
DF	14	LIVE	CUT	1	14.0	71	89	1,669	3.5	14.9	15.9	4.2	25.4	2.7
DF	18	LIVE	CUT	1	17.0	78	98	2,054	0.0	10.6	16.7	4.0	28.3	3.3
DF	20	LIVE	CUT	2	19.5	89	113	4,644	1.1	15.0	31.1	7.0	60.1	7.4
RA	12	LIVE	CUT	1	11.0	55	67	1,821	0.0	25.2	16.7	5.0	21.1	2.9
RA	14	LIVE	CUT	1	13.0	59	72	1,661	0.0	17.6	16.3	4.5	21.0	2.7
RA	18	LIVE	CUT	1	17.0	54	65	1,411	0.0	10.8	17.1	4.1	20.5	2.3
WH	8	LIVE	CUT	1	8.0	46	55	1,440	0.0	47.7	16.6	5.9	17.2	2.3
WH	16	LIVE	CUT	2	16.0	74	92	4,226	0.0	22.5	31.4	7.8	62.1	6.8

**Unit Log Grade Summary: SUNNY SIDE RW 4**

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	13.5	40.0	1,646	2.5	22.4	2.6
BC	LIVE	UTILITY	6.5	38.0	419	0.0	6.3	0.7
DF	LIVE	2 SAW	13.0	40.0	3,259	1.2	41.8	5.2
DF	LIVE	3 SAW	8.8	39.0	4,141	1.4	59.0	6.6

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
DF	LIVE	4 SAW	5.3	27.0	967	0.0	13.0	1.5
DF	LIVE	CULL	5.8	1.0	0	100.0	0.0	0.0
DF	LIVE	UTILITY	5.0	24.0	1,320	0.0	13.9	2.1
RA	LIVE	3 SAW	11.9	24.0	1,085	0.0	14.3	1.7
RA	LIVE	4 SAW	7.8	30.0	2,651	0.0	33.3	4.2
RA	LIVE	UTILITY	5.0	20.0	1,157	0.0	15.0	1.9
WH	LIVE	3 SAW	10.3	40.0	3,458	0.0	48.1	5.5
WH	LIVE	4 SAW	5.0	29.0	2,208	0.0	31.2	3.5

#### Unit Log Sort Summary: SUNNY SIDE RW 4

Sp	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	Domestic	13.5	40.0	1,646	2.5	22.4	2.6
BC	LIVE	Pulp	6.5	38.0	419	0.0	6.3	0.7
DF	LIVE	Cull	5.8	1.0	0	100.0	0.0	0.0
DF	LIVE	Domestic	6.7	33.0	3,471	1.7	50.0	5.6
DF	LIVE	HQ-B	11.9	40.0	4,896	0.8	63.8	7.8
DF	LIVE	Pulp	5.0	24.0	1,320	0.0	13.9	2.1
RA	LIVE	Domestic	8.6	29.0	3,736	0.0	47.6	6.0
RA	LIVE	Pulp	5.0	20.0	1,157	0.0	15.0	1.9
WH	LIVE	Domestic	6.3	32.0	5,666	0.0	79.3	9.1

#### Unit Log Grade x Sort Summary: SUNNY SIDE RW 4

Sp	Status	Grade	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	LIVE	1 SAW	Domestic	13.5	40.0	1,646	2.5	22.4	2.6
BC	LIVE	UTILITY	Pulp	6.5	38.0	419	0.0	6.3	0.7
DF	LIVE	2 SAW	HQ-B	13.0	40.0	3,259	1.2	41.8	5.2
DF	LIVE	3 SAW	Domestic	8.1	39.0	2,504	2.3	37.0	4.0
DF	LIVE	3 SAW	HQ-B	10.5	40.0	1,637	0.0	22.0	2.6
DF	LIVE	4 SAW	Domestic	5.3	27.0	967	0.0	13.0	1.5
DF	LIVE	CULL	Cull	5.8	1.0	0	100.0	0.0	0.0
DF	LIVE	UTILITY	Pulp	5.0	24.0	1,320	0.0	13.9	2.1
RA	LIVE	3 SAW	Domestic	11.9	24.0	1,085	0.0	14.3	1.7
RA	LIVE	4 SAW	Domestic	7.8	30.0	2,651	0.0	33.3	4.2
RA	LIVE	UTILITY	Pulp	5.0	20.0	1,157	0.0	15.0	1.9
WH	LIVE	3 SAW	Domestic	10.3	40.0	3,458	0.0	48.1	5.5
WH	LIVE	4 SAW	Domestic	5.0	29.0	2,208	0.0	31.2	3.5

**Unit Log Grade x Diameter Bin Summary: SUNNY SIDE RW 4**

Sp	Bin	Status	Grade	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	UTILITY	6.5	38.0	419	0.0	6.3	0.7
BC	12 - 14	LIVE	1 SAW	13.5	40.0	1,646	2.5	22.4	2.6
DF	5 - 8	LIVE	UTILITY	5.0	24.0	1,320	0.0	13.9	2.1
DF	5 - 8	LIVE	4 SAW	5.3	27.0	967	0.0	13.0	1.5
DF	5 - 8	LIVE	CULL	5.8	1.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	3 SAW	7.7	40.0	1,790	3.3	28.2	2.9
DF	9 - 11	LIVE	3 SAW	10.1	38.0	2,351	0.0	30.7	3.8
DF	12 - 14	LIVE	2 SAW	13.0	40.0	3,259	1.2	41.8	5.2
RA	5 - 8	LIVE	UTILITY	5.0	20.0	1,157	0.0	15.0	1.9
RA	5 - 8	LIVE	4 SAW	7.0	32.0	1,467	0.0	17.8	2.3
RA	9 - 11	LIVE	4 SAW	9.0	28.0	1,184	0.0	15.5	1.9
RA	9 - 11	LIVE	3 SAW	11.9	24.0	1,085	0.0	14.3	1.7
WH	5 - 8	LIVE	4 SAW	5.0	29.0	2,208	0.0	31.2	3.5
WH	9 - 11	LIVE	3 SAW	10.3	40.0	3,458	0.0	48.1	5.5


**Unit Log Sort x Diameter Bin Summary: SUNNY SIDE RW 4**

Sp	Bin	Status	Sort	Dia	Len	BF Net	Defect %	Tons	MBF Net
BC	5 - 8	LIVE	Pulp	6.5	38.0	419	0.0	6.3	0.7
BC	12 - 14	LIVE	Domestic	13.5	40.0	1,646	2.5	22.4	2.6
DF	5 - 8	LIVE	Pulp	5.0	24.0	1,320	0.0	13.9	2.1
DF	5 - 8	LIVE	Cull	5.8	1.0	0	100.0	0.0	0.0
DF	5 - 8	LIVE	Domestic	6.3	32.0	2,757	2.1	41.2	4.4
DF	9 - 11	LIVE	Domestic	9.5	36.0	714	0.0	8.8	1.1
DF	9 - 11	LIVE	HQ-B	10.5	40.0	1,637	0.0	22.0	2.6
DF	12 - 14	LIVE	HQ-B	13.0	40.0	3,259	1.2	41.8	5.2
RA	5 - 8	LIVE	Pulp	5.0	20.0	1,157	0.0	15.0	1.9
RA	5 - 8	LIVE	Domestic	7.0	32.0	1,467	0.0	17.8	2.3
RA	9 - 11	LIVE	Domestic	10.1	26.0	2,269	0.0	29.8	3.6
WH	5 - 8	LIVE	Domestic	5.0	29.0	2,208	0.0	31.2	3.5
WH	9 - 11	LIVE	Domestic	10.3	40.0	3,458	0.0	48.1	5.5

# LOGGING PLAN MAP

**SALE NAME:** SUNNY SIDE  
**AGREEMENT#:** 30-099065  
**TOWNSHIP(S):** T14R6E  
**TRUST(S):** Common School and Indemnity (3)

**REGION:** South Puget Sound Region  
**COUNTY(S):** Lewis  
**ELEVATION RGE:** 2,520 - 3,160 ft.



**Net Acres**  
 Unit 1 - 79  
 Unit 2 - 38  
 Unit 3 (R/W) - 0.4  
 Unit 4 (R/W) - 1.5


□ Stream Type	==== Required Construction	⊠ Tailhold Restriction Area
* Stream Type Break	--- Optional Construction	→ Streams
~ ~ ~ Sale Boundary Tags	→ Streams	▨ Non Tradeable Leave Tree Area
~ ~ ~ ~ Right of Way Tags	▨ Non Tradeable Leave Tree Area	▩ Leave Tree Area
○ Existing Roads	▩ Leave Tree Area	⊞ Riparian Mgt Zone
▬ Required Pre-Haul Maintenance	⊞ Riparian Mgt Zone	



# LOGGING PLAN MAP

**SALE NAME:** SUNNY SIDE  
**AGREEMENT#:** 30-099065  
**TOWNSHIP(S):** T14R6E  
**TRUST(S):** Common School and Indemnity (3)

**REGION:** South Puget Sound Region  
**COUNTY(S):** Lewis  
**ELEVATION RGE:** 2,520 - 3,160 ft.



□	Stream Type	---	Optional Construction
*	Stream Type Break	→	Streams
~ ~ ~	Sale Boundary Tags	▨	Non Tradeable Leave Tree Area
~ ~ ~ ~	Right of Way Tags	▩	Leave Tree Area
▬▬▬	Required Pre-Haul Maintenance	▨	Riparian Mgt Zone
====	Required Construction	▨	Tailhold Restriction Area



## PRE-CRUISE NARRATIVE

Sale Name: <b>Sunny Side</b>	Region: <b>South Puget Sound</b>
Agreement #: <b>30-099065</b>	District: <b>Rainier</b>
Contact Forester: <b>Mike Fowler</b>	Phone Cell: <b>(360) 819-3406</b> Office: <b>(360) 492-5060</b>
Alternate Contact: <b>Andrew Reed</b>	Phone Location: <b>(360) 481-9597</b> Office: <b>(360) 492-5031</b>

Type of Sale (lump sum, mbf scale, tonnage scale or contract harvest): **Lump Sum**  
 Required or Optional removal of utility as pulp: **Optional**  
 Evaluated for RFRS Implementation?: **No**  
 Percentage cable (specify downhill vs uphill): **70% uphill cable**  
 Percentage ground based: **30% ground based**  
 Species Onsite: RC, DF, WH, RA, BC, BLM, NF, SF, SS,  Other: WWP

### UNIT ACREAGES\* AND METHOD OF DETERMINATION:

Unit #	Harvest R/W or RMZ WMZ	Legal Description Sec/Twp/Rng	Grant	Gross Traversed Acres	Deductions from Gross Acres (No harvest acres)			Net Harvest Acres	Acreage Determination (List method, dimensions and error of closure if applicable)
					RMZ/WMZ Acres	Leave Tree Acres	Existing Road Acres		
1		Sec 21,22,27,28; T14N, R06 E	03	87.0	0	4.4	3.2	79.4	Garmin 62s
2		Sec 21; T14N, R06 E	03	38.7	0	1.2	0	37.5	Garmin 62s
3 (R/W)		Sec 21; T14N, R06 E	03	0.6			0.3	0.3	Length x Width (470' x 60')
4 (R/W)		Sec 21; T14N, R06 E	03	2.0			0.4	1.6	Length x Width (1,055' x 85')
		Sec / T N/R E							
		Sec / T N/R E							
<b>TOTAL ACRES</b>				128.3		5.6	3.9	118.8	

### HARVEST PLAN AND SPECIAL CONDITIONS:

Unit #	Harvest Prescription: (Mark leave, take, paint color, tags, flagging etc.)	Special Management areas:	Other conditions (# leave trees, etc.)
1	Variable Retention Harvest – Boundary marked by white “Timber Harvest Boundary” tags and pink flashers and type change on the northwestern portion of the unit along the 25 road.		8 leave trees per acre all marked within yellow “Leave Tree Area” tags. Existing roads deducted from acreage using length x width.
2	Variable Retention Harvest – Boundary marked by white “Timber Harvest Boundary” tags and pink flashers.		8 leave trees per acre all marked within yellow “Leave Tree Area” tags.

3	Right-of-Way Harvest – Boundary marked by orange “Right-of-Way Boundary” tags with orange flashers.		
4	Right-of-Way Harvest – Boundary marked by orange “Right-of-Way Boundary” tags with orange flashers.		

**OTHER PRE-CRUISE INFORMATION:**

Unit #	Estimated Volume	Access information (Gates, locks, etc.)	Photos, traverse maps required
1	See Cruise	Access via 1 road to the 2 road. CJ-18 key on the 2 road gate #413. 2x road is drivable to the northwest corner of Unit 1.	See Cruise Maps
2		Access via 1 road to the 2 road. CJ-18 key on the 2 road gate #413. 2x road is drivable to the northwest corner of Unit 1.	
3		Access via 1 road to the 2 road. CJ-18 key on the 2 road gate #413. 2x road is drivable to the northwest corner of Unit 1.	
4		Access via 1 road to the 2 road. CJ-18 key on the 2 road gate #413. 2x road is drivable to the northwest corner of Unit 1.	

**REMARKS:**

--

Prepared By: Mike Fowler Date: 01/02/2020	Title: Forester	CC: Andrew Reed, Nick Chicano, Audrey Mainwaring
--	-----------------	---

*Revised 2/23/2007 (PSLD)*



# Forest Practices Application/Notification Notice of Decision

FPA/N No: 2421612

Effective Date: 6/3/2020

Expiration Date: 6/3/2023

Shut Down Zone 659 S

EARR Tax Credit:  Eligible  Non-eligible

Reference: Sunny Side #30-099065

### Decision

- Notification Accepted**      Operations shall not begin before the effective date.
- Approved**      This Forest Practices Application is subject to the conditions listed below.
- Disapproved**      This Forest Practices Application is disapproved for the reasons listed below.
- Closed**      Applicant has withdrawn the FPA/N.

### FPA/N Classification

- Class II
- Class III
- Class IVG
- Class IVS

### Number of Years Granted on Multi-Year Request

- 4 yrs
- 5 yrs

### Conditions on Approval/Reasons for Disapproval

Issued By: Bruce Meyer


Region: South Puget Sound

Title: Resource Protection Forester

Date: 6/3/2020

Copies to:  Landowner, Timber Owner and Operator

Issued in person:  Landowner  Timber Owner  Operator

By: 

**Appeal Information**

You have thirty (30) days to **file** (i.e., **actually deliver**) an appeal in writing of this Decision and any related State Environmental Policy Act (SEPA) determinations to the Pollution Control Hearings Board, the Attorney General’s Office, and the Department of Natural Resources’ region office. See RCW 76.09.205. The appeal period starts when the applicant receives this decision, which usually happens electronically on the date indicated below.

**You must file your appeal at all three addresses below:**

<b>Pollution Control Hearings Board</b>	<b>Office of the Attorney General Natural Resources Division</b>	<b>Department Of Natural Resources South Puget Sound Region</b>
Physical Address 1111 Israel Road, SW Suite 301 Tumwater, WA 98501	Physical Address 1125 Washington Street, SE Olympia, WA 98504	Physical & Mailing Address 950 Farman Ave N Enumclaw, WA 98022
Mailing address Post Office Box 40903 Olympia, WA 98504-0903	Mailing Address Post Office Box 40100 Olympia, WA 98504-0100	

Information regarding the Pollution Control Hearings Board can be found at: <http://www.eluho.wa.gov/>

**Other Applicable Laws**

Operating as described in this application/notification does not ensure compliance with the Endangered Species Act, or other federal, state, or local laws.

**Transfer of Forest Practices Application/Notification (WAC 222-20-010)**

Use the “Notice of Transfer of Approved Forest Practices Application/Notification” form. This form is available at region offices and on the Forest Practices website: <http://www.dnr.wa.gov/businesspermits/forestpractices>. Notify DNR of new Operators within 48 hours.

**Continuing Forestland Obligations (RCW 76.09.060. RCW 76.09.070. RCW 76.09.390. and WAC 222-20-055)**

Obligations include reforestation, road maintenance and abandonment plans, conversions of forestland to non- forestry use and/or harvest strategies on perennial non-fish habitat (Type Np) waters in Eastern Washington.

Before the sale or transfer of land or perpetual timber rights subject to continuing forest and obligations, the seller must notify the buyer of such an obligation on a form titled “Notice of Continuing Forest Land Obligation”. The seller and buyer must both sign the “Notice of Continuing Forest Land Obligation” form and send it to the DNR Region Office for retention. This form is available at DNR region offices.

If the seller fails to notify the buyer about the continuing forestland obligation, the seller must pay the buyer’s costs related to continuing forestland obligations, including all legal costs and reasonable attorneys’ fees incurred by the buyer in enforcing the continuing forestland obligation against the seller.

Failure by the seller to send the required notice to DNR at the time of sale will be prima facie evidence in an action by the buyer against the seller for costs related to the continuing forestland obligation prior to sale.


**DNR affidavit of mailing:**

On this day **6/3/2020**, I placed in the United States mail at **Olympia**, WA, postage paid, a true and accurate copy of this document. Notice of Decision FPA #**2421612**.

**Meredith Dessens**

*(Printed Name)*

*(Signature)*



Note: See Sunny Side Road Plan for additional work and requirements not shown.


0 50 100 200 300 400 500 Feet

<span style="color: green;">●</span> Road Stationing	Required Pre-Haul Maintenance
Gates (Corporate)	Contours 10 ft
Existing Roads	




122°4'W

122°3.5'W



Note: See Sunny Side Road Plan for additional work and requirements not shown.


● Road Stationing	Existing Roads
● Gates (Corporate)	Required Pre-Haul Maintenance
~ ~ ~ Sale Boundary Tags	Contours 10 ft



● Road Stationing	— Existing Roads	--- Optional Construction
~ ~ ~ Sale Boundary Tags	▬ Required Pre-Haul Maintenance	— Contours 10 ft
~ · ~ · ~ Right of Way Tags	==== Required Construction	

122°3.5'W

122°3'W




Note: See Sunny Side Road Plan for additional work and requirements not shown.

0 50 100 200 300 400 500 Feet

All State Unless Otherwise Noted 354+89 = 0+00

● Road Stationing	— Existing Roads	--- Optional Construction
~ ~ ~ Sale Boundary Tags	▬ Required Pre-Haul Maintenance	— Contours 10 ft
~ · ~ · ~ Right of Way Tags	==== Required Construction	





<span style="color: green;">●</span> Road Stationing	<span style="color: black;">—●—</span> Decommissioned Roads	<span style="border-bottom: 2px solid black; width: 20px; display: inline-block;"></span> Pre-haul Maintenance
<span style="color: black;">●—●</span> Gates (Corporate)	<span style="color: black;">.....</span> FP Abandoned Roads	
<span style="color: black;">—</span> Active Roads	<span style="color: brown;">—</span> Contours 10 ft	

STATE OF WASHINGTON  
DEPARTMENT OF NATURAL RESOURCES

SUNNY SIDE TIMBER SALE ROAD PLAN  
LEWIS COUNTY  
RAINIER DISTRICT  
SOUTH PUGET SOUND REGION

AGREEMENT NO.: 30-099065

STAFF ENGINEER: MICHELLE BELL

DATE: 1/21/2020

SECTION 0 – SCOPE OF PROJECT

**0-1 ROAD PLAN SCOPE**

Clauses in this road plan apply to all road related work, including landings and rock source development, unless otherwise noted.

**0-2 REQUIRED ROADS**

The specified work on the following roads is required.

<u>Road</u>	<u>Stations</u>	<u>Type</u>
1	0+00 to 152+70	Pre-haul maintenance
2	0+00 to 401+70	Pre-haul maintenance
25	0+00 to 57+12	Construction
25-1	0+00 to 32+10	Construction
25-2	0+00 to 7+48	Construction

**0-3 OPTIONAL ROADS**

The specified work on the following roads is not required. Any optional roads built by the Purchaser must meet all the specifications in the road plan.

<u>Road</u>	<u>Stations</u>	<u>Type</u>
25	57+12 to 83+23	Construction

**0-4 CONSTRUCTION**

Construction includes, but is not limited to:

- Clearing.
- Grubbing.
- Right of way debris disposal.
- Excavation and/or embankment to subgrade.
- Landing construction.
- Acquisition and installation of drainage structures.

- Manufacture or acquisition and application of rock.
- Acquisition and application of grass seed and straw.

**0-6 PRE-HAUL MAINTENANCE**

Pre-haul maintenance includes, but is not limited to:

- Brushing.
- Culvert cleaning and headwall reconstruction.
- Ditch cleaning and reconstruction.
- Manufacture or acquisition and application of rock.
- Acquisition and installation of drainage structures.
- Bridge deck cleaning
- Manufacture or acquisition of 300 cyd stockpile.

**0-7 POST-HAUL MAINTENANCE**

This project includes post-haul road maintenance listed in Clause 9-5 POST-HAUL MAINTENANCE.

**0-12 DEVELOP ROCK SOURCE**

Purchaser may develop a new or an existing rock source. Work for developing rock sources is listed in Section 6 ROCK AND SURFACING.

SECTION 1 – GENERAL

**1-1 ROAD PLAN CHANGES**

If the Purchaser desires a change from this road plan including, but not limited to, relocation, extension, change in design, or adding roads; a revised road plan must be submitted in writing to the Contract Administrator for consideration. Before work begins, Purchaser shall obtain approval from the State for the submitted plan.

**1-2 UNFORESEEN CONDITIONS**

Quantities established in this road plan are minimum acceptable values. Additional quantities required by the state due to unforeseen conditions, or Purchaser's choice of construction season or techniques will be at the Purchaser's expense. Unforeseen conditions include, but are not limited to, solid subsurface rock, subsurface springs, saturated ground, and unstable soils.

**1-3 ROAD DIMENSIONS**

Purchaser shall perform road work in accordance with the dimensions shown on the TYPICAL SECTION SHEET and the specifications within this road plan, unless controlled by construction stakes or design data (plan, profile, and cross-sections).

**1-4 ROAD TOLERANCES**

Purchaser shall perform road work within the tolerances listed below. The tolerance class for each road is listed on the TYPICAL SECTION SHEET.

<u>Tolerance Class</u>	<u>A</u>	<u>B</u>	<u>C</u>
Road and Subgrade Width (feet)	+1.5	+1.5	+2.0
Subgrade Elevation (feet +/-)	0.5	1.0	2.0
Centerline alignment (feet lt./rt.)	1.0	1.5	3.0

**1-6 ORDER OF PRECEDENCE**

Any conflict or inconsistency in the road plan will be resolved by giving the documents precedence in the following order:

- Addenda.
- Designs or Plans. On designs and plans, figured dimensions shall take precedence over scaled dimensions.
- Road Plan Clauses.
- Typical Section Sheet.
- Standard Lists.
- Standard Details.
- Road Work maps.

In case of any ambiguity or dispute over interpreting the road plan, the Contract Administrator’s or designee’s decision will be final.

**1-8 REPAIR OR REPLACEMENT OF DAMAGED MATERIALS**

Purchaser shall repair or replace all materials, roadway infrastructure, and road components damaged during road work or operation activities. The Contract Administrator will direct repairs and replacements. Repairs to structural materials must be made in accordance with the manufacturer’s recommendation, and may not begin without written approval from the Contract Administrator.

**1-9 DAMAGED METALLIC COATING**

Any cut ends, or damaged galvanized or aluminized coating on existing or new bridge components, culverts, downspouts, and flumes must be cleaned and treated with a minimum of two coats of zinc rich paint or cold galvanizing compound.

SUBSECTION ROAD MARKING

**1-15 ROAD MARKING**

Purchaser shall perform road work in accordance with the state’s marked location. All road work is marked as follows:

- Centerline is marked with orange pin flags and orange flagging for new construction of the following roads:

<u>Road</u>	<u>Stations</u>
25	36+00 to 83+23
25-2	0+00 to 7+48

- On all other roads, culvert installations are marked with flagging and/or wooden stakes.

**1-16 CONSTRUCTION STAKES SET BY STATE**

Purchaser shall perform work in accordance with the designs and reference points set in the field for grade and alignment.

**1-18 REFERENCE POINT DAMAGE**

Purchaser shall reset reference points (RPs) that were moved or damaged at any time during construction to their original locations. Excavation and embankment may not proceed on road segments controlled by said RPs until Purchaser resets all moved or damaged RPs.

SUBSECTION TIMING

**1-21 HAUL APPROVAL**

The Purchaser shall not use roads under this road plan for timber hauling, other than timber cut on the right-of-way, without written approval from the Contract Administrator.

**1-22 WORK NOTIFICATIONS**

Purchaser shall notify the Contract Administrator before work begins.

**1-23 ROAD WORK PHASE APPROVAL**

Purchaser shall obtain written approval from the Contract Administrator upon completion of each of the following phases of road work:

- Subgrade compaction
- Rock compaction

SUBSECTION RESTRICTIONS

**1-25 ACTIVITY TIMING RESTRICTION**

The operation of road construction equipment is not allowed on weekends or state recognized holidays, unless authorized in writing by the Contract Administrator.

The specified activities are not permitted during the listed closure periods unless authorized in writing by the Contract Administrator.

<u>Activity</u>	<u>Closure Period</u>
Operation of road construction equipment or rock haul	November 1 to May 15

### **1-26 OPERATING DURING CLOSURE PERIOD**

If permission is granted to operate during a seasonal closure period listed in Clause 1-25 ACTIVITY TIMING RESTRICTION and H-130 HAULING SCHEDULE. Purchaser shall comply with a maintenance plan to include further protection of state resources. Purchaser shall put preventative measures in place before operating during the closure period. Purchaser is required to maintain all haul roads at their own expense including those listed in Contract Clause C-060 DESIGNATED ROAD MAINTAINER. If other operators are using, or desire to use these roads, a joint operating plan must be developed. All parties shall follow this plan.

### **1-29 SEDIMENT RESTRICTION**

Purchaser shall not allow silt-bearing runoff to enter any streams.

### **1-30 CLOSURE TO PREVENT DAMAGE**

In accordance with Contract Clause G-220 STATE SUSPENDS OPERATION, the Contract Administrator will suspend road work or hauling right-of-way timber, forest products, or rock under the following conditions:

- Wheel track rutting exceeds 6 inches on jaw run or pit run roads.
- Wheel track rutting exceeds 3 inches on crushed rock roads.
- Wheel track rutting exceeds 4 inches on native surface roads.
- Surface or base stability problems persist.
- Weather is such that satisfactory results cannot be obtained in an area of operations.
- When, in the opinion of the Contract Administrator excessive road damage or rutting may occur.

Operations must stop unless authority to continue working or hauling is granted in writing by the Contract Administrator. In the event that surface or base stability problems persist, Purchaser shall cease operations, or perform corrective maintenance or repairs, subject to specifications within this road plan. Before and during any suspension, Purchaser shall protect the work from damage or deterioration.

### **1-32 BRIDGE SURFACE RESTRICTION**

The use of metal tracked equipment is not allowed on bridge surfaces at any time. If Purchaser must run equipment on bridge surfaces, then rubber tired equipment or other methods, approved in writing by Contract Administrator, must be used.

If tracked equipment is used on bridge surfaces, Purchaser shall immediately cease all operations. Purchaser shall remove any dirt, rock, or other material tracked or spilled on the bridge surface(s) and have surface(s) evaluated by the District Engineer or their designee for any damage caused by transporting equipment. Any damage to the surface(s) will be repaired, at the Purchaser's expense, as directed by the Contract Administrator.

### **1-33 SNOW PLOWING RESTRICTION**

Snowplowing will be allowed after the execution of a SNOW PLOWING AGREEMENT, which is available from the Contact Administrator upon request. Purchaser shall request a SNOW

PLOWING AGREEMENT each time plowing occurs. If damage occurs while plowing, further permission to plow may be revoked by the Contract Administrator.

SUBSECTION OTHER INFRASTRUCTURE

**1-40 ROAD APPROACHES TO COUNTY ROADS AND STATE HIGHWAYS**

Purchaser shall immediately remove any mud, dirt, rock, or other material tracked or spilled on to county roads and state highways.

If additional damage to the surface, signs, guardrails, etc. occurs then the damage will be repaired, at the Purchaser's expense, as directed by the Contract Administrator when authorized by the county or WSDOT.

SECTION 2 – MAINTENANCE

**2-1 GENERAL ROAD MAINTENANCE**

Purchaser shall maintain all roads used under this contract in accordance with the FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS for the entire term of this contract. Maintenance is required even during periods of inactivity.

**2-2 ROAD MAINTENANCE – PURCHASER MAINTENANCE**

Purchaser shall perform maintenance on roads listed in Contract Clause C-050 PURCHASER ROAD MAINTENANCE AND REPAIR in accordance with FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS.

**2-3 ROAD MAINTENANCE – DESIGNATED MAINTAINER**

Purchaser may be required to perform maintenance on roads listed in Contract Clause C-060 DESIGNATED ROAD MAINTAINER as directed by the Contract Administrator. Purchaser shall maintain roads in accordance with FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS.

**2-5 MAINTENANCE GRADING – EXISTING ROAD**

On the following road(s), Purchaser shall use a grader to shape the existing surface before timber haul.

<u>Road</u>	<u>Stations</u>
1	0+00 to 152+70
2	0+00 to 401+70

**2-6 CLEANING CULVERTS**

On the following road(s), Purchaser shall clean the inlets and outlets of all culverts before timber haul.

<u>Road</u>	<u>Stations</u>
1	35+00 to 50+00
2	52+40 to 74+25
2	244+15 to 401+70

**2-7 CLEANING DITCHES, HEADWALLS, AND CATCH BASINS**

On the following road(s), Purchaser shall clean ditches, headwalls, and catchbasins. Work must be completed before timber haul and must be done in accordance with the the TYPICAL SECTION SHEET. Pulling ditch material across the road or mixing in with the road surface is not allowed.

<u>Road</u>	<u>Stations</u>
1	35+00 to 50+00
2	52+40 to 74+25
2	244+15 to 401+70

SECTION 3 – CLEARING, GRUBBING, AND DISPOSAL

SUBSECTION BRUSHING

**3-1 BRUSHING**

On the following road(s), Purchaser shall cut vegetative material up to 3 inches in diameter, including limbs, as shown on the BRUSHING DETAIL. Brushing must be achieved by mechanical cutting of brush, trees, and branches. Root systems and stumps of cut vegetation may not be disturbed unless directed by the Contract Administrator. Purchaser shall remove brushing debris from the road surface, ditchlines, and culvert inlets and outlets.

<u>Road</u>	<u>Stations</u>
1	13+52 to 50+00
2	0+00 to 401+70

SUBSECTION CLEARING

**3-5 CLEARING**

Purchaser shall fall all vegetative material larger than 2 inches DBH or over 5 feet high between the marked right-of-way boundaries, or if not marked in the field, between the clearing limits specified on the TYPICAL SECTION SHEET. Clearing must be completed before starting excavation and embankment.

**3-8 PROHIBITED DECKING AREAS**

Purchaser shall not deck right-of-way timber in the following areas:

- Within the grubbing limits.

- Within 50 feet of any stream.
- In locations that interfere with the construction of the road prism.
- In locations that impede drainage.
- Against standing trees unless approved by the Contract Administrator.

#### SUBSECTION GRUBBING

##### **3-10 GRUBBING**

Purchaser shall remove all stumps between the grubbing limits specified on the TYPICAL SECTION SHEET. Purchaser shall also remove stumps with undercut roots outside the grubbing limits. Grubbing must be completed before starting excavation and embankment.

#### SUBSECTION ORGANIC DEBRIS

##### **3-20 ORGANIC DEBRIS DEFINITION**

Organic debris is defined as all vegetative material not eligible for removal by Contract Clause G-010 PRODUCTS SOLD AND SALE AREA or G-011 RIGHT TO REMOVE FOREST PRODUCTS AND CONTRACT AREA, that is larger than one cubic foot in volume within the clearing limits as shown on the TYPICAL SECTION SHEET.

##### **3-21 DISPOSAL COMPLETION**

Purchaser shall remove organic debris from the road surface, ditchlines, and culvert inlets and outlets. Purchaser shall complete all disposal of organic debris before application of rock or timber haul.

##### **3-23 PROHIBITED DISPOSAL AREAS**

Purchaser shall not place organic debris in the following areas:

- Within 20 feet of a cross drain culvert.
- Within 100 feet of a live stream, or wetland.
- On road subgrades, or excavation and embankment slopes.
- On slopes greater than 55%.
- Within the operational area for cable landings where debris may shift or roll.
- On locations where brush can fall into the ditch or onto the road surface.
- Against standing timber.
- In location that would impede drainage.

##### **3-24 BURYING ORGANIC DEBRIS RESTRICTED**

Purchaser shall not bury organic debris unless otherwise stated in this plan.

##### **3-25 SCATTERING ORGANIC DEBRIS**

Purchaser shall scatter organic debris outside the clearing limits.

#### SECTION 4 – EXCAVATION

**4-2 PIONEERING**

Pioneering may not extend more than 1000 feet beyond completed construction unless approved in writing by the Contract Administrator. In addition, the following actions must be taken as pioneering progresses:

- Drainage must be provided on all uncompleted construction.
- Road pioneering operations may not undercut the final cut slope or restrict drainage.
- Culverts at live stream crossings must be installed during pioneering operations prior to embankment.

**4-3 ROAD GRADE AND ALIGNMENT STANDARDS**

Purchaser shall follow these standards for road grade and alignment except as designed:

- Grade and alignment must have smooth continuity, without abrupt changes in direction.
- Maximum grades may not exceed 18 percent favorable and 12 percent adverse.
- Minimum curve radius is 60 feet at centerline.
- Maximum grade change for sag vertical curves is 6% in 100 feet.
- Maximum grade change for crest vertical curves is 4% in 100 feet.

**4-5 CUT SLOPE RATIO**

Purchaser shall construct excavation slopes no steeper than shown on the following table, unless construction staked or designed:

<u>Material Type</u>	<u>Excavation Slope Ratio</u>	<u>Excavation Slope Percent</u>
Common Earth (on side slopes up to 55%)	1:1	100
Common Earth (56% to 70% side slopes)	¾:1	133
Common Earth (on slopes over 70%)	½:1	200
Fractured or loose rock	½:1	200
Hardpan or solid rock	¼:1	400

**4-6 EMBANKMENT SLOPE RATIO**

Purchaser shall construct embankment slopes no steeper than shown on the following table, unless construction staked or designed:

<u>Material Type</u>	<u>Embankment Slope Ratio</u>	<u>Embankment Slope Percent</u>
Sandy Soils	2:1	50
Common Earth and Rounded Gravel	1½:1	67
Angular Rock	1¼:1	80

**4-7 SHAPING CUT AND FILL SLOPE**

Purchaser shall construct excavation and embankment slopes to a uniform line and left rough for easier revegetation.

**4-8 CURVE WIDENING**

The minimum widening placed on the inside of curves is:

- 6 feet for curves of 50 to 79 feet radius.
- 4 feet for curves of 80 to 100 feet radius.

**4-9 EMBANKMENT WIDENING**

The minimum embankment widening is:

- 2 feet for embankment heights at centerline of 2 to 6 feet.
- 4 feet for embankment heights at centerline of greater than 6 feet.

**4-10 WIDEN THE EXISTING SUBGRADE**

On the following road(s), Purchaser shall widen the subgrade and fill slopes to the dimensions shown on the TYPICAL SECTION SHEET. If necessary, Purchaser shall reconstruct excavation slopes to provide sufficient width for the road surface and any ditches. Pulling excavation material across the road or mixing in with the existing road surface is not allowed.

<u>Road</u>	<u>Stations</u>	<u>Comment</u>
25	0+00 to 6+15	
25	6+15 to 10+25	Cut slope ratio shall be a maximum no steeper than ¾:1 slope ratio
25	10+25 to 48+35	

**4-12 FULL BENCH CONSTRUCTION**

Where side slopes exceed 45%, Purchaser shall use full bench construction for the entire subgrade width except as construction staked or designed.

SUBSECTION INTERSECTIONS, TURNOUTS AND TURNAROUNDS

**4-20 SUBGRADE DIMENSIONS FOR INTERSECTIONS**

On the following road(s), Purchaser shall construct the subgrade to the dimensions shown on the 2 & 25 ROAD INTERSECTION DETAIL.

<u>Road</u>	<u>Stations</u>
2	354+89

**4-21 TURNOUTS**

Purchaser shall construct turnouts as designated on the TURNOUT LIST. Locations may be adjusted to fit the final subgrade alignment and sight distances. Locations changes are subject to written approval by the Contract Administrator. Minimum dimensions are shown on the TURNOUT LIST.

**4-22 TURNAROUNDS**

Purchaser shall construct turnouts as designated on the TURNAROUND LIST. Turnarounds shall be minimum 30 feet long and 30 feet wide. Location changes are subject to written approval by the Contract Administrator.

SUBSECTION DITCH CONSTRUCTION

**4-25 DITCH CONSTRUCTION AND RECONSTRUCTION**

Purchaser shall construct ditches into the subgrade as specified on the TYPICAL SECTION SHEET. Ditches must be constructed concurrently with construction of the subgrade.

**4-27 DITCH WORK – MATERIAL USE PROHIBITED**

On the following road(s), Purchaser shall not pull ditch material across the road or mix in with the road surface. Excavated material must be scattered outside the grubbing limits.

<u>Road</u>	<u>Stations</u>
25	0+00 to 28+75

**4-28 DITCH DRAINAGE**

Ditches must drain to cross-drain culverts or ditchouts.

**4-29 DITCHOUTS**

Purchaser shall construct ditchouts as needed and as directed by the Contract Administrator. Ditchouts must be constructed in a manner that diverts ditch water onto the forest floor and must have excavation backslopes no steeper than a 1:1 ratio.

SUBSECTION WASTE MATERIAL (DIRT)

**4-35 WASTE MATERIAL DEFINITION**

Waste material is defined as all dirt, rock, mud, or related material that is extraneous or unsuitable for construction material. Waste material, as used in Section 4 EXCAVATION, is not organic debris.

**4-36 DISPOSAL OF WASTE MATERIAL**

Purchaser may sidecast waste material on side slopes up to 55% if the waste material is compacted and free of organic debris. On side slopes greater than 55%, all waste material must be end hauled or pushed to the designated embankment sites and waste areas identified in Clause 4-37 WASTE AREA LOCATION.

**4-37 WASTE AREA LOCATION**

Purchaser shall deposit waste material in the listed designated areas or approved by the Contract Administrator. Additional waste areas may also be identified or approved by the Contract Administrator. The amount of material allowed in a waste area is at the discretion of the Contract Administrator.

<u>Road</u>	<u>Waste Area Location</u>	<u>Comments</u>
25	47+00	Deposit waste within the existing road right of way, but leaving room for road plus turnout. Waste shall be waterbarred and placed so that it cannot deliver to typed water.

**4-38 PROHIBITED WASTE DISPOSAL AREAS**

Purchaser shall not deposit waste material in the following areas, except as otherwise specified in this plan:

- Within 50 feet of a cross drain culvert.
- Within 100 feet of a live stream or wetland.
- On side slopes steeper than 55%.
- In locations that interfere with the construction of the road prism.
- In locations that impede drainage.
- Within the operational area for cable landings.
- Against standing timber.

SUBSECTION BORROW

**4-46 COMMON BORROW**

Common borrow consists of soil, and/or aggregate that is non-plastic and contains no more than 5% clay, organic debris, or trash by volume. The material is considered non-plastic if the fines in the sample cannot be rolled, between the hand and a smooth surface, into a thread at any moisture content. Common borrow material must be free of rocks greater than 6 inches in any dimension.

**4-49 BORROW SOURCE**

Purchaser shall obtain borrow material from the listed borrow source(s) or sources approved by the Contract Administrator. Development of the borrow source must be in accordance with the Sunny Side Pit Plan.

<u>Source</u>
Sunny Side Pit

**4-50 BORROW APPLICATION**

Purchaser shall apply borrow in accordance with quantities shown below. Borrow must be spread, shaped, and compacted full width concurrent with hauling operations.

<u>Road</u>	<u>Stations</u>	<u>Approx. Cubic Yards</u>	<u>Type</u>
25	38+34 (culvert installation)	500	Common Borrow

## SUBSECTION SHAPING

### 4-55 ROAD SHAPING

Purchaser shall shape the subgrade and surface as shown on the TYPICAL SECTION SHEET. The subgrade and surface shape must ensure runoff in an even, un-concentrated manner, and must be uniform, firm, and rut-free.

### 4-57 EXISTING ROAD RIPPING AND BLADING

On the following road(s), Purchaser shall rip the surface to a depth of 6 inches and reshape. During the reshaping process, rocks over 4 inches in diameter must be sidecast. All or part of this requirement may be waived by the Contract Administrator.

<u>Road</u>	<u>Stations</u>	<u>Comment</u>
1	63+25 to 64+60	Northern Nisqually bridge approach
1	70+60 to 72+60	Southern Nisqually bridge approach

## SUBSECTION COMPACTION

### 4-60 FILL COMPACTION

Purchaser shall compact all embankment and waste material in accordance with the COMPACTION LIST by routing equipment over the entire width of each lift. A plate compactor must be used for areas specifically requiring keyed embankment construction and for embankment and waste area segments too narrow to accommodate equipment. Waste material may be placed by end-dumping or sidecasting until sufficiently wide enough to support the equipment.

### 4-61 SUBGRADE COMPACTION

Purchaser shall compact constructed subgrades in accordance with the COMPACTION LIST by routing equipment over the entire width except ditch. Purchaser shall obtain written approval from the Contract Administrator for subgrade compaction before rock application.

### 4-63 EXISTING SURFACE COMPACTION

Purchaser shall compact maintained road surfaces in accordance with the COMPACTION LIST by routing equipment over the entire width.

## SECTION 5 – DRAINAGE

### SUBSECTION CULVERTS

### 5-5 CULVERTS

Purchaser shall install culverts as part of this contract. Culverts must be installed concurrently with subgrade work and must be installed before subgrade compaction and rock application. Culvert locations and the minimum requirements for culvert length and

diameter are designated on the CULVERT AND DRAINAGE LIST. Culvert, downspout, and flume lengths may be adjusted to fit as-built conditions and may not terminate directly on unprotected soil. Culverts must be new and meet the specifications in Clauses 10-15 through 10-24.

**5-12 UNUSED MATERIALS STATE PROPERTY**

On required roads, any materials listed on the CULVERT AND DRAINAGE LIST that are not installed will become the property of the state. Purchaser shall stockpile materials in the Ashford Cooler Compound at the start of the 8 road.

**5-13 CONTINGENCY CULVERTS**

The following culverts will be supplied by the Purchaser and are available for installation as directed by the Contract Administrator.

<u>Road</u>	<u>Size</u>
On any portion of road used for timber or rock haul.	18" x 30' culvert
	18"x 30' culvert
	18"x 30' culvert
	18"x 30' culvert
	18"x 30' culvert
	18" culvert band
	18" culvert band

**SUBSECTION CULVERT INSTALLATION**

**5-15 CULVERT INSTALLATION**

Culvert installation must be in accordance with the CULVERT AND DRAINAGE SPECIFICATION DETAIL and the National Corrugated Metal Pipe Association's "Installation Manual for Corrugated Steel Drainage Structures" and the Corrugated Polyethylene Pipe Association's "Recommended Installation Practices for Corrugated Polyethylene Pipe and Fittings". Corrugated Polyethylene pipe must be installed in a manner consistent with the manufacturer's recommendations. Culverts shall be banded using lengths of no less than 10 feet, and no more than one length less than 16 feet. Shorter section of banded culvert shall be installed at the inlet end.

**5-16 APPROVAL FOR LARGER CULVERT INSTALLATION**

Purchaser shall obtain written approval from the Contract Administrator for the installation of culverts 36 inches in diameter and over before backfilling.

**5-17 CROSS DRAIN SKEW AND SLOPE**

Cross drains, on road grades in excess of 3%, must be skewed at least 30 degrees from perpendicular to the road centerline, except where the cross drain is at the low point in the road culverts will not be skewed. Cross drain culverts must be installed at a slope steeper than the incoming ditch grade, but not less than 3% or more than 10%.

**5-18 CULVERT DEPTH OF COVER**

Cross drain culverts must be installed with a depth of cover of not less than 1 foot of compacted subgrade over the top of the culvert at the shallowest point. Stream crossing culverts must be installed with a depth of cover recommended by the culvert manufacturer for the type and size of the pipe.

SUBSECTION ENERGY DISSIPATERS

**5-20 ENERGY DISSIPATERS**

Purchaser shall install energy dissipaters in accordance with the CULVERT AND DRAINAGE SPECIFICATION DETAIL at all cross drain culverts , except for temporary culverts.

The type of energy dissipater and the amount of material must be consistent with the specifications listed on the CULVERT LIST. Energy dissipaters must extend a minimum of 1 foot to each side of the culvert at the outlet and a minimum of 2 feet beyond the outlet. Rock must be set in place by machine. Placement must with a zero-drop-height only. No placement by end dumping or dropping of rock is allowed.

SUBSECTION CATCH BASINS, HEADWALLS, AND ARMORING

**5-25 CATCH BASINS**

Purchaser shall construct catch basins in accordance with CULVERT AND DRAINAGE SPECIFICATION DETAIL. Minimum dimensions of catch basins are 2 feet wide and 4 feet long.

**5-26 HEADWALLS FOR CULVERTS**

Purchaser shall construct headwalls in accordance with the CULVERT AND DRAINAGE SPECIFICATION DETAIL at all culverts. Rock used for headwalls must be QUARRY SPALLS. Rock must be placed on shoulders, slopes, and around culvert inlets and outlets. Minimum specifications require that rock be placed at a width of one culvert diameter on each side of the culvert opening, and to a height of one culvert diameter above the top of the culvert. Rock may not restrict the flow of water into culvert inlets or catch basins. Placement must be by zero-drop-height method only. No placement by end dumping or dropping of rock is allowed. QUARRY SPALLS shall meet the specifications in CLAUSE 6-43 QUARRY SPALLS.

SUBSECTION SURFACE DRAINAGE

**5-33 NATIVE SURFACE ROADS**

If overwintered, native surface roads must be waterbarred by November 1. Purchaser shall construct waterbars according to the attached DRIVABLE WATERBAR DETAIL at a maximum spacing that will produce a vertical distance of no more than 10 feet between waterbars or between natural drainage paths, and with a maximum spacing of 300 feet.

SECTION 6 – ROCK AND SURFACING

SUBSECTION ROCK SOURCE

**6-2 ROCK SOURCE ON STATE LAND**

Rock used in accordance with the quantities on the ROCK LIST may be obtained from the following source(s) on state land at no charge to the Purchaser. Purchaser shall obtain written approval from the Contract Administrator for the use of material from any other source. If other operators are using, or desire to use the rock source(s), a joint operating plan must be developed. All parties shall follow this plan. Purchaser shall notify the Contract Administrator a minimum of 5 calendar days before starting any operations in the listed locations.

<u>Source</u>	<u>Location</u>	<u>Rock Type</u>
Iron Horse	SW ¼ NE ¼ Section 8 Township 14 North Range 6 East, W.M.	4 Inch In Place 3 Inch Jaw Run Quarry Spalls Light Loose Rip Rap
Sunny Side	NE ¼ Section 28 Township 14 North Range 06 East	4 Inch In Place 3 Inch Jaw Run Quarry Spalls Light Loose Rip Rap

**6-5 ROCK FROM COMMERCIAL SOURCE**

Rock used in accordance with the quantities on the ROCK LIST may be obtained from any commercial source at the Purchaser's expense. Rock sources are subject to written approval by the Contract Administrator before their use.

SUBSECTION ROCK SOURCE DEVELOPMENT

**6-10 ROCK SOURCE DEVELOPMENT PLAN BY STATE**

Purchaser shall conduct rock source development and use at the following sources, in accordance with the written ROCK SOURCE DEVELOPMENT PLAN prepared by the state. Upon completion of operations, the rock source must be left in the condition specified in the ROCK SOURCE DEVELOPMENT PLAN, and approved in writing by the Contract Administrator. Purchaser shall notify the Contract Administrator a minimum of 5 calendar days before starting any operations in the rock source.

<u>Source</u>
Iron Horse Pit

**6-11 ROCK SOURCE DEVELOPMENT PLAN BY PURCHASER**

Purchaser shall conduct rock source development and use at the following sources, in accordance with a written ROCK SOURCE DEVELOPMENT PLAN to be prepared by the Purchaser. The plan is subject to written approval by the Contract Administrator before any

rock source operations. Upon completion of operations, the rock source must be left in the condition specified in the ROCK SOURCE DEVELOPMENT PLAN, and approved in writing by the Contract Administrator. Purchaser shall notify the Contract Administrator a minimum of 5 calendar days before starting any operations in the rock source.

<u>Source</u>
Sunny Side Pit

Rock source development plans prepared by the Purchaser must show the following information:

- Rock source location.
- Rock source overview showing access roads, development areas, stockpile locations, waste areas, and floor drainage.
- Rock source profiles showing development areas, bench locations including widths, and wall faces including heights.

**6-12 ROCK SOURCE SPECIFICATIONS**

Rock sources must be in accordance with the following specifications, unless otherwise specified in the ROCK SOURCE DEVELOPMENT PLAN:

- a) Pit walls may not be undermined or over steepened. The maximum slope of the walls must be consistent with recognized engineering standards for the type of material being excavated in accordance with the following table:

Material	Maximum Slope Ratio (Horiz. :Vert.)	Maximum Slope Percent
Sand	2:1	50
Gravel	1.5:1	67
Common Earth	1:1	100
Fractured Rock	0.5:1	200
Solid Rock	0:1	vertical

- b) Pit walls must be maintained in a condition to minimize the possibility of the walls sliding or failing.
- c) The width of pit benches must be a minimum of 1.5 times the maximum length of the largest machine used.
- d) The surface of pit floors and benches must be uniform and free-draining at a minimum 2% outslope gradient.
- e) All operations must be carried out in compliance with all regulations of the Regulations and Standards Applicable to Metal and Nonmetal Mining and Milling Operations (30 CFR) U.S. Department of Labor, Mine Safety and Health Administration and Safety Standards for Construction Work (296-155 WAC), Washington Department of Labor and Industries.

f) All vehicle access to the top of the pit faces must be blocked.

**6-14 DRILL AND SHOOT**

Rock drilling and shooting must meet the following specifications:

- Oversize material remaining in the rock source at the conclusion of the timber sale may not exceed 5% of the total volume mined in that source.
- Oversize material is defined as rock fragments larger than two feet in any dimension.
- Oversized rock that exceeds the maximum allowable amount must be reduced to a smaller size within the rock source.
- Purchaser shall notify the Contract Administrator a minimum of 3 working days before blasting operations.
- Purchaser shall submit an informational drilling and shooting plan to the Contract Administrator 3 working days before any drilling (Form #M-126PAC).
- All operations must be carried out in compliance with the Regulations and Standards Applicable to Metal and Nonmetal Mining and Milling Operations (30 CFR) U.S. Department of Labor, Mine Safety and Health Administration and the Safety Standards for Construction Work (296-155 WAC), Washington Department of Labor and Industries.
- Purchaser shall block access roads before blasting operations.

SUBSECTION ROCK MANUFACTURE

**6-21 IN-PLACE PROCESSING**

Purchaser may use in-place processing, such as a grid roller or other method, if suitable crushing can be demonstrated to meet the surfacing size-specified in Clause 6-38 4-INCH IN-PLACE ROCK. Purchaser shall remove any existing organic debris before the start of in-place crushing operations. The use of in-place processing methods is subject to written approval by the Contract Administrator.

**6-23 ROCK GRADATION TYPES**

Purchaser shall manufacture rock in accordance with the types and amounts listed in the ROCK LIST. Rock must meet the following specifications for gradation and uniform quality when placed in hauling vehicles or during manufacture and placement into a stockpile. Purchaser shall provide a sieve analysis upon request from the Contract Administrator.

SUBSECTION ROCK GRADATIONS

**6-28 1 ¼-INCH MINUS CRUSHED ROCK**

% Passing 1 ¼" square sieve	100%
% Passing 5/8" square sieve	50 - 80%
% Passing U.S. #4 sieve	30 - 50%
% Passing U.S. #40 sieve	3 - 18%
% Passing U.S. #200 sieve	5%

The portion of aggregate retained on the No. 4 sieve may not contain more than 0.2 percent organic debris and trash. All percentages are by weight.

**6-34 3-INCH JAW RUN**

- % Passing 3" square sieve 100%
- % Passing 1 1/2" square sieve 45 - 65%

Rock may contain no more than 5 percent organic debris, dirt, and trash. All percentages are by weight.

**6-38 4-INCH IN-PLACE ROCK**

4-inch in-place rock must have a minimum of 90 percent of the top 4 inches of the running surface pass a 4-inch square opening.

In-place rock may not contain more than 5 percent by weight of organic debris and trash. No more than 50 percent of rock may be larger than 8 inches in any dimension and no rock may be larger than 12 inches in any dimension.

**6-43 QUARRY SPALLS**

- % Passing 8" square sieve 100%
- % Passing 3" square sieve 40% maximum
- % Passing 3/4" square sieve 10% maximum

Rock may not contain more than 5 percent vegetative debris or trash. All percentages are by weight.

**6-50 LIGHT LOOSE RIP RAP**

Light loose rip rap must consist of angular, hard, sound, and durable stone. It must be free from segregation, seams, cracks, and other defects tending to destroy its resistance to weather. Light loose rip rap must be free of rock fines, soil, organic debris or other extraneous material, and must meet the following requirements:

<u>Quantity</u>	<u>Approximate Size Range</u>
20% to 90%	(18" - 28")
15% to 80%	(8" - 18")
10% to 20%	(3" - 8")

SUBSECTION ROCK MEASUREMENT

**6-55 ROCK APPLICATION MEASURED BY COMPACTED DEPTH**

Measurement of 4 INCH IN PLACE specified rock depths, are defined as the compacted depth(s) using the compaction methods required in this road plan. Estimated quantities specified in the ROCK LIST are compacted yards. Purchaser shall apply adequate amounts of

rock to meet the specified rock depths. Specified rock depths are minimum requirements and are not subject to reduction.

**6-56 ROCK MEASUREMENT BY TRUCK VOLUME**

Measurement of 3 INCH JAW RUN, QUARRY SPALLS and LIGHT LOOSE RIP RAP rock is on a cubic yard truck measure basis. Purchaser shall measure each truck box before rock hauling. An average of such volumes for each truck will be used to tally the volume hauled. The Contract Administrator may periodically require that a load be flattened off and its volume calculated. Purchaser shall maintain load tally sheets for each truck as shown in ROCK ACCOUNTABILITY DETAIL and shall give them to the Contract Administrator on a weekly basis during rocking operations.

**6-57 ROCK MEASUREMENT BY TRUCK SCALE**

Measurement of the 1-1/4 INCH MINUS CRUSHED rock is on scaled truck weight. Purchaser shall provide scaled weight using a commercial scale. Purchaser shall provide the Contract Administrator with all scale sheets.

SUBSECTION ROCK STOCKPILE

**6-65 ROCK STOCKPILE LOCATION**

Purchaser shall stockpile rock as listed below.

<u>Rock Source</u>	<u>Rock Type</u>	<u>Quantity (c.y.)</u>	<u>Stockpile Location</u>
Sunny Side or Iron Horse	3 Inch Jaw Run	300	2 road at station 350+89 (wide spot)

**6-67 ROCK STOCKPILE SPECIFICATIONS**

Rock stockpiles listed in Clause 6-65 ROCK STOCKPILE LOCATION must meet the following specifications:

Before placing aggregates upon the stockpile site, the site must be cleared of vegetation, trees, stumps, brush, rocks, or other debris and the ground leveled to a smooth, firm, uniform surface.

When completed, the stockpile must be neat and regular in shape. The stockpile height is limited to a maximum of 24 feet. Stockpiles in excess of 200 cubic yards must be built up in layers of not more than 4 feet deep. Stockpile layers must be constructed by trucks, clamshells, or other methods approved in writing by the Contract Administrator. Each layer must be completed over the entire area of the pile before depositing aggregates in the next layer. The aggregates may not be dumped so that they run down and over the lower layers in the stockpile. The method of dropping from a bucket or spout in one location to form a cone shaped pile is not allowed.

Stockpiles of different types or sizes of aggregate must be spaced far enough apart, or separated by suitable walls or partitions, to prevent the mixing of the aggregates.

SUBSECTION ROCK APPLICATION

**6-70 APPROVAL BEFORE ROCK APPLICATION**

Purchaser shall obtain written approval from the Contract Administrator for subgrade including: ditches, headwalls, catch basins, culverts, energy dissipaters, ditch-outs, subgrade shaping and compacting before rock application.

**6-71 ROCK APPLICATION**

Purchaser shall apply rock in accordance with the specifications and quantities shown on the ROCK LIST. Rock must be spread, shaped, and compacted full width concurrent with rock hauling operations. Road surfaces must be compacted in accordance with the COMPACTION LIST by routing equipment over the entire width.

**6-73 ROCK FOR WIDENED PORTIONS**

Purchaser shall apply rock to turnarounds, turnouts, and areas with curve widening to the same depth and specifications as the traveled way.

**6-76 DRY WEATHER ROCK COMPACTION**

On the following roads, the Contract Administrator may require the application of water to facilitate compaction of the rock surfacing. The method of water application is subject to approval by the Contract Administrator.

<u>Road</u>	<u>Stations</u>	<u>Comments</u>
1	63+25 to 64+60	Northern Nisqually bridge approach
1	70+60 to 72+60	Southern Nisqually bridge approach

SECTION 7 – STRUCTURES

**7-1 SIGN INSTALLATION**

Purchaser shall purchase, install, and maintain the following road signs. Sign language change is subject to approval by the Contract Administrator.

<u>Road</u>	<u>Station</u>	<u>Sign</u>
2	266+40	Road Closed Active Logging

SUBSECTION STREAM CROSSING STRUCTURES GENERAL

**7-5 STRUCTURE DEBRIS**

Purchaser shall not allow debris from the installation or removal of structures to enter any stream. Components removed from existing structures(s) must be removed from state land. Purchaser shall maintain a clean jobsite, with all materials stored away from the high water mark or other area presenting a risk of the materials entering a stream. Debris entering any stream must be removed immediately, and placed in the site(s) designated for stockpiling or disposal. Purchaser shall retrieve all material carried downstream from the jobsite.

**7-6 STREAM CROSSING INSTALLATION**

Purchaser shall install stream crossing structures in accordance with the manufacturer's requirements and CULVERT AND DRAINAGE SPECIFICATION DETAIL.

SUBSECTION BRIDGE MAINTENANCE

**7-30 BRIDGE MAINTENANCE**

Purchaser shall conduct bridge maintenance as listed.

<u>Road</u>	<u>Station</u>	<u>Requirements</u>
1	67+36	Clean deck prior to haul. Maintain clean bridge deck during haul. Clean bridge deck after haul is complete.

SUBSECTION GATE CLOSURE

**7-71 GATE CLOSURE DURING HAUL**

On the following road(s), Purchaser shall keep gates closed and locked except for passing vehicles. If Purchaser elects to use an alternate plan for gate security, Purchaser shall submit a detailed plan to the Contract Administrator for written approval.

<u>Road</u>	<u>Station</u>	<u>Gate No.</u>	<u>Closure Period</u>	<u>Comment</u>
2	244+15	413	December 16 to September 30	Gate is open to public October 1 to December 15
24	0+25	415	Year round	To Iron Horse Pit

SECTION 8 – EROSION CONTROL

**8-2 PROTECTION FOR EXPOSED SOIL**

Purchaser shall provide and evenly spread a layer of straw to all exposed soils within 50 feet of a stream or wetland. Soils must be covered before the first anticipated storm event.

SUBSECTION REVEGETATION

**8-15 REVEGETATION**

Purchaser shall spread grass seed and straw on all exposed soils within 50 feet of stream culvert installations. Cover all exposed soils using hand method. Other methods of covering must be approved in writing by the Contract Administrator.

**8-16 REVEGETATION SUPPLY**

The Purchaser shall provide the seed and straw.

**8-17 REVEGETATION TIMING**

Purchaser shall revegetate immediately after road work is completed unless alternative plan approved in writing by the Contract Administrator. Soils may not be allowed to sit exposed for longer than one month without receiving revegetation treatment unless otherwise approved in writing by the Contract Administrator.

**SUBSECTION SEED, FERTILIZER, AND MULCH**

**8-25 GRASS SEED**

Purchaser shall evenly spread the seed mixture listed below on all exposed soil inside the clearing limits and within 50 feet of live water at a rate of 50 pounds per acre of exposed soil. Grass seed must meet the following specifications:

- a) Weed seed may not exceed 0.5% by weight.
- b) All seed species must have a minimum 90% germination rate, unless otherwise specified.
- c) Seed must be certified.
- d) Seed must be furnished in standard containers showing the following information:
  - o Common name of seed
  - o Net weight
  - o Percent of purity
  - o Percentage of germination
  - o Percentage of weed seed and inert material
- e) Seed must conform to the following mixture unless a comparable mix is approved in writing by the Contract Administrator.

<u>Kind and Variety of Seed in Mixture</u>	<u>% by Weight</u>
Perennial Rye	35-45
Red Fescue	30-40
Highland Bent	5-15
White Clover	10-20
Inert and Other Crop	0.5

**SECTION 9 – POST-HAUL ROAD WORK**

SUBSECTION STRUCTURES

**9-3 CULVERT MATERIAL REMOVED FROM STATE LAND**

Culverts removed from roads become the property of the Purchaser and must be removed from state land.

SUBSECTION POST-HAUL MAINTENANCE

**9-5 POST-HAUL MAINTENANCE**

Purchaser shall perform post-haul maintenance in accordance with the FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS and as specified below.

<u>Road</u>	<u>Stations</u>	<u>Additional Requirements</u>
1	0+00 to 152+70	Grade and compact road surface Clean Nisqually Bridge Deck
2	0+00 to 401+70	Grade and compact road surface
25	57+12 to 83+23	*Construct drivable waterbars according to the attached DRIVABLE WATERBAR DETAIL at a maximum spacing that will produce a vertical drop of no more than 30 feet between waterbars or between natural drainage paths and with a maximum spacing of 300 feet. *Key waterbars into the cut-slope to intercept the ditch. Waterbars must be outsloped to provide positive drainage. Outlets must drain onto stable locations. *Skew waterbars at least 30 degrees from perpendicular to the road centerline on roads in excess of 3 percent grade.

SUBSECTION POST-HAUL LANDING MAINTENANCE

**9-10 LANDING DRAINAGE**

Purchaser shall provide for drainage of the landing surface.

SECTION 10 MATERIALS

SUBSECTION CULVERTS

**10-15 CORRUGATED STEEL CULVERT**

Metallic coated steel culverts must meet AASHTO M-36 (ASTM A-760) specifications. Culverts must be aluminized (aluminum type 2 coated meeting AASHTO M-274).

**10-17 CORRUGATED PLASTIC CULVERT**

Polyethylene culverts must meet AASHTO M-294 specifications, or ASTM F-2648 specifications for recycled polyethylene. Culverts must be Type S – double walled with a corrugated exterior and smooth interior.

**10-21 METAL BAND**

Metal coupling and end bands must meet the AASHTO specification designated for the culvert and must have matching corrugations. Culverts 24 inches and smaller must have bands with a minimum width of 12 inches. Culverts over 24 inches must have bands with a minimum width of 24 inches.

**10-22 PLASTIC BAND**

Plastic coupling and end bands must meet the AASHTO specification designated for the culvert. Only fittings supplied or recommended by the culvert manufacturer may be used. Couplings must be bell and spigot connector, or split coupling band. Split coupling bands must have a minimum of four corrugations, two on each side of the pipe joint.

SECTION 11 SPECIAL NOTES

**11-1 CLEANING BLOWDOWN FROM ROAD RIGHT OF WAY**


On the following road(s), blowdown, including limbs, shall be removed from the road surface, cutslope, and ditchline.

<u>Road</u>	<u>Stations</u>
1	0+00 to 152+70
2	0+00 to 401+70

**11-2 LANDING DEBRIS**

Purchaser shall reduce or relocate debris generated by road and landing construction, in a manner approved, in writing, by the Contract Administrator, to avoid landing failures and potential debris slides.

## TYPICAL SECTION SHEET



Road Number	From Station	To Station	Tolerance Class	Subgrade Width (feet)	Road Width (feet)	Ditch**		Crown in. @ CL	Grubbing Limits (feet)		Clearing Limits (feet)	
						Width (feet)	Depth (feet)		G1	G2	C1	C2
				S	R	W	D		G1	G2	C1	C2
1	0+00	152+70	A	-	12	2	1	4	-	-	5	5
2	0+00	401+70	A	-	14	2	1	4	-	-	5	5
25	0+00	6+15	C	15	12	2	1	4	2	2	5	5
25	6+15	10+25	C	15	12	2	1	**	2**	2**	5**	5**
25	10+25	35+00	C	15	12	2	1	4	2	2	5	5
25	35+00	39+80	C	15	12	2	1	4	2	2	tags	tags
25	39+80	46+22	C	15	12	2	1	4	2	2	5	5
25	46+22	56+80	C	15	12	2	1	4	2	2	tags	tags
25	56+80	83+23	C	15	12	2	1	4	2	2	5	5
25-1	0+00	32+10	C	15	12	2	1	4	2	2	5	5
25-2	0+00	7+48	C	15	12	2	1	4	2	2	5	5

\*\*Due to visible rock, this stretch of road may be crowned at 4 in. @ CL with a ditch or outsloped at 3-5% with no ditch.

### TURNOUT LIST

Road Number	Begin Station	End Station	Turnout Width (H)	Full Width Length (L)	Taper Length (T)	Comments
25	11+10	12+10	10'	50'	25'	Construct turnout left
25	15+60	16+60	10'	50'	25'	Construct turnout left
25	36+44	37+44	10'	20'	15'	Construct turnout right
25	44+55	45+55	10'	50'	25'	Construct turnout left
25	58+67	59+67	10'	20'	15'	Construct turnout right
25	66+15	67+15	10'	50'	25'	Construct turnout left
25	78+00	79+00	10'	50'	25'	Construct turnout right

### TURNAROUND LIST

Road Number	Station	Minimum Width (ft)	Minimum Length (ft)	Comments
2	401+70	Match to existing	Match to existing	Clean existing turnaround. Turnaround is Pull-into-old-rd-jct style.
25	57+12	30	30	
25	83+23	30	30	Construct turnaround at end of constructed road or at station listed.
25-1	32+10	30	30	Construct turnaround at end of constructed road or at station listed.
25-2	7+48	30	30	Construct turnaround at end of constructed road or at station listed.

## COMPACTION LIST

Road	From Station	To Station	Type	Max Depth Per Lift (inches)	Equipment Type	Equipment Weight (lbs)	Minimum Number of Passes	Maximum Operating Speed (mph)
All new construction and reconstruction			Culvert Installations	12	Smooth Drum Vibratory Roller	14,000	4 low freq. with Vibe on	3
			Embankment	12				
			Fill	12				
			Subgrade					
			Rock	12				
			Waste Area	12				
All pre-haul and post haul			After grading existing road surface and prior to rocking					
			Culvert Installations	12				
			Rock	9				

## ROCK LIST, pg 1 of 2

### BALLAST

Road Number	From Station	To Station	Rock Slope	Compacted Rock Depth	C.Y. Station	# of Stations	C.Y. Sub-total	Rock Source	
			K2	B2	4 Inch In Place				
25	0+00	57+12	1.5:1	12"	50	57.12	2856	Sunny Side Pit or Iron Horse Pit	
25*	57+12	83+23	1.5:1	9"	37	26.11	966		
25-1	0+00	32+10	1.5:1	12"	50	32.10	1605		
25-2	0+00	7+48	1.5:1	12"	50	7.48	374		
Turnouts			1.5:1	12"	36 cyd/ per turnout	7 turnout	252		
Turnarounds			1.5:1	12"	26 cyd/ per turn-around	4	104		
Quarry Spalls for culvert installations. See Culvert List for locations							39		
Light Loose Rip Rap for culvert installations. See Culvert List for locations.							26		

Required BALLAST TOTAL: 6222 Cubic yards

\*Optional Rock: If Purchaser elects to haul on optional rock roads in wet weather, the depth listed above is recommended but not required.

NOTE: Except for rock types listed in Clause 6-56, yardages are estimated on a compacted (In-Place) basis. **Apply appropriate factors to determine loose amounts for estimating purposes.** Roads and rock quantities are designed for dry weather use. If Purchaser elects to haul in wet weather additional rock may be obtained from the rock pits listed in Section 6 at the Purchaser's expense and with prior written approval from the Contract Administrator.

## ROCK LIST, pg 2 of 2

### SURFACE

Road Number	From Station	To Station	Rock Slope	Compacted Rock Depth	C.Y. Station	# of Stations	C.Y. Subtotal	Comments Rock Source
			K2	B2	1-1/4 Inch Minus Crushed			Commerical source
1	67+36 Nisqually Bridge			2"	29		30	Rock 10 cyds north approach and 20 cyd south approach as directed by Contract Administrator.
			K2	B2	3 Inch Jaw Run			Sunny Side Pit or Iron Horse Pit
2	218+20	219+20	1.5:1	4"	17	1	17	
2	225+00	226+50	1.5:1	4"	17	1.5	26	
2	244+15 (gate)	401+70	1.5:1	6"	25	158	3950	
2	254+40		1.5:1	As needed		1	Est. 20	Build up inside of curve with rock
2	291+25	292+25	1.5:1	6"	25	1	100	Rock road and outside of curve over culvert
2 road Turnaround	401+70				26 cyd/ per turn-around	1	26	
2 Road Turnouts	244+15	401+70	1.5:1	4"	13 cyd per turnout	12	156	Turnouts marked in the field
Manufactured 3 Inch Jaw Run Stockpile							300	

SURFACE TOTAL: 4625 Cubic yards

**CULVERT AND DRAINAGE LIST, PAGE 1 OF 2**

Road Number	Location	Culvert		Length (ft)			Riprap (C.Y.)			Backfill Material*	Placemen Method*	Const. Staked*	Remarks
		Dia. (in)	Type	Culvert	Downspt	Flume	Inlet	Outlet	Type				
1	78+25	18	PD	40			0.5	0.5	QS	NT		Replace existing culvert. Install new inlet with 1 foot of cover.	
2	276+00	48	PD	70			2	2	LL	NT		Replace existing stream culvert	
	278+85	18	PD	46			0.5	0.5	QS	NT		Replace existing	
	297+00	18	PD	40			0.5	0.5	QS	NT		Replace existing	
	314+11	18	PD	40			0.5	0.5	QS	NT		Replace existing. Install new deeper.	
	318+60	18	PD	50			0.5	0.5	QS	NT		Replace existing	
	354+89	18	PD	100			0.5	0.5	QS	NT		See intersection detail	
25	4+75	-	-	-								Install Sediment Trap	
	10+25	18	PD	40			0.5	0.5	QS	NT			
	13+75	18	PD	40			0.5	0.5	QS	NT			
	17+20	18	PD	40			0.5	0.5	QS	NT			
	19+75	18	PD	40			0.5	0.5	QS	NT			
	22+70	18	PD	40			0.5	0.5	QS	NT			
	28+75	18	PD	80			0.5	0.5	QS	NT		Install across switchback.	
	32+40	18	PD	40			0.5	0.5	QS	NT			
	36+50	36	PD	40			2	2	LL	NT		Type 4 flows under the road currently.	
	36+75	18	PD	50			0.5	0.5	QS	NT			
	38+34	48	PD	50			2	2	LL	NT		Type 4	
	39+32	18	PD	30			0.5	0.5	QS	NT			
	43+76	18	PD	40			0.5	0.5	QS	NT			
	47+39	18	PD	40			0.5	0.5	QS	NT			
	49+21	60	AS12	50			2	2	LL	NT		Type 4	
	49+76	24	PD	35			1	1	LL	NT		Type 5	
	50+10	18	PD	32			0.5	0.5	QS	NT			
	52+73	48	PD	50			2	2	LL	NT		Type 4	
	57+12	18	PD	32			0.5	0.5	QS	NT			
	63+40	18	PD	35			0.5	0.5	QS	NT			
67+27	18	PD	30			0.5	0.5	QS	NT				
70+08	18	PD	30			0.5	0.5	QS	NT				
73+20	18	PD	30			0.5	0.5	QS	NT				
76+18	18	PD	30			0.5	0.5	QS	NT				
79+07	18	PD	30			0.5	0.5	QS	NT				

## CULVERT AND DRAINAGE LIST, PAGE 2 OF 2


Road Number	Location	Culvert		Length (ft)			Riprap (C.Y.)			Backfill Material*	Placemen Method*	Const. Staked*	Remarks
		Dia. (in)	Type	Culvert	Downspt	Flume	Inlet	Outlet	Type				
25-1	3+45	24	PD	40			0.5	0.5	QS	NT		Type 5 stream	
	7+21	18	PD	40			0.5	0.5	QS	NT			
	9+56	18	PD	40			0.5	0.5	QS	NT			
	13+34	18	PD	40			0.5	0.5	QS	NT			
	14+54	24	PD	45			1	1	LL	NT		Type 5	
	15+00	24	PD	40			1	1	LL	NT		Type 5	
	16+48	18	PD	40			0.5	0.5	QS	NT			
	22+36	18	PD	30			0.5	0.5	QS	NT		Install perpendicular to road	
	24+96	18	PD	40			0.5	0.5	QS	NT			
29+75	18	PD	40			0.5	0.5	QS	NT				
25-2	2+41	18	PD	30			0.5	0.5	QS	NT			
Conitgency Culverts		18	PD	30			0.5	0.5	QS	NT		Two 18" bands included	
		18	PD	30			0.5	0.5	QS	NT			
		18	PD	30			0.5	0.5	QS	NT			
		18	PD	30			0.5	0.5	QS	NT			
		18	PD	30			0.5	0.5	QS	NT			

\* SEE CULVERT AND DRAINAGE SPECIFICATION DETAIL

- PD = Polyethylene Pipe Dual Wall AASHTO No. M294 Type S or ASTM F2648  
 AS12 = Aluminized Steel AASHTO No. M274, 12 Gauge  
 TEMP = Temporary



**Key:**

- QS - Quarry Spalls
- LL - Light Loose Riprap
- SR - Shot Rock
- NT - Native (bank run)
- SL - Select Fill
- HL - Heavy Loose Riprap
- Flume - Half round pipe
- Downsput - Full round pipe



# CULVERT AND DRAINAGE SPECIFICATION DETAIL


(Page 1 of 3)



## CULVERT AND DRAINAGE SPECIFICATION DETAIL


(Page 2 of 3)

Proper preparation of foundation and placement of bedding material shall precede the installation of all culvert pipe. This includes necessary leveling of the native trench bottom and compaction of required bedding material to form a uniform dense unyielding base. The backfill material shall be placed so that the pipe is uniformly supported along the barrel.



Headwalls to be constructed of material that will resist erosion.

### ENERGY DISSIPATORS



Dissipator Specifications:  
Depth: 1 culvert diameter  
Aggregate: as specified in the CULVERT LIST.

## CULVERT AND DRAINAGE SPECIFICATION DETAIL


(Page 3 of 3)

### POLYETHYLENE PIPE INSTALLATION

#### INSTALLATION REQUIREMENTS:

1. Crushed stone, gravel, or compacted soil backfill material shall be used as the bedding and envelope material around the culvert. The aggregate size shall not exceed 1/6 pipe diameter or 4" diameter, whichever is smaller.
2. The corrugated pipe shall be laid on grade, on a layer of bedding material as shown for the two types of installations. If native soil is used as the bedding and backfill material, it shall be well compacted in six inch layers under the haunches, around the sides and above the pipe to the recommended minimum height of cover.
3. Either crushed aggregate or flexible (asphalt) pavement may be laid as part of the minimum cover requirements.
4. Site conditions and availability of bedding materials often dictate the type of installation method used.
5. The load bearing capability of flexible conduits is dependent on the type of backfill material used and the degree of compaction achieved. Crushed stone and gravel backfill materials typically reach a compaction level of 90-95% AASHTO standard density without compaction. When native soils are used as backfill material, a compaction level of 85% is required. This minimum compaction can be achieved by either hand or mechanical tamping.

#### **MINIMUM DIMENSIONS** *Trench or Open Ditch Installation*



Nominal Diameter	Minimum Thickness	Minimum Cover	Min. Trench Width
D	B	C	W
18"	6"	12"	36"
24"	6"	12"	42"
30"	6"	12"	48"
36"	6"	12"	54"

## FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS, page 1 of 2

### Cuts and Fills

- Maintain slope lines to a stable gradient compatible with the cut slope/fill slope ratios. Remove slides from ditches and the roadway. Repair fill-failures, in accordance with Clause 4-6 EMBANKMENT SLOPE RATIO, with selected material or material approved by the Contract Administrator. Remove overhanging material from the top of cut slopes.
- Waste material from slides or other sources shall be placed and compacted in stable locations identified in the road plan or approved by the Contract Administrator, so that sediment will not deliver to any streams or wetlands.
- Slide material and debris shall not be mixed into the road surface materials, unless approved by the Contract Administrator.

### Surface

- Grade and shape the road surface, turnouts, and shoulders to the original shape on the TYPICAL SECTION SHEET to provide a smooth, rut-free traveled surface and maintain surface water runoff in an even, unconcentrated manner.
- Blading shall not undercut the backslope or cut into geotextile fabric on the road.
- If required by the Contract Administrator, water shall be applied as necessary to control dust and retain fine surface rock.
- Surface material shall not be bladed off the roadway. Replace surface material when lost or worn away, or as directed by the Contract Administrator.
- Remove shoulder berms, created by grading, to facilitate drainage, except as marked or directed by the Contract Administrator.
- For roads with geotextile fabric: spread surface aggregate to fill in soft spots and wheel ruts (barrel spread) to prevent damage to the geotextile fabric.

### Drainage

- Prevent silt bearing road surface and ditch runoff from delivering sediment to any streams or wetlands.
- Maintain rolling dips and drivable waterbars as needed to keep them functioning as intended.
- Maintain headwalls to the road shoulder level with material that will resist erosion.
- Maintain energy dissipaters at culvert outlets with non-erodible material or rock.
- Keep ditches, culverts, and other drainage structures clear of obstructions and functioning as intended.
- Inspect and clean culverts at least monthly, with additional inspections during storms and periods of high runoff. This shall be done even during periods of inactivity.

### Preventative Maintenance

- Perform preventative maintenance work to safeguard against storm damage, such as blading to ensure correct runoff, ditch and culvert cleaning, and waterbar maintenance.


## FOREST ACCESS ROAD MAINTENANCE SPECIFICATIONS, page 2 of 2



### Termination of Use or End of Season

- At the conclusion of logging operations, ensure all conditions of these specifications have been met.

### Debris

- Remove fallen timber, limbs, and stumps from the slopes, roadway, ditchlines, and culvert inlets.





07.08.2020

Page 43 of 74

30-099065



Engineer: M. Bell  
20/03/11  
Page 1 of 6

Plan Scale 1:1200  
Profile Vert Scale 1:240  
Profile Horz Scale 1:1200

Washington State Department of  
Natural Resources  
South Puget Sound Region



Sunny Side Timber Sale  
25 Road January 21, 2020  
Contract #: 30-099065



07.08.2020

Page 44 of 74

30-099065-00

Engineer: M. Bell  
20/03/11  
Page 2 of 6



Plan Scale 1:1200  
Profile Vert Scale 1:240  
Profile Horz Scale 1:1200

Washington State Department of  
Natural Resources  
South Puget Sound Region



Sunny Side Timber Sale  
25 Road  
January 21, 2020  
Contract #: 30-099065





Engineer: M. Bell  
 20/03/11  
 Page 4 of 6


Plan Scale 1:1200  
 Profile Vert Scale 1:240  
 Profile Horz Scale 1:1200

Washington State Department of  
 Natural Resources  
 South Puget Sound Region



Sunny Side Timber Sale  
 25 Road  
 January 21, 2020  
 Contract #: 30-099065





07.08.2020

Page 48 of 74

30-099065


Engineer: M. Bell  
 20/03/11  
 Page 6 of 6

Plan Scale 1:1200  
 Profile Vert Scale 1:240  
 Profile Horz Scale 1:1200


Washington State Department of  
 Natural Resources  
 South Puget Sound Region




Sunny Side Timber Sale  
 25 Road  
 January 21, 2020  
 Contract #: 30-099065




L-Stn:	3600.0	Ssl:	-5.0	CL Elev:	3000.0
Index:	101	Ssr:	4.0	Rd. Wd.:	15.2
Grd.Nxt.:	3.0	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	n/a	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	3643.5	Ssl:	-5.0	CL Elev:	3001.3
Index:	102	Ssr:	5.0	Rd. Wd.:	15.2
Grd.Nxt.:	4.4	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	3.0	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	3740.4	Ssl:	-3.0	CL Elev:	3005.6
Index:	103	Ssr:	5.0	Rd. Wd.:	19.4
Grd.Nxt.:	4.4	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	4.4	Cut Dp:	0.0	Rd. Wd. R:	11.8




L-Stn:	3766.1	Ssl:	-3.0	CL Elev:	3006.7
Index:		Ssr:	5.0	Rd. Wd.:	21.2
Grd.Nxt.:	4.4	H. Offset:	3.4	Rd. Wd. L:	7.6
Grd.Lst:	4.4	Cut Dp:	0.0	Rd. Wd. R:	13.6




L-Stn:	3794.3	Ssl:	-50.0	CL Elev:	3007.7
Index:	104	Ssr:	65.0	Rd. Wd.:	23.0
Grd.Nxt.:	0.9	H. Offset:	1.4	Rd. Wd. L:	9.3
Grd.Lst:	0.9	Cut Dp:	0.8	Rd. Wd. R:	13.6




L-Stn:	3815.3	Ssl:	-50.0	CL Elev:	3007.9
Index:		Ssr:	65.0	Rd. Wd.:	24.2
Grd.Nxt.:	0.9	H. Offset:	-7.8	Rd. Wd. L:	10.6
Grd.Lst:	0.9	Cut Dp:	-3.1	Rd. Wd. R:	13.6




L-Stn:	3815.7	Ssl:	-50.0	CL Elev:	3007.9	L-Stn:	3824.0	Ssl:	-70.0	CL Elev:	3007.9
Index:		Ssr:	65.0	Rd. Wd.:	24.2	Index:	105	Ssr:	65.0	Rd. Wd.:	23.2
Grd.Nxt.:	0.9	H. Offset:	-8.0	Rd. Wd. L:	10.6	Grd.Nxt.:	0.9	H. Offset:	-13.3	Rd. Wd. L:	10.6
Grd.Lst:	0.9	Cut Dp:	-3.2	Rd. Wd. R:	13.6	Grd.Lst:	0.9	Cut Dp:	-8.1	Rd. Wd. R:	12.6




L-Stn:	3833.5	Ssl:	-24.0	CL Elev:	3007.8	L-Stn:	3834.3	Ssl:	-70.0	CL Elev:	3007.8
Index:	106	Ssr:	25.0	Rd. Wd.:	22.1	Index:	107	Ssr:	8.0	Rd. Wd.:	22.0
Grd.Nxt.:	-1.8	H. Offset:	-21.0	Rd. Wd. L:	10.6	Grd.Nxt.:	-1.8	H. Offset:	-18.0	Rd. Wd. L:	10.6
Grd.Lst:	-1.8	Cut Dp:	-10.1	Rd. Wd. R:	11.4	Grd.Lst:	-1.8	Cut Dp:	-10.8	Rd. Wd. R:	11.3




L-Stn:	3864.0	Ssl:	-45.0	CL Elev:	3007.2	L-Stn:	3879.8	Ssl:	-45.0	CL Elev:	3006.8
Index:	108	Ssr:	2.0	Rd. Wd.:	21.2	Index:		Ssr:	2.0	Rd. Wd.:	21.2
Grd.Nxt.:	-2.1	H. Offset:	4.6	Rd. Wd. L:	10.6	Grd.Nxt.:	-2.4	H. Offset:	4.8	Rd. Wd. L:	10.6
Grd.Lst:	-2.1	Cut Dp:	-0.7	Rd. Wd. R:	10.6	Grd.Lst:	-2.4	Cut Dp:	-0.5	Rd. Wd. R:	10.6




L-Strn:	3931.6	Ssl:	-4.0	CL Elev:	3005.6	L-Strn:	4019.6	Ssl:	-5.0	CL Elev:	3005.9
Index:	109	Ssr:	5.0	Rd. Wd.:	15.2	Index:	110	Ssr:	2.0	Rd. Wd.:	15.2
Grd.Nxt.:	0.4	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	1.4	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-2.4	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	0.4	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Strn:	4102.1	Ssl:	-2.0	CL Elev:	3007.1	L-Strn:	4209.1	Ssl:	-5.0	CL Elev:	3009.2
Index:	111	Ssr:	6.0	Rd. Wd.:	15.2	Index:	112	Ssr:	5.0	Rd. Wd.:	15.2
Grd.Nxt.:	2.0	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	3.6	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	1.4	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	2.0	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Strn:	4298.0	Ssl:	-3.0	CL Elev:	3012.4	L-Strn:	4375.5	Ssl:	-5.0	CL Elev:	3014.2
Index:	113	Ssr:	3.0	Rd. Wd.:	15.2	Index:	114	Ssr:	70.0	Rd. Wd.:	15.2
Grd.Nxt.:	2.2	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-0.5	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	3.6	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	2.2	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	4454.5	Ssl:	-3.0	CL Elev:	3013.8	L-Stn:	4550.0	Ssl:	-5.0	CL Elev:	3011.4
Index:	115	Ssr:	5.0	Rd. Wd.:	15.2	Index:	116	Ssr:	5.0	Rd. Wd.:	17.1
Grd.Nxt.:	-2.5	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-1.7	H. Offset:	0.0	Rd. Wd. L:	9.4
Grd.Lst:	-0.5	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	-2.5	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	4645.0	Ssl:	-2.0	CL Elev:	3009.8	L-Stn:	4739.0	Ssl:	-5.0	CL Elev:	3008.5
Index:	117	Ssr:	5.0	Rd. Wd.:	15.2	Index:	118	Ssr:	5.0	Rd. Wd.:	15.2
Grd.Nxt.:	-1.3	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	1.1	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-1.7	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	-1.3	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	4835.0	Ssl:	-6.0	CL Elev:	3009.6	L-Stn:	4889.5	Ssl:	-3.0	CL Elev:	3010.4
Index:	119	Ssr:	5.0	Rd. Wd.:	16.2	Index:	120	Ssr:	15.0	Rd. Wd.:	23.4
Grd.Nxt.:	1.5	H. Offset:	0.0	Rd. Wd. L:	8.5	Grd.Nxt.:	2.5	H. Offset:	0.0	Rd. Wd. L:	15.2
Grd.Lst:	1.1	Cut Dp:	-1.0	Rd. Wd. R:	7.7	Grd.Lst:	1.5	Cut Dp:	-1.5	Rd. Wd. R:	8.2




L-Stn:	4910.4	Ssl:	-3.0	CL Elev:	3010.9
Index:	121	Ssr:	18.0	Rd. Wd.:	23.4
Grd.Nxt.:	2.5	H. Offset:	0.0	Rd. Wd. L:	15.2
Grd.Lst:	2.5	Cut Dp:	-2.8	Rd. Wd. R:	8.2




L-Stn:	4920.6	Ssl:	-5.0	CL Elev:	3011.2
Index:	122	Ssr:	15.0	Rd. Wd.:	23.4
Grd.Nxt.:	2.5	H. Offset:	0.0	Rd. Wd. L:	15.2
Grd.Lst:	2.5	Cut Dp:	-8.4	Rd. Wd. R:	8.2




L-Stn:	4937.0	Ssl:	-10.0	CL Elev:	3011.6
Index:	123	Ssr:	15.0	Rd. Wd.:	23.4
Grd.Nxt.:	5.5	H. Offset:	0.0	Rd. Wd. L:	15.2
Grd.Lst:	2.5	Cut Dp:	-2.7	Rd. Wd. R:	8.2




L-Stn:	4976.3	Ssl:	-8.0	CL Elev:	3013.8
Index:	124	Ssr:	80.0	Rd. Wd.:	18.0
Grd.Nxt.:	11.9	H. Offset:	0.3	Rd. Wd. L:	10.2
Grd.Lst:	5.5	Cut Dp:	-1.0	Rd. Wd. R:	7.8




L-Stn:	5009.9	Ssl:	-10.0	CL Elev:	3017.8
Index:	125	Ssr:	30.0	Rd. Wd.:	15.2
Grd.Nxt.:	16.3	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	11.9	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	5079.2	Ssl:	-20.0	CL Elev:	3029.0
Index:	126	Ssr:	10.0	Rd. Wd.:	15.2
Grd.Nxt.:	16.2	H. Offset:	4.4	Rd. Wd. L:	7.6
Grd.Lst:	16.2	Cut Dp:	11.3	Rd. Wd. R:	7.6




L-Stn: 5131.5 Ssl: -60.0 CL Elev: 3037.5	L-Stn: 5163.7 Ssl: -60.0 CL Elev: 3040.9
Index: 127 Ssr: 65.0 Rd. Wd.: 15.2	Index: 128 Ssr: 5.0 Rd. Wd.: 15.2
Grd.Nxt.: 16.2 H. Offset: 6.5 Rd. Wd. L: 7.6	Grd.Nxt.: 10.5 H. Offset: 0.0 Rd. Wd. L: 7.6
Grd.Lst: 16.2 Cut Dp: 7.2 Rd. Wd. R: 7.6	Grd.Lst: 10.5 Cut Dp: 8.7 Rd. Wd. R: 7.6




L-Stn: 5217.7 Ssl: -15.0 CL Elev: 3046.6	L-Stn: 5223.4 Ssl: -15.0 CL Elev: 3046.9
Index: 129 Ssr: 55.0 Rd. Wd.: 20.6	Index: Ssr: 55.0 Rd. Wd.: 21.2
Grd.Nxt.: 10.5 H. Offset: 4.2 Rd. Wd. L: 12.9	Grd.Nxt.: 4.8 H. Offset: 4.3 Rd. Wd. L: 13.6
Grd.Lst: 10.5 Cut Dp: 6.4 Rd. Wd. R: 7.6	Grd.Lst: 4.8 Cut Dp: 5.2 Rd. Wd. R: 7.6




L-Stn: 5249.2 Ssl: -35.0 CL Elev: 3048.2	L-Stn: 5272.7 Ssl: -15.0 CL Elev: 3049.3
Index: 130 Ssr: 65.0 Rd. Wd.: 21.2	Index: 131 Ssr: 15.0 Rd. Wd.: 21.2
Grd.Nxt.: 4.8 H. Offset: -0.2 Rd. Wd. L: 13.6	Grd.Nxt.: 4.8 H. Offset: -0.3 Rd. Wd. L: 13.6
Grd.Lst: 4.8 Cut Dp: -2.2 Rd. Wd. R: 7.6	Grd.Lst: 4.8 Cut Dp: -7.8 Rd. Wd. R: 7.6




L-Stn:	5298.2	Ssl:	-20.0	CL Elev:	3050.5	L-Stn:	5307.7	Ssl:	-20.0	CL Elev:	3051.0
Index:	132	Ssr:	60.0	Rd. Wd.:	21.2	Index:		Ssr:	60.0	Rd. Wd.:	21.2
Grd.Nxt.:	4.8	H. Offset:	10.0	Rd. Wd. L:	13.6	Grd.Nxt.:	4.8	H. Offset:	13.3	Rd. Wd. L:	13.6
Grd.Lst:	4.8	Cut Dp:	3.9	Rd. Wd. R:	7.6	Grd.Lst:	4.8	Cut Dp:	7.0	Rd. Wd. R:	7.6




L-Stn:	5308.1	Ssl:	-20.0	CL Elev:	3051.0	L-Stn:	5335.6	Ssl:	-50.0	CL Elev:	3052.3
Index:		Ssr:	60.0	Rd. Wd.:	21.2	Index:	133	Ssr:	48.0	Rd. Wd.:	21.2
Grd.Nxt.:	4.8	H. Offset:	13.4	Rd. Wd. L:	13.6	Grd.Nxt.:	4.8	H. Offset:	7.8	Rd. Wd. L:	13.6
Grd.Lst:	4.8	Cut Dp:	7.1	Rd. Wd. R:	7.6	Grd.Lst:	4.8	Cut Dp:	8.8	Rd. Wd. R:	7.6




L-Stn:	5365.6	Ssl:	-50.0	CL Elev:	3052.9	L-Stn:	5375.8	Ssl:	-60.0	CL Elev:	3053.1
Index:		Ssr:	48.0	Rd. Wd.:	21.2	Index:	134	Ssr:	60.0	Rd. Wd.:	20.0
Grd.Nxt.:	1.4	H. Offset:	4.6	Rd. Wd. L:	13.6	Grd.Nxt.:	1.4	H. Offset:	1.4	Rd. Wd. L:	12.4
Grd.Lst:	1.4	Cut Dp:	7.7	Rd. Wd. R:	7.6	Grd.Lst:	1.4	Cut Dp:	6.6	Rd. Wd. R:	7.6




L-Stn: 5421.3	Ssl: -50.0	CL Elev: 3053.7	L-Stn: 5456.6	Ssl: -50.0	CL Elev: 3053.8
Index: 135	Ssr: 10.0	Rd. Wd.: 15.2	Index: 136	Ssr: 0.0	Rd. Wd.: 15.2
Grd.Nxt.: 0.3	H. Offset: 6.2	Rd. Wd. L: 7.6	Grd.Nxt.: -1.6	H. Offset: 7.0	Rd. Wd. L: 7.6
Grd.Lst: 0.3	Cut Dp: 0.8	Rd. Wd. R: 7.6	Grd.Lst: 0.3	Cut Dp: 0.8	Rd. Wd. R: 7.6




L-Stn: 5503.8	Ssl: -35.0	CL Elev: 3053.0	L-Stn: 5571.9	Ssl: -45.0	CL Elev: 3050.8
Index: 137	Ssr: 60.0	Rd. Wd.: 15.2	Index: 138	Ssr: 60.0	Rd. Wd.: 15.2
Grd.Nxt.: -3.2	H. Offset: 0.0	Rd. Wd. L: 7.6	Grd.Nxt.: -3.2	H. Offset: 4.4	Rd. Wd. L: 7.6
Grd.Lst: -1.6	Cut Dp: 0.0	Rd. Wd. R: 7.6	Grd.Lst: -3.2	Cut Dp: -0.9	Rd. Wd. R: 7.6




L-Stn: 5630.8	Ssl: -50.0	CL Elev: 3049.0	L-Stn: 5711.9	Ssl: -45.0	CL Elev: 3046.4
Index: 139	Ssr: 70.0	Rd. Wd.: 15.2	Index: 140	Ssr: 20.0	Rd. Wd.: 15.2
Grd.Nxt.: -3.2	H. Offset: 9.9	Rd. Wd. L: 7.6	Grd.Nxt.: -7.0	H. Offset: 0.0	Rd. Wd. L: 7.6
Grd.Lst: -3.2	Cut Dp: 4.1	Rd. Wd. R: 7.6	Grd.Lst: -7.0	Cut Dp: 4.4	Rd. Wd. R: 7.6




L-Stn:	5770.8	Ssl:	0.0	CL Elev:	3042.2	L-Stn:	5866.9	Ssl:	-3.0	CL Elev:	3030.5
Index:	141	Ssr:	0.0	Rd. Wd.:	15.2	Index:	142	Ssr:	55.0	Rd. Wd.:	15.2
Grd.Nxt.:	-12.2	H. Offset:	-0.1	Rd. Wd. L:	7.6	Grd.Nxt.:	-14.3	H. Offset:	0.8	Rd. Wd. L:	7.6
Grd.Lst:	-7.0	Cut Dp:	7.5	Rd. Wd. R:	7.6	Grd.Lst:	-14.3	Cut Dp:	0.4	Rd. Wd. R:	7.6




L-Stn:	5955.6	Ssl:	0.0	CL Elev:	3017.8	L-Stn:	6037.9	Ssl:	0.0	CL Elev:	3006.2
Index:	143	Ssr:	65.0	Rd. Wd.:	19.8	Index:	144	Ssr:	60.0	Rd. Wd.:	15.2
Grd.Nxt.:	-14.3	H. Offset:	2.8	Rd. Wd. L:	7.6	Grd.Nxt.:	-14.0	H. Offset:	1.7	Rd. Wd. L:	7.6
Grd.Lst:	-14.3	Cut Dp:	-2.4	Rd. Wd. R:	12.2	Grd.Lst:	-14.0	Cut Dp:	-2.9	Rd. Wd. R:	7.6




L-Stn:	6123.2	Ssl:	-50.0	CL Elev:	2994.3	L-Stn:	6191.7	Ssl:	-50.0	CL Elev:	2985.2
Index:	145	Ssr:	60.0	Rd. Wd.:	15.2	Index:	146	Ssr:	50.0	Rd. Wd.:	15.2
Grd.Nxt.:	-13.2	H. Offset:	4.6	Rd. Wd. L:	7.6	Grd.Nxt.:	-13.2	H. Offset:	9.5	Rd. Wd. L:	7.6
Grd.Lst:	-13.2	Cut Dp:	2.2	Rd. Wd. R:	7.6	Grd.Lst:	-13.2	Cut Dp:	3.2	Rd. Wd. R:	7.6




L-Stn:	6247.1	Ssl:	-50.0	CL Elev:	2978.8	L-Stn:	6340.4	Ssl:	-25.0	CL Elev:	2968.1
Index:	147	Ssr:	50.0	Rd. Wd.:	15.2	Index:	148	Ssr:	35.0	Rd. Wd.:	15.2
Grd.Nxt.:	-11.5	H. Offset:	8.1	Rd. Wd. L:	7.6	Grd.Nxt.:	-11.5	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-11.5	Cut Dp:	3.7	Rd. Wd. R:	7.6	Grd.Lst:	-11.5	Cut Dp:	1.5	Rd. Wd. R:	7.6




L-Stn:	6433.4	Ssl:	-45.0	CL Elev:	2957.3	L-Stn:	6498.6	Ssl:	-40.0	CL Elev:	2949.8
Index:	149	Ssr:	45.0	Rd. Wd.:	15.2	Index:	150	Ssr:	60.0	Rd. Wd.:	15.2
Grd.Nxt.:	-11.5	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-9.0	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-11.5	Cut Dp:	2.9	Rd. Wd. R:	7.6	Grd.Lst:	-11.5	Cut Dp:	0.0	Rd. Wd. R:	7.6




L-Stn:	6595.2	Ssl:	-40.0	CL Elev:	2941.1	L-Stn:	6665.7	Ssl:	-25.0	CL Elev:	2938.5
Index:	151	Ssr:	50.0	Rd. Wd.:	15.2	Index:	152	Ssr:	55.0	Rd. Wd.:	25.2
Grd.Nxt.:	-3.7	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-7.4	H. Offset:	0.0	Rd. Wd. L:	17.6
Grd.Lst:	-9.0	Cut Dp:	-0.6	Rd. Wd. R:	7.6	Grd.Lst:	-3.7	Cut Dp:	0.5	Rd. Wd. R:	7.6




L-Stn:	6726.9	Ssl:	-35.0	CL Elev:	2934.0	L-Stn:	6816.7	Ssl:	-45.0	CL Elev:	2923.0
Index:	153	Ssr:	65.0	Rd. Wd.:	15.2	Index:	154	Ssr:	50.0	Rd. Wd.:	15.2
Grd.Nxt.:	-12.2	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-12.2	H. Offset:	7.4	Rd. Wd. L:	7.6
Grd.Lst:	-7.4	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	-12.2	Cut Dp:	3.4	Rd. Wd. R:	7.6




L-Stn:	6880.0	Ssl:	-45.0	CL Elev:	2915.2	L-Stn:	6939.2	Ssl:	-55.0	CL Elev:	2907.2
Index:	155	Ssr:	50.0	Rd. Wd.:	15.2	Index:	156	Ssr:	55.0	Rd. Wd.:	15.2
Grd.Nxt.:	-12.3	H. Offset:	6.4	Rd. Wd. L:	7.6	Grd.Nxt.:	-14.1	H. Offset:	2.7	Rd. Wd. L:	7.6
Grd.Lst:	-12.3	Cut Dp:	3.4	Rd. Wd. R:	7.6	Grd.Lst:	-14.1	Cut Dp:	3.7	Rd. Wd. R:	7.6




L-Stn:	7008.1	Ssl:	-50.0	CL Elev:	2897.5	L-Stn:	7075.3	Ssl:	-45.0	CL Elev:	2888.0
Index:	157	Ssr:	50.0	Rd. Wd.:	15.2	Index:	158	Ssr:	50.0	Rd. Wd.:	15.2
Grd.Nxt.:	-14.1	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-14.1	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-14.1	Cut Dp:	4.1	Rd. Wd. R:	7.6	Grd.Lst:	-14.1	Cut Dp:	0.3	Rd. Wd. R:	7.6




L-Stn:	7162.9	Ssl:	-45.0	CL Elev:	2875.7	L-Stn:	7249.7	Ssl:	-60.0	CL Elev:	2862.2
Index:	159	Ssr:	50.0	Rd. Wd.:	15.2	Index:	160	Ssr:	45.0	Rd. Wd.:	15.2
Grd.Nxt.:	-15.6	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-14.9	H. Offset:	4.5	Rd. Wd. L:	7.6
Grd.Lst:	-14.1	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	-14.9	Cut Dp:	3.1	Rd. Wd. R:	7.6




L-Stn:	7320.4	Ssl:	-55.0	CL Elev:	2851.6	L-Stn:	7391.8	Ssl:	-45.0	CL Elev:	2840.4
Index:	161	Ssr:	55.0	Rd. Wd.:	15.2	Index:	162	Ssr:	55.0	Rd. Wd.:	15.2
Grd.Nxt.:	-14.9	H. Offset:	8.2	Rd. Wd. L:	7.6	Grd.Nxt.:	-15.6	H. Offset:	5.5	Rd. Wd. L:	7.6
Grd.Lst:	-14.9	Cut Dp:	4.2	Rd. Wd. R:	7.6	Grd.Lst:	-15.6	Cut Dp:	3.1	Rd. Wd. R:	7.6




L-Stn:	7446.4	Ssl:	-50.0	CL Elev:	2831.9	L-Stn:	7530.5	Ssl:	-45.0	CL Elev:	2821.3
Index:	163	Ssr:	50.0	Rd. Wd.:	15.2	Index:	164	Ssr:	50.0	Rd. Wd.:	15.2
Grd.Nxt.:	-15.6	H. Offset:	7.2	Rd. Wd. L:	7.6	Grd.Nxt.:	-12.7	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-15.6	Cut Dp:	3.7	Rd. Wd. R:	7.6	Grd.Lst:	-12.7	Cut Dp:	-0.2	Rd. Wd. R:	7.6




L-Stn: 7618.3	Ssl: -45.0	CL Elev: 2810.1	L-Stn: 7697.8	Ssl: -40.0	CL Elev: 2799.6
Index: 165	Ssr: 40.0	Rd. Wd.: 15.2	Index: 166	Ssr: 30.0	Rd. Wd.: 15.2
Grd.Nxt.: -13.2	H. Offset: 0.0	Rd. Wd. L: 7.6	Grd.Nxt.: -13.2	H. Offset: 0.0	Rd. Wd. L: 7.6
Grd.Lst: -12.7	Cut Dp: 0.0	Rd. Wd. R: 7.6	Grd.Lst: -13.2	Cut Dp: 1.6	Rd. Wd. R: 7.6




L-Stn: 7763.6	Ssl: -30.0	CL Elev: 2790.9	L-Stn: 7835.3	Ssl: -30.0	CL Elev: 2781.4
Index: 167	Ssr: 35.0	Rd. Wd.: 15.2	Index: 168	Ssr: 30.0	Rd. Wd.: 25.2
Grd.Nxt.: -13.2	H. Offset: 0.0	Rd. Wd. L: 7.6	Grd.Nxt.: -12.7	H. Offset: 0.0	Rd. Wd. L: 7.6
Grd.Lst: -13.2	Cut Dp: -2.2	Rd. Wd. R: 7.6	Grd.Lst: -13.2	Cut Dp: 0.0	Rd. Wd. R: 17.6




L-Stn: 7906.8	Ssl: -35.0	CL Elev: 2772.3	L-Stn: 7974.4	Ssl: -30.0	CL Elev: 2763.8
Index: 169	Ssr: 40.0	Rd. Wd.: 15.2	Index: 170	Ssr: 35.0	Rd. Wd.: 15.2
Grd.Nxt.: -12.7	H. Offset: 0.0	Rd. Wd. L: 7.6	Grd.Nxt.: -12.7	H. Offset: 0.0	Rd. Wd. L: 7.6
Grd.Lst: -12.7	Cut Dp: 1.0	Rd. Wd. R: 7.6	Grd.Lst: -12.7	Cut Dp: 1.9	Rd. Wd. R: 7.6






L-Stn:	8025.8	Ssl:	-30.0	CL Elev:	2757.2	L-Stn:	8080.3	Ssl:	-10.0	CL Elev:	2750.3
Index:	171	Ssr:	30.0	Rd. Wd.:	15.2	Index:	172	Ssr:	35.0	Rd. Wd.:	15.2
Grd.Nxt.:	-12.7	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-11.0	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-12.7	Cut Dp:	0.7	Rd. Wd. R:	7.6	Grd.Lst:	-12.7	Cut Dp:	0.0	Rd. Wd. R:	7.6



L-Stn:	8168.2	Ssl:	-40.0	CL Elev:	2740.7	L-Stn:	8217.5	Ssl:	-35.0	CL Elev:	2736.5
Index:	173	Ssr:	35.0	Rd. Wd.:	15.2	Index:	174	Ssr:	40.0	Rd. Wd.:	15.2
Grd.Nxt.:	-8.4	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	-2.7	H. Offset:	-0.1	Rd. Wd. L:	7.6
Grd.Lst:	-11.0	Cut Dp:	0.0	Rd. Wd. R:	7.6	Grd.Lst:	-8.4	Cut Dp:	-1.3	Rd. Wd. R:	7.6



L-Stn:	8322.5	Ssl:	0.0	CL Elev:	2733.7
Index:	175	Ssr:	0.0	Rd. Wd.:	33.2
Grd.Nxt.:	n/a	H. Offset:	0.0	Rd. Wd. L:	16.6
Grd.Lst:	-2.7	Cut Dp:	0.0	Rd. Wd. R:	16.6




Engineer: M. Bell  
 20/02/03  
 Page 1 of 1


Plan Scale 1:1200  
 Profile Vert Scale 1:240  
 Profile Horz Scale 1:1200

Washington State Department of  
 Natural Resources  
 South Puget Sound Region


Sunny Side Timber Sale  
 25-1 Road January 21, 2020  
 Contract #: 30-099065




L-Stn:	0.0	Ssl: (Av)	-20.1	CL Elev:	2922.6	L-Stn:	38.8	Ssl: (Av)	-20.1	CL Elev:	2927.8
Index:	903	Ssr: (Av)	4.0	Rd. Wd.:	16.6	Index:		Ssr: (Av)	4.0	Rd. Wd.:	21.2
Grd.Nxt.:	14.2	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	9.9	H. Offset:	-1.1	Rd. Wd. L:	7.6
Grd.Lst:	n/a	Cut Dp:	0.0	Rd. Wd. R:	9.0	Grd.Lst:	9.9	Cut Dp:	-0.1	Rd. Wd. R:	13.6




L-Stn:	46.3	Ssl: (Av)	-42.4	CL Elev:	2928.5	L-Stn:	86.8	Ssl: (Av)	-48.9	CL Elev:	2932.6
Index:	904	Ssr: (Av)	2.0	Rd. Wd.:	21.2	Index:	905	Ssr: (Av)	1.0	Rd. Wd.:	21.2
Grd.Nxt.:	9.9	H. Offset:	-0.9	Rd. Wd. L:	7.6	Grd.Nxt.:	10.4	H. Offset:	-4.5	Rd. Wd. L:	7.6
Grd.Lst:	9.9	Cut Dp:	0.0	Rd. Wd. R:	13.6	Grd.Lst:	10.4	Cut Dp:	-0.1	Rd. Wd. R:	13.6




L-Stn:	126.4	Ssl: (Av)	-48.9	CL Elev:	2936.7	L-Stn:	126.5	Ssl: (Av)	-48.9	CL Elev:	2936.7
Index:		Ssr: (Av)	1.0	Rd. Wd.:	21.2	Index:		Ssr: (Av)	1.0	Rd. Wd.:	21.2
Grd.Nxt.:	3.1	H. Offset:	-1.1	Rd. Wd. L:	7.6	Grd.Nxt.:	3.1	H. Offset:	-1.1	Rd. Wd. L:	7.6
Grd.Lst:	3.1	Cut Dp:	1.3	Rd. Wd. R:	13.6	Grd.Lst:	3.1	Cut Dp:	1.3	Rd. Wd. R:	13.6





L-Stn:	126.7	Ssl: (Av)	-4.0	CL Elev:	2936.7	L-Stn:	156.3	Ssl: (Av)	45.0	CL Elev:	2937.6
Index:	906	Ssr: (Av)	-9.0	Rd. Wd.:	21.2	Index:	907	Ssr: (Av)	-10.0	Rd. Wd.:	21.2
Grd.Nxt.:	3.1	H. Offset:	-0.9	Rd. Wd. L:	7.6	Grd.Nxt.:	1.6	H. Offset:	1.9	Rd. Wd. L:	7.6
Grd.Lst:	3.1	Cut Dp:	1.5	Rd. Wd. R:	13.6	Grd.Lst:	1.6	Cut Dp:	-0.2	Rd. Wd. R:	13.6



L-Stn:	201.2	Ssl: (Av)	109.2	CL Elev:	2938.4	L-Stn:	204.1	Ssl: (Av)	109.2	CL Elev:	2938.4
Index:	908	Ssr: (Av)	13.1	Rd. Wd.:	21.2	Index:		Ssr: (Av)	13.1	Rd. Wd.:	21.2
Grd.Nxt.:	1.6	H. Offset:	-7.9	Rd. Wd. L:	7.6	Grd.Nxt.:	1.6	H. Offset:	-7.5	Rd. Wd. L:	7.6
Grd.Lst:	1.6	Cut Dp:	1.8	Rd. Wd. R:	13.6	Grd.Lst:	1.6	Cut Dp:	1.5	Rd. Wd. R:	13.6



L-Stn:	260.7	Ssl: (Av)	37.5	CL Elev:	2937.9
Index:	909	Ssr: (Av)	5.1	Rd. Wd.:	15.2
Grd.Nxt.:	n/a	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	-1.1	Cut Dp:	0.1	Rd. Wd. R:	7.6




Engineer: M. Bell  
 20/03/11  
 Page 1 of 1

Plan Scale 1:1200  
 Profile Vert Scale 1:240  
 Profile Horz Scale 1:1200


Washington State Department of  
 Natural Resources  
 South Puget Sound Region




Sunny Side Timber Sale  
 25-2 Road January 21, 2020  
 Contract #: 30-099065




L-Strn:	0.0	Ssl:	-45.0	CL Elev:	3046.4	L-Strn:	93.9	Ssl:	-60.0	CL Elev:	3058.4
Index:	201	Ssr:	25.0	Rd. Wd.:	15.2	Index:	202	Ssr:	65.0	Rd. Wd.:	15.2
Grd.Nxt.:	12.8	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	12.9	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	n/a	Cut Dp:	4.4	Rd. Wd. R:	7.6	Grd.Lst:	12.8	Cut Dp:	3.4	Rd. Wd. R:	7.6




L-Strn:	163.2	Ssl:	-50.0	CL Elev:	3067.4	L-Strn:	241.4	Ssl:	-70.0	CL Elev:	3073.6
Index:	203	Ssr:	55.0	Rd. Wd.:	15.2	Index:	204	Ssr:	45.0	Rd. Wd.:	15.2
Grd.Nxt.:	8.0	H. Offset:	7.4	Rd. Wd. L:	7.6	Grd.Nxt.:	8.0	H. Offset:	7.7	Rd. Wd. L:	7.6
Grd.Lst:	8.0	Cut Dp:	3.9	Rd. Wd. R:	7.6	Grd.Lst:	8.0	Cut Dp:	3.4	Rd. Wd. R:	7.6




L-Strn:	325.7	Ssl:	-60.0	CL Elev:	3082.3	L-Strn:	397.6	Ssl:	-27.0	CL Elev:	3089.7
Index:	205	Ssr:	35.0	Rd. Wd.:	15.2	Index:	206	Ssr:	40.0	Rd. Wd.:	15.2
Grd.Nxt.:	10.4	H. Offset:	8.2	Rd. Wd. L:	7.6	Grd.Nxt.:	10.3	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	10.4	Cut Dp:	2.1	Rd. Wd. R:	7.6	Grd.Lst:	10.3	Cut Dp:	-0.4	Rd. Wd. R:	7.6



L-Stn:	472.6	Ssl:	-40.0	CL Elev:	3097.5	L-Stn:	533.8	Ssl:	-45.0	CL Elev:	3102.5
Index:	207	Ssr:	40.0	Rd. Wd.:	15.2	Index:	208	Ssr:	40.0	Rd. Wd.:	15.2
Grd.Nxt.:	8.2	H. Offset:	0.0	Rd. Wd. L:	7.6	Grd.Nxt.:	5.8	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	10.3	Cut Dp:	0.3	Rd. Wd. R:	7.6	Grd.Lst:	8.2	Cut Dp:	1.5	Rd. Wd. R:	7.6



L-Stn:	605.6	Ssl:	-35.0	CL Elev:	3106.7	L-Stn:	668.0	Ssl:	-40.0	CL Elev:	3109.0
Index:	209	Ssr:	35.0	Rd. Wd.:	15.2	Index:	210	Ssr:	40.0	Rd. Wd.:	15.2
Grd.Nxt.:	3.6	H. Offset:	9.4	Rd. Wd. L:	7.6	Grd.Nxt.:	4.0	H. Offset:	0.0	Rd. Wd. L:	7.6
Grd.Lst:	5.8	Cut Dp:	3.0	Rd. Wd. R:	7.6	Grd.Lst:	3.6	Cut Dp:	0.0	Rd. Wd. R:	7.6



L-Stn:	748.4	Ssl:	-30.0	CL Elev:	3112.2
Index:	211	Ssr:	40.0	Rd. Wd.:	33.2
Grd.Nxt.:	n/a	H. Offset:	0.0	Rd. Wd. L:	16.6
Grd.Lst:	4.0	Cut Dp:	0.0	Rd. Wd. R:	16.6



**Legal Description: SW ¼ NE ¼ Section 8 Township 14 North Range 6 East, W.M.**



**Rock Pit Name: Iron Horse Pit**

**PIT DEVELOPMENT PLAN, pg 1 of 2**


- 1) Pile debris in clean, burnable piles as directed by the Contract Administrator.
- 2) A minimum stripping width of 20 feet must be maintained from all pit faces and at the termination of operations pit shall be left in said condition. No undercutting shall be permitted.
- 3) Pile all reject rock and overburden away from pit working area on the 241-2 road as directed by the Contract Administrator.
- 4) Working face is shown on the plan view. All rock shall be excavated from the working face. Pit floor at the working face may not be lowered more than 2 feet from existing elevation without Contract Administrator approval.
- 5) Oversize material left in the pit shall not exceed 5% of the total mined for the sale. Oversize material is defined as rock fragments larger than 2 feet in any dimension. Excess oversized material shall be made into smaller material within the pit. Oversized shall be placed away from pit working face in location approved by the Contract Administrator.
- 6) Pit floor shall be sloped to allow drainage. No ponding will be allowed.
- 7) Maximum face height shall be 25 feet.
- 8) Pit walls shall be maintained in a condition to minimize the possibility of the walls sliding or failing.
- 9) The minimum width of benches shall be 15 feet.
- 10) Pit floor shall be sloped to allow drainage north from the Working Face. No ponding will be allowed.
- 11) At the termination of use the pit face shall have a maximum backslope of 1/2:1.
- 12) At the completion of operations, Purchaser shall request written approval from the Contract Administrator for final rock source condition and compliance with the terms of this plan.
- 13) Quantity and Quality of ballast pit is not guaranteed by the State.
- 14) See "Iron Horse Pit Plan View" drawing for additional information.

# Iron Horse Pit Plan View

1 inch equals 120 feet




# 2 Road and 25 Road Intersection Detail




# Drivable Water Bar Detail

## Cross Ditch




## Cross Section at Centerline



Drivable Water Bar Detail

Scale : None  
Drawn by: M.A.D.

# Brushing Section Detail



Notes: Stumps shall not be greater than 3 inches tall after brushing.

Scale : None  
Drawn by: M.A.D.

Brushing Section Detail

DEPARTMENT OF NATURAL RESOURCES - SOUTH PUGET SOUND REGION

**SUMMARY - ROAD DEVELOPMENT COSTS**

**(COSTS ARE ESTIMATES ONLY & ARE NOT GUARANTEED BY THE STATE OR PART OF THE ROAD PLAN.)**

SALE/PROJECT NAME: **Sunny Side**

CONTRACT NUMBER: **30-099065**

TYPE:	Construction	Pre-Haul Maintenance	
NUMBER OF STATIONS:	122.81	554.40	
AVG. SIDESLOPE:	35		
CLEARING AND GRUBBING:	\$13,400		
EXCAVATION AND FILL:	\$28,692		
MISC. MAINTENANCE:		\$11,386	
ROCK TOTALS:			
	Ballast:	\$50,986	Surface \$58,036
	Surfacing:	\$0	Commercial \$1,500
	Riprap/Quarry Spalls:	\$349	\$0
	300 cyd Stockpile:		\$2,550
CULVERTS AND FLUMES:	\$41,915	\$9,764	
STRUCTURES:	\$0	\$0	
GENERAL EXPENSES:	\$10,827	\$6,659	
MOBILIZATION:	\$3,587	\$3,587	
<b>TOTAL COSTS:</b>	<b>\$149,757</b>	<b>\$93,481</b>	
COST PER STATION:	\$1,219	\$169	
POST HAUL COSTS:		\$4,772	

NOTE1: This appraisal has no allowance for profit and risk.  
 NOTE2: This appraisal does not account for optional rock.

TOTAL (All Roads) =	\$248,010
SALE VOLUME MBF =	3,555
TOTAL COST PER MBF =	\$69.76

Plans to be furnished by:

Compiled by:  M. Bell

Date:  09/10/19

# LOGGING PLAN MAP

**SALE NAME:** SUNNY SIDE  
**AGREEMENT#:** 30-099065  
**TOWNSHIP(S):** T14R6E  
**TRUST(S):** Common School and Indemnity (3)

**REGION:** South Puget Sound Region  
**COUNTY(S):** Lewis  
**ELEVATION RGE:** 2,520 - 3,160 ft.

