Forest Practices Compliance Monitoring Form Eastern Washington Type Np Streams

FPA #		Date	:		_ Segme	nt ID: _	W	'RIA:	
Harvest strategy: Partial cut (thin)			Clearcut (partial) _			No-cut (full-length)			
NOTE: For Questions	s with di	fficult to	o interp	ret wor	ding (i.e. do	uble negativ	ves): Compl	iant = YES; N	lon-compliant = NC
RULE	COMPLIANT (if no, record deviation rating & category) COMPLIANT BEVIATION RATING (L/M/H)			(Additional	comments ma		AMENTS he space provided	d at the end of this docum	
	FPA	Rule	FPA	Rule	Avg. L/O BFW	Avg. L/O Grad.			
(1) Stream not under-typed (222-16-031(4))					Avg. CM BFW	Avg. CM Grad.			
(2) If GTE 10% disturbance to ELZ, was there mitigation? (222-30-022(2)(a))						osed/no gation			
For no cut Np RM	Zs, ans	wer the	follow	ing que	estion				
(3) No harvest within the 50' no-cut RMZ (222-30-022(2)(b))									
For clearcut (parti	ial) Np l	RMZs,	answei	r the fo	llowing qu	estions			
(4) No harvest within 50' of alluvial fans (222-30- 022(2)(b)(ii)(C)(IV))					# stumps in fan or buffer	Avg. Dia.		_	_
(5) No harvest within 50' of headwall seeps and side-slope seeps (222-30- 022(2)(b)(ii)(C)(IV))					# stumps in buffer	Avg. Dia.			
(6) All harvest GTE 50' from all headwall springs/UMPPF and the confluence of 2 or more Type Np streams (222-30-022(2)(b)(ii)(C)(IV))					# stumps in buffer	Avg. Dia.			
(7) Equal distance no-cut buffer designated and retained by the L/O (222-30-022(2)(b)(i)(A))					Required Length	Actual Length			

(8) Clearcut RMZ less		Length of clearcut	
than 300' in continuous			
length			
(222-30-			
022(2)(b)(ii)(C)(II))			
(9) Length of the			
clearcut RMZ LTE			
30% of stream reach			
length within harvest			
unit			
(222-30-			
022(2)(b)(ii)(C)(I)			
(10) Clearcut RMZ is			
greater than 500' from			
confluence with Type F			
or S water			
(222-30-			
022(2)(b)(ii)(C)(III))			

For partial cut (thin) Np RMZs, answer the following questions

RULE	COMPLIANT (if no, record deviation rating & category)		DEVIATION RATING (L/M/H)		COMMENTS (Additional comments may be added in the space provided at the end of this document)			
(11) Were the largest 10 TPA retained (inclusive of those that contributed to BA)? (222-30- 022(2)(b)(i)(C)(I))	FPA	Rule	FPA	Rule	# Retained			
(12) If needed, were up to 40 additional TPA GTE 10" DBH retained to reach required BA per acre? (222-30- 022(2)(b)(i)(C)(II))					# Retained			
(13) If needed, were up to 50 additional TPA GTE 6" DBH retained to reach required BA per acre? (222-30- 022(2)(b)(i)(C)(II))					# Retained			
(14) Were side-slope seeps protected with a 50' partial cut buffer that meets leave tree & BA requirements? (222-30- 022(2)(b)(i)(D))								
(15) Does the uncut portion of the Np RMZ meet the upper end of the stocking level requirements for the habitat type? (222-30- 022(2)(b)(i)(A))								

If non-compliant,	describe the	contributing	factors in	the approp	priate cat	egory in t	he table	below.

	Administrative			
	Layout			
	Operational			
Add	litional Comments or Dis	senting Opinions		
				
		·		
				
O•				
	atures: R Lead		Date	
Trik			D (
			Date	
			Date	
			Date	